

Title (en)

STEEL FOR PRESS HARDENING AND PRESS HARDENED PART MANUFACTURED FROM SUCH STEEL

Title (de)

STAHL ZUM PRESSHÄRTEN UND AUS SOLCH EINEM STAHL HERGESTELLTES PRESSGEHÄRTETES TEIL

Title (fr)

ACIER POUR LE DURCISSEMENT À LA PRESSE ET PIÈCE DURCIE À LA PRESSE FABRIQUÉE À PARTIR D'UN TEL EN ACIER

Publication

EP 3591079 A1 20200108 (EN)

Application

EP 19194164 A 20160610

Priority

- IB 2015001156 W 20150709
- EP 16732746 A 20160610
- IB 2016000788 W 20160610

Abstract (en)

A press hardened steel part wherein the chemical composition of the steel comprises, in weight: $0.062\% \leq C \leq 0.095\%$, $1.4\% \leq Mn \leq 1.9\%$, $0.2\% \leq Si \leq 0.5\%$, $0.020\% \leq Al \leq 0.070\%$, $0.02\% \leq Cr \leq 0.1\%$, wherein : $1.5\% \leq (C+Mn+Si+Cr) \leq 2.7\%$, $0.040\% \leq Nb \leq 0.060\%$, $3.4 \times N \leq Ti \leq 8 \times N$ wherein: $0.044\% \leq (Nb + Ti) \leq 0.090\%$, $0.0005 \leq B \leq 0.004\%$, $0.001\% \leq N \leq 0.009\%$, $0.0005\% \leq S \leq 0.003\%$, $0.001\% \leq P \leq 0.020\%$, optionally: $0.0001\% \leq Ca \leq 0.003\%$, the remainder being Fe and unavoidable impurities, and wherein the microstructure comprises, in the majority of the part, in surface fractions: less than 40% of bainite, less than 5% of austenite, less than 5% of ferrite, the remainder being martensite, said martensite consisting of fresh martensite and of self-tempered martensite..

IPC 8 full level

C21D 8/02 (2006.01); **B32B 15/01** (2006.01); **C21D 1/673** (2006.01); **C22C 21/02** (2006.01); **C22C 38/00** (2006.01); **C22C 38/06** (2006.01); **C22C 38/26** (2006.01); **C22C 38/28** (2006.01); **C22C 38/32** (2006.01); **C22C 38/38** (2006.01); **C22C 38/44** (2006.01); **C22C 38/46** (2006.01); **C22C 38/48** (2006.01); **C22C 38/50** (2006.01); **C22C 38/54** (2006.01)

CPC (source: CN EP KR RU US)

B21B 1/22 (2013.01 - US); **B21D 22/022** (2013.01 - CN EP US); **B23K 26/02** (2013.01 - US); **B23K 26/21** (2015.10 - US); **B32B 15/012** (2013.01 - CN EP KR US); **C21D 1/673** (2013.01 - CN EP KR US); **C21D 6/002** (2013.01 - EP US); **C21D 6/005** (2013.01 - EP US); **C21D 6/008** (2013.01 - EP US); **C21D 8/02** (2013.01 - RU); **C21D 8/0205** (2013.01 - EP US); **C21D 8/0226** (2013.01 - EP US); **C21D 8/0236** (2013.01 - EP US); **C21D 8/0263** (2013.01 - EP US); **C21D 8/0278** (2013.01 - CN EP KR US); **C21D 9/46** (2013.01 - EP KR US); **C22C 21/02** (2013.01 - CN EP US); **C22C 38/001** (2013.01 - CN EP US); **C22C 38/002** (2013.01 - EP US); **C22C 38/02** (2013.01 - CN EP US); **C22C 38/04** (2013.01 - KR); **C22C 38/06** (2013.01 - CN EP US); **C22C 38/22** (2013.01 - EP US); **C22C 38/26** (2013.01 - CN EP KR US); **C22C 38/28** (2013.01 - CN EP KR US); **C22C 38/32** (2013.01 - CN EP KR US); **C22C 38/38** (2013.01 - CN EP KR RU US); **C22C 38/44** (2013.01 - CN EP US); **C22C 38/46** (2013.01 - CN EP US); **C22C 38/48** (2013.01 - CN EP US); **C22C 38/50** (2013.01 - CN EP US); **C22C 38/54** (2013.01 - CN EP US); **C23C 2/12** (2013.01 - US); **B21B 2001/225** (2013.01 - US); **B32B 2605/00** (2013.01 - US); **C21D 2211/001** (2013.01 - EP US); **C21D 2211/002** (2013.01 - EP KR US); **C21D 2211/005** (2013.01 - EP US); **C21D 2211/008** (2013.01 - EP KR US)

Citation (applicant)

- GB 1490535 A 19771102 - NORRBOTTENS JAERNVERK AB
- FR 2780984 A1 20000114 - LORRAINE LAMINAGE [FR]
- EP 2137327 A1 20091230 - ARCELORMITTAL FRANCE [FR]
- EP 1865086 A1 20071212 - THYSSENKRUPP STEEL AG [DE]
- EP 1881083 A1 20080123 - BENTELER STAHL ROHR GMBH [DE], et al

Citation (search report)

- [A] US 6296805 B1 20011002 - LAURENT JEAN-PIERRE [FR], et al
- [AD] GB 1490535 A 19771102 - NORRBOTTENS JAERNVERK AB
- [AD] EP 2137327 A1 20091230 - ARCELORMITTAL FRANCE [FR]
- [A] ANONYMOUS: "Steel for hot stamping-Usibor, extract from the product catalogue - European edition", 28 January 2014 (2014-01-28), pages 9PP, XP002755755, Retrieved from the Internet <URL:http://automotive.arcelormittal.com/saturnus/sheets/E_EN.pdf> [retrieved on 20160322]
- [A] R. VIERSTRAETE, W. EHLING, F. PINARD, L. CRETTEUR, A. PIC, Q. YIN: "Laser ablation for hardening laser welded steel blanks", INDUSTRIAL LASER SOLUTION FOR MANUFACTURING, 26 January 2010 (2010-01-26), Tulsa, pages 1 - 13, XP002755756, Retrieved from the Internet <URL:www.industrial-lasers.com/articles/2010/01/laser-ablation...> [retrieved on 20160321]
- [A] P. NORMAN, G. WIKLUND, P. JANIAC, N. MALMBERG, A.F.H. KAPLAN: "Comparison of 22MnB5-steel with and without AISi-coating during laser hybrid arc welding", NORWEGIAN UNIVERSITY OF SCIENCE AND TECHNOLOGY, 29 June 2011 (2011-06-29), Trondheim, pages 1 - 9, XP002755757
- [A] ANONYMOUS: "Update Client magazine, Flat Carbon Europe", November 2011 (2011-11-01), XP002755758, Retrieved from the Internet <URL:http://flateurope.arcelormittal.com/flipflop/fce/Update/EN_UpdateFCE_November11/index.html> [retrieved on 20160322]

Cited by

CN112962021A

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

WO 2017006144 A1 20170112; BR 112017023444 A2 20180731; BR 112017023444 B1 20211130; CA 2990356 A1 20170112; CA 2990356 C 20191126; CA 3058829 A1 20170112; CA 3058829 C 20230418; CA 3191853 A1 20170112; CN 107810281 A 20180316; CN 107810281 B 20190611; CN 110117753 A 20190813; CN 110117753 B 20210928; CN 110144443 A 20190820; CN 110144443 B 20210525; CN 110144444 A 20190820; CN 110144444 B 20210525; CN 110195150 A 20190903; CN 110195150 B 20220301; CN 110195151 A 20190903; CN 110195151 B 20220215; CN 110205449 A 20190906; CN 110205449 B 20210921; EP 3320119 A1 20180516; EP 3320119 B1 20191023; EP 3591079 A1 20200108; EP 3591079 B1 20210602; EP 3604564 A1 20200205; EP 3604564 B1 20231004; EP 4234746 A2 20230830; EP 4234746 A3 20231115; ES 2763454 T3 20200528; ES 2878899 T3 20211119; ES 2967397 T3 20240430; FI 3604564 T3 20231108; HU E048028 T2 20200528; HU E055394 T2 20211129; HU E064099 T2 20240228; JP 2018527457 A 20180920; JP 2020073723 A 20200514; JP 2020073724 A 20200514; JP 2022017398 A 20220125; JP 2022023173 A 20220207; JP 6640885 B2 20200205; JP 6970172 B2 20211124;

JP 6971299 B2 20211124; JP 7299956 B2 20230628; JP 7299957 B2 20230628; KR 101921441 B1 20181122; KR 20170140415 A 20171220; MA 42368 A 20180516; MA 47702 A 20200108; MA 47702 B1 20210729; MA 47998 B1 20231130; MX 2017016548 A 20180430; MX 2022004075 A 20220503; MX 2022004076 A 20220503; PL 3320119 T3 20200518; PL 3591079 T3 20211115; PL 3604564 T3 20240304; RU 2686728 C1 20190430; UA 119508 C2 20190625; US 11319610 B2 20220503; US 11814696 B2 20231114; US 2018202017 A1 20180719; US 2022017987 A1 20220120; US 2024035109 A1 20240201; WO 2017006159 A1 20170112

DOCDB simple family (application)

IB 2015001156 W 20150709; BR 112017023444 A 20160610; CA 2990356 A 20160610; CA 3058829 A 20160610; CA 3191853 A 20160610; CN 201680036507 A 20160610; CN 201910398708 A 20160610; CN 201910398727 A 20160610; CN 201910398780 A 20160610; CN 201910398786 A 20160610; CN 201910399705 A 20160610; CN 201910401468 A 20160610; EP 16732746 A 20160610; EP 19194164 A 20160610; EP 19194169 A 20160610; EP 23180573 A 20160610; ES 16732746 T 20160610; ES 19194164 T 20160610; ES 19194169 T 20160610; FI 19194169 T 20160610; HU E16732746 A 20160610; HU E19194164 A 20160610; HU E19194169 A 20160610; IB 2016000788 W 20160610; JP 2017565956 A 20160610; JP 2019233860 A 20191225; JP 2019233861 A 20191225; JP 2021175214 A 20211027; JP 2021175215 A 20211027; KR 20177035286 A 20160610; MA 42368 A 20160610; MA 47702 A 20160610; MA 47998 A 20160610; MX 2017016548 A 20160610; MX 2022004075 A 20171215; MX 2022004076 A 20171215; PL 16732746 T 20160610; PL 19194164 T 20160610; PL 19194169 T 20160610; RU 2018104810 A 20160610; UA A201801163 A 20160610; US 201615741290 A 20160610; US 202117491785 A 20211001; US 202318377943 A 20231009