

Title (en)

METHOD FOR CONTINUOUS CASTING, IN PARTICULAR FOR A VERTICAL CASTING INSTALLATION FOR POURING STEEL

Title (de)

VERFAHREN ZUM STRANGGIESSEN INSBESEONDERE BEI EINER VERTIKALGIESSANLAGE ZUM ABGIESSEN VON STAHL

Title (fr)

PROCÉDÉ DE COULÉE EN CONTINU, EN PARTICULIER DANS UNE INSTALLATION DE COULÉE VERTICALE PERMETTANT DE COULER DE L'ACIER

Publication

**EP 3593923 B1 20211013 (DE)**

Application

**EP 18183322 A 20180713**

Priority

EP 18183322 A 20180713

Abstract (en)

[origin: WO2020011444A1] In a process for continuous or semicontinuous strand casting, especially in a vertical casting plant for casting steel, the strand (5), at the end of the casting process, is withdrawn downward in a cooled mould (1) after the melt supply has been stopped. The strand (5) is stopped before the fill level (15') reaches the lower end of the mould (1). The lower end (2') of a pipe element (2) is immersed into the metal melt in the mould (1) in such a way that the fill level (15') of the metal melt rises nearly as far as the upper end of the mould, as is the case during the casting process. This simple procedure enables better output rates owing to the shorter upper end of the strand that has to be cut off.

IPC 8 full level

**B22D 11/04** (2006.01); **B22D 11/041** (2006.01); **B22D 11/10** (2006.01); **B22D 11/14** (2006.01); **B22D 27/11** (2006.01)

CPC (source: EP)

**B22D 11/041** (2013.01); **B22D 11/10** (2013.01); **B22D 11/141** (2013.01); **B22D 27/11** (2013.01)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**EP 3593923 A1 20200115; EP 3593923 B1 20211013; CN 112512725 A 20210316; WO 2020011444 A1 20200116**

DOCDB simple family (application)

**EP 18183322 A 20180713; CN 201980046246 A 20190529; EP 2019063964 W 20190529**