

Title (en)

COPPER ALLOY STRIP EXHIBITING IMPROVED DIMENSIONAL ACCURACY AFTER PRESS-WORKING

Title (de)

KUPFERLEGIERUNGSBAND MIT VERBESSERTER FORMGENAUIGKEIT NACH EINER PRESSBEARBEITUNG

Title (fr)

BANDE EN ALLIAGE DE CUIVRE DE PRÉCISION DIMENSIONNELLE AMÉLIORÉE APRÈS TRAVAIL À LA PRESSE

Publication

EP 3604574 B1 20240228 (EN)

Application

EP 18770302 A 20180320

Priority

- JP 2017054877 A 20170321
- JP 2018011144 W 20180320

Abstract (en)

[origin: EP3604574A1] Provided is a Corson alloy having improved bending workability and also having high dimensional accuracy after press-working. A copper alloy strip which is a rolling material, the rolling material containing from 0 to 5.0% by mass of Ni or from 0 to 2.5% by mass of Co, the total amount of Ni + Co being from 0.2 to 5% by mass; from 0.2 to 1.5% by mass of Si, the balance being copper and unavoidable impurities, wherein the rolling material satisfies the relationship: $A_{⁰}/A \leq 1.000$, in which $A_{⁰}$ represents a projected area of an indentation remaining after carrying out a Vickers hardness test by maintaining a square pyramidal indenter for 10 seconds while applying a test force with a load of 1 kg to a surface of a base material and releasing the test force; and A represents an area connecting vertices of the indenter, and wherein the rolling material satisfies the relationship: $0.1 \leq I_{(200)} / I_{(200)_{⁰}} < 1.0$, in which $I_{(200)}$ represents an X-ray diffraction intensity from a (200) plane on the surface, and $I_{(200)_{⁰}}$ represents an X-ray diffraction intensity from a (200) plane of a pure copper powder standard sample.

IPC 8 full level

C22C 9/06 (2006.01); **C22F 1/08** (2006.01); **H01B 1/02** (2006.01)

CPC (source: EP KR US)

B21B 3/00 (2013.01 - US); **C22C 1/02** (2013.01 - US); **C22C 9/02** (2013.01 - KR); **C22C 9/04** (2013.01 - KR); **C22C 9/05** (2013.01 - KR);
C22C 9/06 (2013.01 - EP KR US); **C22C 9/10** (2013.01 - KR); **C22F 1/08** (2013.01 - EP KR US); **H01B 1/026** (2013.01 - EP);
B21B 2003/005 (2013.01 - US)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

EP 3604574 A1 20200205; **EP 3604574 A4 20201104**; **EP 3604574 B1 20240228**; CN 110462075 A 20191115; CN 110462075 B 20210831;
JP 2018154912 A 20181004; JP 6440760 B2 20181219; KR 102278796 B1 20210719; KR 20190119619 A 20191022;
TW 201840862 A 20181116; TW I656228 B 20190411; US 11203799 B2 20211221; US 2020024695 A1 20200123;
WO 2018174079 A1 20180927

DOCDB simple family (application)

EP 18770302 A 20180320; CN 201880019328 A 20180320; JP 2017054877 A 20170321; JP 2018011144 W 20180320;
KR 20197027082 A 20180320; TW 107109339 A 20180319; US 201816496258 A 20180320