

Title (en)
MOLD MATERIAL FOR CASTING AND COPPER ALLOY MATERIAL

Title (de)
FORMWERKSTOFF FÜR GUSS UND KUPFERLEGIERUNGSMATERIAL

Title (fr)
MATÉRIAU DE MOULE POUR COULÉE ET MATÉRIAU D'ALLIAGE DE CUIVRE

Publication
EP 3715488 A1 20200930 (EN)

Application
EP 18881052 A 20180928

Priority

- JP 2017223760 A 20171121
- JP 2018036324 W 20180928

Abstract (en)
A casting mold material used when casting a metal material includes, as a composition: Cr within a range of 0.3 mass% or more and 0.7 mass% or less; Zr within a range of 0.025 mass% or more and 0.15 mass% or less; Sn within a range of 0.005 mass% or more and 0.04 mass% or less; P within a range of 0.005 mass% or more and 0.03 mass% or less; and a balance consisting of Cu and inevitable impurities, in which a Zr content [Zr] (mass%) and a P content [P] (mass%) have a relationship of $[Zr]/[P] \geq 5$, and a Sn content [Sn] (mass%) and a P content [P] (mass%) have a relationship of $[Sn]/[P] \leq 5$.

IPC 8 full level
C22C 9/00 (2006.01); **B22D 11/059** (2006.01); **C22F 1/00** (2006.01); **C22F 1/02** (2006.01); **C22F 1/08** (2006.01)

CPC (source: EP KR US)
B22D 11/059 (2013.01 - EP KR US); **C22C 9/00** (2013.01 - EP KR US); **C22F 1/08** (2013.01 - EP KR US)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
US 2020215604 A1 20200709; CN 111212923 A 20200529; CN 111212923 B 20211214; EP 3715488 A1 20200930; EP 3715488 A4 20210331; JP 2019094530 A 20190620; JP 7035478 B2 20220315; KR 102486303 B1 20230106; KR 20200087123 A 20200720; WO 2019102716 A1 20190531

DOCDB simple family (application)
US 201816648061 A 20180928; CN 201880066982 A 20180928; EP 18881052 A 20180928; JP 2017223760 A 20171121; JP 2018036324 W 20180928; KR 20207008276 A 20180928