

Title (en)
STEEL SHEET AND MANUFACTURING METHOD THEREFOR

Title (de)
STAHLBLECH UND HERSTELLUNGSVERFAHREN DAFÜR

Title (fr)
TÔLE D'ACIER ET SON PROCÉDÉ DE FABRICATION

Publication
EP 3845674 A4 20210721 (EN)

Application
EP 19874690 A 20191016

Priority
• JP 2018196149 A 20181017
• JP 2019165000 A 20190911
• JP 2019040662 W 20191016

Abstract (en)
[origin: EP3845674A1] A steel sheet and a method for producing the steel sheet are provided. The present invention provides a steel sheet with a specific composition, wherein a steel microstructure contains ferrite: 5% by area percentage or less, a microstructure composed of one or two or more of upper bainite, fresh martensite, tempered martensite, lower bainite, and retained γ : 95% to 100% by area percentage, and retained γ : 5% to 20% by volume percentage, retained γ_{UB} with a grain width in the range of 0.25 to 0.60 μm , a grain length in the range of 1.0 to 15 μm , and an aspect ratio in the range of 3.1 to 25 has an area percentage $S_{\gamma_{UB}}$ in the range of 0.2% to 7.0%, retained γ_{LB} with a grain width in the range of 0.08 to 0.24 μm , a grain length in the range of 0.6 to 15 μm , and an aspect ratio in the range of 4 to 40 has a distribution number $N_{\gamma_{LB}}$ in the range of 10 to 120 per 100 μm^2 , fresh martensite with an equivalent circular grain diameter of 0.5 μm or more and less than 1.3 μm and an aspect ratio of 3 or less and/or retained γ grains with an equivalent circular grain diameter of 0.5 μm or more and less than 1.3 μm and an aspect ratio of 3 or less has a total area percentage $S_{\gamma_{Fine}}$ in the range of 1% to 10%, and fresh martensite with an equivalent circular grain diameter in the range of 1.5 to 20 μm and an aspect ratio of 3 or less and/or retained γ grains with an equivalent circular grain diameter in the range of 1.5 to 20 μm and an aspect ratio of 3 or less have a total area percentage $S_{\gamma_{Block}}$ of 5% or less (including 0%).

IPC 8 full level
C21D 1/19 (2006.01); **C21D 1/20** (2006.01); **C21D 1/22** (2006.01); **C21D 1/25** (2006.01); **C21D 1/28** (2006.01); **C21D 6/00** (2006.01); **C21D 8/04** (2006.01); **C21D 9/46** (2006.01); **C21D 9/48** (2006.01); **C22C 38/00** (2006.01); **C22C 38/02** (2006.01); **C22C 38/04** (2006.01); **C22C 38/06** (2006.01); **C22C 38/60** (2006.01); **C22C 38/22** (2006.01); **C22C 38/26** (2006.01); **C22C 38/28** (2006.01); **C22C 38/32** (2006.01)

CPC (source: EP KR US)
C21D 1/19 (2013.01 - EP); **C21D 1/22** (2013.01 - US); **C21D 1/25** (2013.01 - EP); **C21D 1/28** (2013.01 - EP); **C21D 6/005** (2013.01 - US); **C21D 6/008** (2013.01 - EP US); **C21D 8/0205** (2013.01 - US); **C21D 8/0226** (2013.01 - KR US); **C21D 8/0236** (2013.01 - KR US); **C21D 8/0263** (2013.01 - US); **C21D 8/0273** (2013.01 - KR); **C21D 9/46** (2013.01 - KR US); **C21D 9/48** (2013.01 - EP); **C22C 38/001** (2013.01 - KR US); **C22C 38/002** (2013.01 - US); **C22C 38/02** (2013.01 - EP KR US); **C22C 38/04** (2013.01 - EP KR US); **C22C 38/06** (2013.01 - US); **C22C 38/12** (2013.01 - US); **C22C 38/14** (2013.01 - KR US); **C22C 38/42** (2013.01 - KR US); **C22C 38/44** (2013.01 - KR US); **C22C 38/46** (2013.01 - KR); **C22C 38/48** (2013.01 - KR); **C22C 38/50** (2013.01 - KR US); **C22C 38/54** (2013.01 - US); **C22C 38/58** (2013.01 - US); **C22C 38/60** (2013.01 - KR); **C21D 1/20** (2013.01 - EP); **C21D 1/22** (2013.01 - EP); **C21D 6/001** (2013.01 - EP); **C21D 6/002** (2013.01 - EP); **C21D 6/005** (2013.01 - EP); **C21D 8/0473** (2013.01 - EP); **C21D 2211/002** (2013.01 - EP US); **C21D 2211/005** (2013.01 - US); **C21D 2211/008** (2013.01 - EP US); **C22C 38/06** (2013.01 - EP); **C22C 38/22** (2013.01 - EP); **C22C 38/26** (2013.01 - EP); **C22C 38/28** (2013.01 - EP); **C22C 38/32** (2013.01 - EP); **C22C 38/60** (2013.01 - EP); **Y02P 10/20** (2015.11 - EP)

Citation (search report)
• [I] JP 2017214648 A 20171207 - KOBE STEEL LTD
• [I] EP 2546368 A1 20130116 - JFE STEEL CORP [JP]
• [E] EP 3611285 A1 20200219 - JFE STEEL CORP [JP]
• See references of WO 2020080401A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
EP 3845674 A1 20210707; **EP 3845674 A4 20210721**; CN 112912520 A 20210604; CN 112912520 B 20221025; JP 6787526 B2 20201118; JP WO2020080401 A1 20210215; KR 102514897 B1 20230330; KR 20210059747 A 20210525; MX 2021004347 A 20210528; US 2022010397 A1 20220113; WO 2020080401 A1 20200423

DOCDB simple family (application)
EP 19874690 A 20191016; CN 201980068744 A 20191016; JP 2019040662 W 20191016; JP 2020505520 A 20191016; KR 20217011105 A 20191016; MX 2021004347 A 20191016; US 201917285375 A 20191016