

Title (en)

STEEL SHEET PLATED WITH AL-FE ALLOY FOR HOT PRESS FORMING HAVING EXCELLENT CORROSION RESISTANCE AND HEAT RESISTANCE, HOT PRESS FORMED PART, AND MANUFACTURING METHOD THEREFOR

Title (de)

MIT EINER AL-FE-LEGIERUNG PLATTIERTES STAHLBLECH FÜR DIE WARMVERFORMUNG MIT AUSGEZEICHNETER KORROSIONSBESTÄNDIGKEIT UND HITZEBESTÄNDIGKEIT, FORMTEIL AUS EINER HEISSPRESSUNG UND VERFAHREN ZU SEINER HERSTELLUNG

Title (fr)

TÔLE D'ACIER PLAQUÉE AVEC UN ALLIAGE D'AL-FE POUR FORMAGE À LA PRESSE À CHAUD PRÉSENTANT UNE EXCELLENTE RÉSISTANCE À LA CORROSION ET UNE EXCELLENTE RÉSISTANCE À LA CHALEUR, PIÈCE FORMÉE À LA PRESSE À CHAUD ET PROCÉDÉ DE FABRICATION ASSOCIÉ

Publication

**EP 3889314 A1 20211006 (EN)**

Application

**EP 19891044 A 20191129**

Priority

- KR 20180152574 A 20181130
- KR 2019016761 W 20191129

Abstract (en)

The present invention provides a steel plate plated with an aluminum-iron alloy for hot press forming, the steel plate comprising a base steel sheet and an alloy plated layer formed on the base steel sheet, wherein the alloy plated layer comprises: an alloyed layer (I) formed on the base steel sheet and containing, by weight, Al: 5-30%; an alloyed layer (II) formed on the alloyed layer (I) and containing, by weight, Al: 30-60%; and an alloyed layer (III) formed on the alloyed layer (II) and containing, by weight, Al: 20-50%, wherein the alloy layer (II) has a FeAl(Si) alloy phase dispersed and distributed therein, the FeAl(Si) alloy phase comprising, by weight, Al: 20-50% and Si: 5-20%, and the number density of the FeAl(Si) alloy phase having a circle-equivalent diameter of 5µm or less is 103/mm<sup>2</sup> or more.

IPC 8 full level

**C23C 2/28** (2006.01); **C21D 1/78** (2006.01); **C22C 30/00** (2006.01); **C22C 38/02** (2006.01); **C22C 38/06** (2006.01); **C22C 38/14** (2006.01); **C22C 38/18** (2006.01); **C23C 2/12** (2006.01); **C23C 2/40** (2006.01)

CPC (source: EP KR US)

**C21D 1/78** (2013.01 - EP KR); **C22C 30/00** (2013.01 - EP KR); **C22C 38/02** (2013.01 - EP KR); **C22C 38/06** (2013.01 - EP KR); **C22C 38/14** (2013.01 - EP KR); **C22C 38/18** (2013.01 - EP KR); **C23C 2/12** (2013.01 - EP KR); **C23C 2/28** (2013.01 - EP KR US); **C23C 2/29** (2022.08 - EP KR US); **C23C 2/40** (2013.01 - EP KR); **C23C 28/021** (2013.01 - EP); **C23C 28/027** (2013.01 - EP); **C23C 28/028** (2013.01 - EP); **C23C 30/00** (2013.01 - EP)

Cited by

EP3889311A4; US11578397B2; US11897014B2; US11998971B2

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

**EP 3889314 A1 20211006**; **EP 3889314 A4 20211110**; CN 113166913 A 20210723; CN 113166913 B 20231229; KR 102264726 B1 20210616; KR 102450998 B1 20221007; KR 20200066240 A 20200609; KR 20210070967 A 20210615

DOCDB simple family (application)

**EP 19891044 A 20191129**; CN 201980078996 A 20191129; KR 20190156856 A 20191129; KR 20210074024 A 20210608