

Title (en)

ALUMINA HAVING A PARTICULAR PORE PROFILE

Title (de)

ALUMINIUMOXID MIT EINEM BESTIMMTEN PORENPROFIL

Title (fr)

ALUMINE PRÉSENTANT UN PROFIL POREUX PARTICULIER

Publication

EP 4065269 A1 20221005 (FR)

Application

EP 20810988 A 20201125

Priority

- EP 19315153 A 20191129
- EP 19315155 A 20191129
- EP 2020083437 W 20201125

Abstract (en)

[origin: WO2021105252A1] The present invention relates to an alumina having a particular pore profile and good thermal stability. This alumina is also characterised by the fact that it has a high apparent density. The alumina has, after calcination in air at 1100 °C for 5 hours: - a pore volume, in the pore size range of between 5 nm and 100 nm, that is between 0.50 and 0.75 ml/g, more particularly between 0.50 and 0.70 ml/g; and - a pore volume, in the pore size range of between 100 nm and 1000 nm, that is less than or equal to 0.20 ml/g, more particularly less than or equal to 0.15 ml/g, or even less than or equal to 0.10 ml/g.

IPC 8 full level

B01J 21/04 (2006.01); **B01J 23/10** (2006.01); **B01J 35/00** (2006.01); **B01J 35/02** (2006.01); **B01J 35/10** (2006.01); **B01J 37/03** (2006.01);
B01J 37/06 (2006.01); **C01F 7/441** (2022.01)

CPC (source: EP KR US)

B01J 21/04 (2013.01 - EP KR US); **B01J 23/10** (2013.01 - EP KR US); **B01J 35/00** (2013.01 - EP KR); **B01J 35/30** (2024.01 - EP);
B01J 35/31 (2024.01 - US); **B01J 35/50** (2024.01 - US); **B01J 35/60** (2024.01 - EP KR); **B01J 35/613** (2024.01 - US);
B01J 35/615 (2024.01 - US); **B01J 35/633** (2024.01 - US); **B01J 35/635** (2024.01 - US); **B01J 35/638** (2024.01 - US);
B01J 35/647 (2024.01 - US); **B01J 35/651** (2024.01 - US); **B01J 35/653** (2024.01 - US); **B01J 37/03** (2013.01 - EP KR);
B01J 37/031 (2013.01 - US); **B01J 37/04** (2013.01 - US); **B01J 37/06** (2013.01 - EP KR); **B01J 37/08** (2013.01 - US); **C01F 7/34** (2013.01 - US);
C01F 7/441 (2013.01 - US); **C01P 2002/72** (2013.01 - US); **C01P 2004/61** (2013.01 - US); **C01P 2006/11** (2013.01 - US);
C01P 2006/13 (2013.01 - US); **C01P 2006/14** (2013.01 - US); **C01P 2006/17** (2013.01 - US); **C01P 2006/80** (2013.01 - US);
Y02A 50/20 (2018.01 - EP); **Y02T 10/12** (2013.01 - EP)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

WO 2021105252 A1 20210603; CA 3159463 A1 20210603; CN 114761123 A 20220715; EP 4065269 A1 20221005; JP 2023504129 A 20230201;
KR 20220101722 A 20220719; US 2022410124 A1 20221229

DOCDB simple family (application)

EP 2020083437 W 20201125; CA 3159463 A 20201125; CN 202080082214 A 20201125; EP 20810988 A 20201125;
JP 2022531642 A 20201125; KR 20227021649 A 20201125; US 202017781282 A 20201125