

Title (en)

METHOD OF MANUFACTURING POLYURETHANE MATERIALS FROM REACTIVE POLYOLS AND POLYOLS OBTAINABLE FROM WASTE AFTER PROCESSING WOOD OR WOOD-LIKE WASTE

Title (de)

VERFAHREN ZUR HERSTELLUNG VON POLYURETHANWERKSTOFFEN AUS REAKTIVEN POLYOLEN UND POLYOLEN AUS ABFÄLLEN NACH DER VERARBEITUNG VON HOLZ ODER HOLZÄHNLICHEM ABFALL

Title (fr)

PROCÉDÉ DE FABRICATION DE MATERIAUX DE POLYURÉTHANE À PARTIR DE POLYOLS RÉACTIFS ET DE POLYOLS OBTENUS DE DÉCHETS APRÈS TRAITEMENT DU BOIS OU DE DÉCHETS DU TYPE BOIS

Publication

EP 4118129 A4 20240403 (EN)

Application

EP 21768868 A 20210225

Priority

- PL 43319020 A 20200310
- PL 2021000011 W 20210225

Abstract (en)

[origin: WO2021182980A1] The invention relates to a process for the production of new polyurethane materials from polyols and wood waste and / or wood-like waste. This method is characterized by the use of polyol synthesized from wood waste and / or wood-like waste polyols or petrochemical polyols are used. A polyol mixture is prepared by mixing 1-100 parts by mass of polyols obtained from wood waste and/or 1-100 parts by mass of polyols obtained from wood-like waste and/or 1-100 parts by mass of petrochemical oligomerols and 0.01-10 parts by mass catalysts. Moreover, surfactants, anti-foaming agents, blowing agents and milled waste after wood processing or milled wood-like waste can be used. The resulting polyol mixture is then mixed with the isocyanate in an NCO / OH molar ratio ranging from 0.5 to 4.

IPC 8 full level

C08G 18/32 (2006.01); **C08G 18/16** (2006.01); **C08G 18/20** (2006.01); **C08G 18/22** (2006.01); **C08G 18/40** (2006.01); **C08G 18/48** (2006.01);
C08G 18/64 (2006.01); **C08G 18/76** (2006.01); **C08J 5/06** (2006.01); **C08J 9/00** (2006.01); **C08J 9/14** (2006.01); **C08L 75/04** (2006.01);
C08L 97/02 (2006.01)

CPC (source: EP)

C08G 18/163 (2013.01); **C08G 18/2036** (2013.01); **C08G 18/225** (2013.01); **C08G 18/4081** (2013.01); **C08G 18/4829** (2013.01);
C08G 18/6492 (2013.01); **C08G 18/7664** (2013.01); **C08J 9/0061** (2013.01); **C08J 9/141** (2013.01); **C08J 9/146** (2013.01); **C08L 97/02** (2013.01);
C08G 2110/005 (2021.01); **C08G 2110/0058** (2021.01); **C08J 2203/14** (2013.01); **C08J 2203/142** (2013.01); **C08J 2375/04** (2013.01);
C08J 2497/02 (2013.01)

Citation (search report)

- [I] EP 0342781 A2 19891123 - AGENCY IND SCIENCE TECHN [JP]
- [I] DE 4426847 A1 19950202 - SAMSUNG GENERAL CHEMICALS CO [KR]
- [I] DE 19526032 A1 19970220 - HENKEL KGAA [DE], et al
- [I] EP 2677030 A1 20131225 - LATVIJAS VALSTS KOKSNES KIMIJAS INST [LV], et al
- See also references of WO 2021182980A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

WO 2021182980 A1 20210916; EP 4118129 A1 20230118; EP 4118129 A4 20240403; PL 244632 B1 20240219; PL 433190 A1 20210913

DOCDB simple family (application)

PL 2021000011 W 20210225; EP 21768868 A 20210225; PL 43319020 A 20200310