

Title (en)
PULVERULENT COMPOSITION, MOLDING CONSISTING THEREOF, PROCESS FOR PRODUCING A MOLDING, AND USE OF A PULVERULENT COMPOSITION

Title (de)
PULVERFÖRMIGE ZUSAMMENSETZUNG, FORMKÖRPER DARAUS, VERFAHREN ZUR HERSTELLUNG EINES FORMKÖRPERS SOWIE VERWENDUNG EINER PULVERFÖRMIGEN ZUSAMMENSETZUNG

Title (fr)
COMPOSITION PULVÉRULENTE, MOULAGE CONSTITUÉ DE CELLE-CI, PROCÉDÉ DE PRODUCTION D'UN MOULAGE ET UTILISATION D'UNE COMPOSITION PULVÉRULENTE

Publication
EP 4352133 A1 20240417 (DE)

Application
EP 22732072 A 20220531

Priority
• DE 102021114722 A 20210608
• EP 2022064725 W 20220531

Abstract (en)
[origin: WO2022258434A1] A pulverulent composition contains at least one polyamide (PA) powder and is characterized in that the PA powder satisfies the following parameters: a melting point in the range of 240 to 320 °C, a melt flow index of 700 cm³/10 min or less, measured at a temperature of 30 to 35 °C above the melting point, and a melt flow index of 300 cm³/10 min or less, measured at a temperature of 10 to 15 °C above the melting point, each time measured at a test load of 5 kg. Additionally, the pulverulent composition has an elongation at break of at least 2.0% after sintering. The invention also relates to a molding that consists of such a pulverulent composition, a use of the pulverulent composition, and a process for producing a molding.

IPC 8 full level
C08G 69/26 (2006.01); **B29C 64/153** (2017.01); **B33Y 70/00** (2020.01); **B33Y 80/00** (2015.01)

CPC (source: EP US)
B29C 64/153 (2017.08 - EP); **B33Y 10/00** (2014.12 - EP); **B33Y 70/00** (2014.12 - EP US); **C08G 69/26** (2013.01 - EP); **C09D 5/031** (2013.01 - US); **C09D 177/06** (2013.01 - US); **B29C 64/153** (2017.08 - US); **B29K 2077/00** (2013.01 - US); **B29K 2105/0026** (2013.01 - US); **B29K 2105/0032** (2013.01 - US); **B29K 2105/0085** (2013.01 - US); **B29K 2105/0088** (2013.01 - US); **B29K 2105/0094** (2013.01 - US); **B29K 2105/16** (2013.01 - US); **B29K 2105/251** (2013.01 - US); **B29K 2995/0012** (2013.01 - US); **B29K 2995/0063** (2013.01 - US); **B29K 2995/0094** (2013.01 - US); **B33Y 10/00** (2014.12 - US)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

Designated validation state (EPC)
KH MA MD TN

DOCDB simple family (publication)
DE 102021114722 A1 20221208; EP 4352133 A1 20240417; US 2024287318 A1 20240829; WO 2022258434 A1 20221215

DOCDB simple family (application)
DE 102021114722 A 20210608; EP 2022064725 W 20220531; EP 22732072 A 20220531; US 202218566177 A 20220331