



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 0 988 791 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
29.03.2000 Bulletin 2000/13

(51) Int Cl.7: **A01N 57/16**
// (A01N57/16, 59:06, 25:22,
25:14)

(21) Application number: **99118007.6**

(22) Date of filing: **20.09.1999**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventors:
• **Viets, Alan K.**
Excelsior Springs, MO 64024 (US)
• **Cohoon, Stephen W.**
Excelsior Springs, MO 64024 (US)

(30) Priority: **25.09.1998 US 161084**

(74) Representative: **Bader, Axel Jochen et al**
Bayer AG,
Konzernbereich RP Patente und Lizenzen
51368 Leverkusen (DE)

(71) Applicant: **Bayer Corporation**
Pittsburgh, PA 15205-9741 (US)

(54) **Method for reducing deflagration of azinphos-methyl**

(57) The present invention relates to a stable azinphos-methyl wettable powder formulation. The composition of the present invention contains an insecticide powder formulation and a magnesium sulfate heptahydrate. The magnesium sulfate heptahydrate is added to the azinphos-methyl formulation in an amount such that

the magnesium sulfate heptahydrate is from about 5% by weight to about 20% by weight of the total mixture. The addition of the magnesium sulfate heptahydrate reduces deflagration of the azinphos-methyl formulation and reduces the tendency of exothermic decomposition to occur.

EP 0 988 791 A1

Description**BACKGROUND OF THE INVENTION**

[0001] The present invention relates to an azinphos-methyl powder insecticide composition, and a process for preparing the composition, that reduces or eliminates the tendency of the azinphos-methyl composition to deflagrate and undergo exothermic decomposition.

[0002] Insecticides for open areas are generally applied by spraying. Sprays can be produced by either diluting liquid concentrates or by adding liquid to an insecticide in wettable powder form. The dry powder form of insecticides is generally preferred over the liquid form because it is less likely to penetrate the clothing and skin of the person handling it than a liquid concentrate. It is also easier to clean up a powder than a liquid in the event of a spill. However, azinphos-methyl in powder form is sensitive to heat. An ignition source could result in deflagration of the powder. As such, there is a need to make the powder forms of azinphos-methyl less likely to deflagrate without adversely affecting other desirable properties, such as storage stability.

[0003] A form of insecticides useful for treating enclosed, limited spaces is a fumigant. Japanese Patent 63,039,803 teaches an insecticide fumigant that undergoes controlled decomposition. In this fumigant, the insecticide is mixed with a thermodecomposable compound that will produce nitrogen and carbon dioxide at temperatures less than 300°C. Among the thermodecomposable compounds taught to be appropriate are ammonium salts, metal azides, inorganic carbonates and organic carboxylic acids. These thermodecomposable compounds are used in quantities such that they constitute at least 50% by weight of the fumigant mixture.

[0004] U.S. Patent 5,268,177 teaches a process for raising the temperature at which deflagration of azinphos-methyl occurs by adding thereto a carbonate of alkali metal in an amount such that the carbonate is at least 10% by weight of the total mixture. The resultant mixtures are characterized by a reduced tendency toward deflagration at temperatures below 200°C. Examples 5 and 6 of Patent 5,268,177 illustrate comparative azinphos-methyl formulations in which magnesium sulfate and magnesium sulfate heptahydrate, respectively, were substituted for the carbonate or bicarbonate. The magnesium sulfate and the magnesium sulfate heptahydrate each constituted approximately 25% by weight of the azinphos-methyl formulations in Examples 5 and 6, respectively. Deflagration (manifested by smoke generation) of both the Example 5 and 6 formulations occurred at a temperature of 188°C.

SUMMARY OF THE INVENTION

[0005] It is an object of the present invention to provide a stable azinphos-methyl wettable powder composition, and a process for preparing the composition, that reduces or eliminates the tendency of the azinphos-methyl composition to deflagrate. By the term "stable" herein it is meant a physical and chemical stability of the azinphos-methyl composition that can manifest as follows (i) physically stable compositions retain their physical integrity (typically, physically stable compositions do not cake); and (ii) chemically stable compositions retain their active ingredient content over a period of time that can extend to several years.

[0006] This and other objects that will be apparent to those skilled in the art are accomplished by adding a magnesium sulfate heptahydrate to an azinphos-methyl formulation in an amount such that the magnesium sulfate heptahydrate is from about 5% by weight to about 20% by weight of the total mixture.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS OF THE INVENTION

[0007] The composition and process of the present invention comprise a combination of an insecticide powder formulation and magnesium sulfate heptahydrate. The insecticide powder formulation includes azinphos-methyl as an active ingredient, known inert ingredients that are commonly used as carriers; and known materials commonly used to promote dispersibility of the azinphos-methyl in water. Suitable carriers include clays such as kaolin clay and attapulgite clay, amorphous silica, fumed silica, and hydrated silica. Suitable dispersibility agents include naphthalene sulfonates, lignosulfonates, and ethylene oxide/propylene oxide block polymers.

[0008] In the azinphos-methyl compositions of the invention, the magnesium sulfate heptahydrate is present in an amount such that it will constitute from about 5% by weight to about 20% by weight of the composition, and preferably from about 5% by weight to about 10% by weight of the composition. The azinphos-methyl is present in an amount such that it will constitute from about 50% by weight to about 65% by weight of the azinphos-methyl powder composition. In a preferred embodiment, about 50% by weight of the azinphos-methyl composition is the azinphos-methyl.

[0009] The wettable powder compositions of the present invention are characterized by a tendency to deflagrate that is significantly less than the tendency for deflagration of azinphos-methyl itself.

[0010] Having thus described the invention, the following examples are given as being illustrative thereof. All weights and percentages given are parts by weight or percentages by weight, unless otherwise indicated.

EXAMPLES

Example 1 - Determination of Deflagration

[0011] Insecticide compositions (Examples 1 through 6) containing the ingredients listed in Table 1, in the relative amounts indicated in Table 1, were made by mixing the ingredients and then milling. Samples of each of the mixtures were filled in a vertically standing, closed bottom glass tube (inside diameter approximately 2.5 cm, height approximately 24 cm), up to approximately 6 cm below the upper edge, at room temperature. A soldering iron served as the ignition source. The soldering iron tip (1100°F) was inserted into the insecticide composition for approximately one minute. If the material did not maintain a burn, after 8 minutes of inactivity, the tip was re-inserted into the composition for another minute. The results of the deflagration test for the compositions listed in Table 1, appear in Table 2. Example 6 is a comparative basic azinphos-methyl composition (Guthion 50 WP) to which a magnesium sulfate heptahydrate was not added.

TABLE 1

Example No.						
Ingredients (%)	1	2	3	4	5	6*
Azinphos-Methyl	54.0	54.0	54.0	54.0	54.0	54.0
Sodium Diisopropyl Naphthalene Sulfonate	3.0	3.0	3.0	3.0	3.0	3.0
Sodium Lignosulfonate	3.0	3.0	3.0	3.0	3.0	3.0
MgSO ₄ 7H ₂ O	25.0	20.0	15.0	10.0	5.0	---
Hydrated silica	15.0	20.0	25.0	30.0	35.0	40.0

* Comparative formulation

TABLE 2

Example No.	Sample Weight	Sample Height	Exposure Time	Deflagration Comments
	(grams)	(cm.)	(min.)	
1	37.0	11.5	1	did not burn
2	27.4	11.5	1	did not burn
3	23.0	11.5	1	did not burn
4	21.4	11.5	1	did not burn
5	17.3	11.5	1	did not burn
6	14.5	12.5	1	complete burn (2.42 g/min)*

* In calculating the time for deflagration, the time was started when the soldering iron tip penetrated the glass tube inner seal, and time was ended when the smoke generation stopped.

[0012] The results in Table 2 show that the addition of the magnesium sulfate heptahydrate prevented deflagration of the azinphos-methyl powder compositions in Examples 1 through 5. The comparative composition of Example 6, without the magnesium sulfate heptahydrate, completely deflagrated.

[0013] The insecticide compositions of Examples 1 through 6 listed in Table 3, were prepared by mixing and then milling the ingredients listed in Table 1, in the relative amounts indicated in Table 1. The compositions were then stored for two week intervals at temperatures of 40°C and 50°C to evaluate their physical stability. The results of this physical

stability test are shown in Table 3.

TABLE 3

Example Number	2 wks. @ 40°C	2 wks. @ 50°C
1	caked badly	caked badly
2	caked	caked badly
3	caked slightly	caked
4	no caking	caked slightly
5	no caking	no caking
6	no caking	no caking

[0014] The results in Table 3 show that the composition of Example 1, containing 25% by weight of the magnesium sulfate heptahydrate, caked badly when stored for two weeks at both 40°C and 50°C. The compositions containing 20% by weight or less of the magnesium sulfate heptahydrate experienced less caking when stored. The composition of Example 5, containing 5% by weight of the magnesium sulfate heptahydrate, did not cake when stored for two weeks at temperatures of 40°C and 50°C.

[0015] Although the invention has been described in detail in the foregoing for the purpose of illustration, it is to be understood that such detail is solely for that purpose and that variations can be made therein by those skilled in the art without departing from the spirit and scope of the invention except as it may be limited by the claims.

Claims

1. A process for providing a stable azinphos-methyl powder formulation, comprising adding magnesium sulfate heptahydrate to the azinphos-methyl powder formulation in an amount such that from about 5% by weight to about 20% by weight of the total mixture is the magnesium sulfate heptahydrate.
2. The process of Claim 1 wherein the magnesium sulfate heptahydrate is present in an amount of from about 5% by weight to about 10% by weight.
3. The process of Claim 1 wherein azinphos-methyl is present in the azinphos-methyl powder formulation in an amount such that from about 50% to about 65% by weight of the total mixture is the azinphos-methyl.
4. The process of Claim 3 wherein the azinphos-methyl is present in an amount of about 50% by weight.
5. A stable insecticide composition, comprising a mixture of an azinphos-methyl powder and magnesium sulfate heptahydrate in which from about 5% by weight to about 20% by weight of the total mixture is the magnesium sulfate heptahydrate.
6. The composition of Claim 5 wherein the magnesium sulfate heptahydrate is present in an amount of from about 5% by weight to about 10% by weight.
7. The composition of Claim 5 wherein azinphos-methyl is present in the azinphos-methyl powder in an amount such that from about 50% to about 65% by weight of the total mixture is the azinphos-methyl.
8. The composition of Claim 7 wherein the azinphos-methyl is present in an amount of 50% by weight.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 99 11 8007

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
D,A	US 5 268 177 A (BARNETT JR HORACE G ET AL) 7 December 1993 (1993-12-07) * column 1, line 6 - line 10 * * column 1, line 31 - line 54 * * column 2, line 3 - line 14 * * column 2, line 42 - line 45 * * column 2; example 6 * ---	1-8	A01N57/16 //(A01N57/16, 59:06,25:22, 25:14)
A	DE 14 68 847 B (PPG INDUSTRIES) 2 January 1970 (1970-01-02) * column 1, line 16 - line 23 * * column 2, line 30 - line 44 * ---	1-8	
A	US 3 585 022 A (GRAY HARVEY C JR) 15 June 1971 (1971-06-15) * column 1, line 12 - line 20 * * column 3, line 12 - line 25 * * column 5, line 46 - line 49 * * column 5, line 56 - line 57 * -----	1-7	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			A01N
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
THE HAGUE		22 December 1999	Lamers, W
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.82 (P4/C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 11 8007

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

22-12-1999

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5268177 A	07-12-1993	CA 2047778 A	07-02-1992
		DE 4125117 A	13-02-1992
		ES 2034889 B	16-12-1993
		IL 99063 A	31-08-1995
DE 1468847 B	02-01-1970	CH 456522 A	
		FR 1456280 A	21-10-1966
		GB 1112778 A	
		NL 132620 C	
		NL 6514926 A	16-06-1966
US 3585022 A	15-06-1971	NONE	