



(11) **EP 1 100 434 B9**

(12) **CORRECTED EUROPEAN PATENT SPECIFICATION**

(15) Correction information:  
**Corrected version no 1 (W1 B1)**  
**Corrections, see**  
**Description Paragraph(s) 7, 8**

(48) Corrigendum issued on:  
**19.02.2014 Bulletin 2014/08**

(45) Date of publication and mention  
of the grant of the patent:  
**14.08.2013 Bulletin 2013/33**

(21) Application number: **99948417.3**

(22) Date of filing: **23.09.1999**

(51) Int Cl.:  
**A61K 8/26** <sup>(2006.01)</sup> **A61Q 1/02** <sup>(2006.01)</sup>  
**A61K 1/08** <sup>(2006.01)</sup> **A61K 8/19** <sup>(2006.01)</sup>

(86) International application number:  
**PCT/US1999/022078**

(87) International publication number:  
**WO 2000/072808 (07.12.2000 Gazette 2000/49)**

(54) **COSMETIC COMPOSITIONS CONTAINING FLUORESCENT MINERALS**

KOSMETISCHE ZUSAMMENSETZUNGEN ENTHALTEND FLUORESZIERENDEN MINERALIEN  
COMPOSITIONS COSMETIQUES CONTENANT DES MINERAUX FLUORESCENTS

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU**  
**MC NL PT SE**

(30) Priority: **26.05.1999 US 320602**

(43) Date of publication of application:  
**23.05.2001 Bulletin 2001/21**

(73) Proprietor: **Color Access, Inc.**  
**Melville,**  
**New York 11747 (US)**

(72) Inventors:  
• **GEORGE, Liliana**  
**Centerport, NY 11721 (US)**  
• **GUBERNICK, Joseph**  
**New York, NY 10021 (US)**  
• **CIOCA, Gheorghe**  
**Lake Grove, NY 11755 (US)**  
• **BEVACQUA, Andrew, J.**  
**E. Setauket, NY 11733 (US)**

(74) Representative: **Hirsch & Associés**  
**58, avenue Marceau**  
**75008 Paris (FR)**

(56) References cited:  
**EP-A- 0 370 470 FR-A- 1 458 223**

**US-A- 4 857 306**

- **PATENT ABSTRACTS OF JAPAN vol. 1998, no. 10, 31 August 1998 (1998-08-31) & JP 10 120520 A (TERUKO MATSUBARA), 12 May 1998 (1998-05-12)**
- **PATENT ABSTRACTS OF JAPAN vol. 12, no. 159, 14 May 1988 (1988-05-14) & JP 62 273907 A (SANGI), 28 November 1987 (1987-11-28)**
- **DATABASE WPI Derwent Publications Ltd., London, GB; AN 1997-536449 XP002132654 "Body paints in paste form - contains talc, zinc oxide, glycerol, perfume, water and water-based pigments" & BR 9 505 394 A (FERREIRA DANTAS), 28 October 1997 (1997-10-28)**
- **PATENT ABSTRACTS OF JAPAN vol. 1999, no. 3, 31 March 1999 (1999-03-31) & JP 10 330239 A (KOSE), 15 December 1998 (1998-12-15)**
- **PATENT ABSTRACTS OF JAPAN vol. 1999, no. 3, 31 March 1999 (1999-03-31) & JP 10 330209 A (KOSE), 15 December 1998 (1998-12-15)**
- **DATABASE WPI Week 199740, Derwent Publications Ltd., London, GB; AN 1997-431346 & JP 9 194 321 A (HADA CORP KK) 29 July 1997**
- **DATABASE WPI Week 199803, Derwent Publications Ltd., London, GB; AN 1998-022229 & JP 9 278 624 A (KUWABARA T) 28 October 1997**

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

**EP 1 100 434 B9**

- DATABASE WPI Week 199846, Derwent Publications Ltd., London, GB; AN 1998-534998 & JP 10 234337 A (BEST FUSION YG) 08 September 1998

**Description**Field of the Invention

5 **[0001]** The invention relates to cosmetic compositions and methods. More specifically, the invention relates to compositions and methods that replenish the skin's natural fluorescence.

Background of the Invention

10 **[0002]** It has long been recognized that normal skin exhibits a substantial level of fluorescence (Fellner, Arch. Dermatol. 112: 667-670, 1976). The fluorescence apparently exists throughout the different layers of the skin, with the epidermis showing the weakest levels, the stratum corneum being slightly stronger, and the most intense emissions being found in the dermis and subcutaneous fat (Zeng, et al., Photochem. Photobiol. 61: 639-645, 1995). The level of epidermal fluorescence varies depending upon the color of the individual's skin, with darker skins showing a higher level of fluorescence than lighter skins. However, the fluorescence in the dermis is apparently related to elements common to all skin types: elastin and collagen. The spectra of living human skin is measurable over a wide excitation wavelength, with green being the dominant autofluorescence color.

15 **[0003]** With particular respect to the dermis, it well-known that the elements responsible for fluorescence are susceptible to substantial alteration in quality and quantity due to advancing age as well as UV exposure. It is widely accepted that these changes in elastin and collagen are at least partially, and probably predominantly, responsible for many of the external changes characteristic of aged skin, whether chrono- or photoaged. The external changes that are immediately identifiable as being associated with loss or alteration of these fibers include the readily defined features, such as lines, wrinkles, and skin atrophy; however, another common age-associated feature that is perhaps more difficult to characterize is familiar loss of luster, color and tone of mature or photodamaged skin.

20 **[0004]** Interestingly, the change in structure of collagen and elastin observed at least with respect to photoaging has been shown to be correlated with a decline in the intensity of fluorescence in the photoaged skin. (Leffell, et al. Arch. Dermatol. 124: 1514-1518, 1988). This change is also reflected in chronoaged skin, which in middle age begins to lose its green fluorescence, and in later years, loses its blue fluorescence. It is very likely that the decline in the vigorous "glow" common to young, healthy skin is related at least in part to the this observed loss of fluorescence. Nonetheless, cosmetics and skin care products have traditionally focused on the camouflaging of the most easily characterized signs of aging, such as wrinkles; there has been little effort to develop products which address the seemingly more intangible problem of renewing the glow of youth in the more mature individual's skin. The present invention now provides a solution to this problem.

Summary of the Invention

25 **[0005]** The invention relates to a cosmetic method of enhancing, complementing or counteracting a given skin tone color, which comprises applying to the skin a non-color cosmetic composition comprising at least one fluorescent mineral powder, in an amount in the range of from 0,01 to 10% by weight of the composition, in combination with a cosmetically acceptable vehicle, wherein the non-color composition confers no color change when applied to the skin, which is appreciable to the naked eye.

30 **[0006]** The invention also relates to a cosmetic method of mimicking skin's natural fluorescent color, which comprises applying to the skin a non-color cosmetic composition comprising at least one fluorescent mineral powder, in an amount in the range of from 0,01 to 10% by weight of the composition, in combination with a cosmetically acceptable vehicle, wherein the non-color composition confers no color change when applied to the skin, which is appreciable to the naked eye.

35 **[0007]** The method can also be used to reduce the appearance of dark circles and lines on the skin, as well as reduce the appearance of symptoms of chrono- and photoaging, or reduce the appearance of symptoms of rosacea on the skin.

Detailed Description of the Invention

40 **[0008]** The use of fluorescent materials in cosmetics is not unknown. There are a number of reported uses of fluorescent pigments or dyes in cosmetics, particularly in color cosmetics, principally to impart an additional dimension to the color (see, e.g., EP 370470, JP 2060978, JP 3250075, and EP 542669). In each of these cases, a fluorescent dye or pigment, such as D&C Orange No. 5, or ultramarine blue, typically constitutes the sole or primary colorant component of the cosmetic, and the color of the dye is visually prominent in the product. Similarly, precious gemstone powders have also been suggested for use in color cosmetic products, as disclosed in US Patent No. 4,857,306; however, no reference is made to fluorescence in the gemstones, and again, the gemstones constitute the sole or primary color of the compo-

sition.

**[0009]** In EP 370 470 is disclosed a method for providing the skin, hair or nails of a person with an attractive fluorescent appearance comprising applying to the skin, hair or nails, an effective amount of a composition comprising a resin encapsulated daylight fluorescent pigment and a cosmetic carrier having the resin encapsulated admixed therewith. However, this document fails to disclose the use of fluorescent mineral powders.

**[0010]** The document JP10-120520 is directed to a skin-bleaching liquid soap containing colorful minerals in a transparent container.

**[0011]** The document EP759290 is related to topical formulations containing a gel or suspension obtainable by treatment of suitable pulverized minerals with aqueous solutions. The compositions of EP759290 can be used for the topical treatment of degenerative diseases of cartilage, and of skin damage due to ageing or exposure to electromagnetic radiation, associated with free radicals. The compositions of EP759290 find application in dermatology, physiotherapy and for cosmetic skin treatments.

**[0012]** In contrast to the prior art, the present invention utilizes fluorescent mineral powders in such a way as to confer a fluorescent glow to both the composition and to the skin when applied but does not confer any visually distinct color to the skin. Fluorescent minerals are naturally occurring materials, and have the advantage over chemical fluorescent dyes in this regard, as well as being substantially non-irritating. Also unlike many prior art uses of fluorescent dyes, the powder will not constitute a primary color component of the composition as it appears on the skin, and in a non-color cosmetic, it will not confer any color change to the skin that is appreciable to the naked eye. It is disclosed in the application that the fluorescent mineral powders can be used in a color-conferring cosmetic, and a strongly fluorescent mineral can contribute to the intensity of the primary color in such a composition; the fluorescent minerals can also be used in a non-color cosmetic, e.g., a skin care or transparent or translucent cosmetic which is intended to confer no color change to the skin after application. The term "effective amount" as used in the specification and claims is that amount of any fluorescent mineral powder that will confer an observable fluorescence to the composition in which it is placed.

**[0013]** Any fluorescent mineral may be employed in the compositions of the invention. The minerals can be conveniently grouped according to the color of the dominant fluorescence produced by the minerals, although there is some gradation in the spectrum of fluorescence, and some minerals may fluoresce differently depending on their exact composition and/or impurities contained therein. In one embodiment, the mineral produces a green to bluish green fluorescence; minerals of this type include, but are not limited to, andalusite and chiastolite (aluminum silicate); amblygonite (basic lithium aluminum phosphate); phenakite (beryllium silicate); variscite (hydrous aluminum phosphate); serpentine (basic magnesium silicate); amazonite (potassium aluminum silicate); amethyst (silicon dioxide); chrysoberyl (beryllium aluminum oxide); turquoise (copper-containing basic aluminum phosphate); colorless, yellow or pink tourmaline (borosilicate); amber (succinite/various resins); opal (hydrous silicon dioxide); cerussite (lead carbonate); fuchsite {potassium aluminum silicate); diopside (calcium magnesium silicate); ulexite (hydrous sodium calcium borate); aragonite (calcium carbonate); and willemite (zinc silicate). Particularly preferred among these are the silicates, particularly those with a strong fluorescence, such as fuchsite, diopside, ulexite, aragonite and willemite. In another embodiment, the mineral emits a blue fluorescence; examples of such minerals include dumortierite (aluminum borate silicate); scheelite (calcium tungstate); smithsonite (zinc carbonate); danburite (calcium boric silicate); benitoite (barium titanium silicate); fluorite (fluorospar); and halite. Other fluorescence categories include red or orange, as represented, for example in axinite (calcium aluminum borate silicate); scapolite (sodium calcium aluminum silicate); kyanite (aluminum silicate); sphalerite (zinc sulphite); calcite (calcium carbonate); petalite (lithium aluminum silicate); or yellow, as represented by apatite (basic fluoro- and chloro-calcium phosphate) or cerussite (lead carbonate). In one preferred embodiment, the mineral is selected from those emitting blue or green fluorescence, or combinations thereof, so as to directly mimic the skin's natural fluorescent color. However, in another embodiment, the mineral's fluorescent color can be any one or a combination of colors, the selection being made for the purpose of enhancing, complementing, or counteracting a given skin tone color.

**[0014]** The powders of the invention are prepared by standard grinding techniques, such as jet milling, roller milling or pulverization. The average particle size of the powders will normally be, for aesthetic reasons, no larger than about 45 $\mu$ ; preferably the particle size is between .5-20 $\mu$ , and more preferably between about .5 and 5 $\mu$ , with the harder minerals preferably being ground within the lower end of the recommended range. The amounts of the powders may be varied depending upon the intensity of the fluorescence and color of the mineral, and can be present in an amount of from 0.01% to 50%, more preferably, however, the amount used will be between 0.01% up to 10%, most preferably 1% to 8%, with 2-5% being the most commonly employed amount.

**[0015]** It may also be desirable to treat the powders to render them more hydrophobic, as the powders normally have a high affinity for binding water. As with more traditional pigments, the powders can be coated with a hydrophobic coating such as metal salts of fatty acids, e.g., magnesium stearate, magnesium myristate, or aluminum stearate.

**[0016]** The powders can be incorporated into any kind of vehicle that is normally used for cosmetic compositions. For example, the minerals can be added to solutions, colloidal dispersions, emulsions (oil-in-water or water-in-oil), suspensions, powders, creams, lotions, gels, foams, mousses, sprays and the like. Methodology for formulation of different vehicle types is well known in the art, and can be found for example in Remington's The Science and Practice of

Pharmacy, 19th Edition, Volume II. The present application further discloses that the mineral powders are used in a powder color cosmetic, such as a face powder, an eye shadow, a blush. In another embodiment, the powders can be used as part of a liquid cosmetic, such as a liquid foundation, eyeliner, concealer or blush. In addition, the mineral powders can be used in solid or semi-solid gel or stick products, such as lipsticks, lip glosses, cream lipsticks, lip or eye pencils, stick foundations, concealers or stick blushes. A particularly preferred use is in a facial product, such as a foundation, concealer, or blush, the use of which will permit the most advantageous and recognizable replenishment of the skin's natural luster.

**[0017]** In the case of the use of the mineral powders in a color cosmetic, the powder preferably does not constitute the sole or even the primary colorant for the product. In a color cosmetic, the powder will be typically combined with other pigments or dyes. The additional color components can be either organic or inorganic. Examples of useful inorganic pigments include iron oxides (yellow, red, brown or black), ferric ammonium ferrocyanide (blue), manganese violet, ultramarine blue, chrome oxide (green), talc, lecithin modified talc, zeolite, kaolin, lecithin modified kaolin, titanium dioxide (white) and mixtures thereof. Other useful pigments are pearlants such as mica, bismuth oxychloride and treated micas, such as titanated micas and lecithin modified micas.

**[0018]** The organic pigments include natural colorants and synthetic monomeric and polymeric colorants. Exemplary are phthalocyanine blue and green pigment, diarylide yellow and orange pigments, and azo-type red and yellow pigments such as toluidine red, litho red, naphthol red and brown pigments. Also useful are lakes, which are pigments formed by the precipitation and absorption of organic dyes on an insoluble base, such as alumina, barium, or calcium hydrates. Polymeric colorants include nylon powder, polyethylene, and polyesters. The polyesters can include linear, thermoplastic, crystalline or amorphous materials produced using one or more diols and one or more dicarboxylic acids copolymerized with colorants. An exemplary list of cosmetically acceptable colorants can be found in the International Cosmetic Ingredient Dictionary and Handbook, 7th Edition, CTFA, 1997, pp. 1628-1630, the contents of which are incorporated herein by reference. In a color cosmetics, colorants other than the fluorescent powder can constitute from about 1-99% by weight of the final product, the amount depending upon the intended use and the strength of color desired.

**[0019]** According to the invention, the mineral powders are employed in a non-color cosmetic, such as a transparent or translucent product, or a skin treatment product. When used in a skin treatment product, the powders can be used alone as the primary component, for the purpose of evening or brightening skin tone, to disguise dark shadows, undereye circles, lines and wrinkles on the skin, or to counteract the effects of rosacea. Alternately, they can be used in a product combined with additional skin care treatment actives, such as those that improve or eradicate age spots, keratoses and wrinkles, analgesics, anesthetics, anti-acne agents, antibacterials, antiyeast agents, antifungal agents, antiviral agents, antidandruff agents, antidermatitis agents, antipruritic agents, antiemetics, antimotion sickness agents, anti-inflammatory agents, antihyperkeratolytic agents, anti-dry skin agents, antiperspirants, antipsoriatic agents, antiseborrheic agents, antiaging agents, antiwrinkle agents, antiasthmatic agents and bronchodilators, sunscreen agents, antihistamine agents, skin lightening agents, depigmenting agents, or hormones. The amount of active agent to be used in any given formulation is readily determined in accordance with its usual dosage. In this specific application, in which color is not a focus of the product, the mineral powders are normally used in an amount of from 0.01 to 10% by weight of the product.

**[0020]** The mode of application of the compositions of the invention will depend upon the final intended use. As a treatment product, the composition can be applied daily, with or without makeup, simply to replenish the facial or other skin's natural glow and to cause unadorned skin to appear healthier and younger. It may also be applied to particular trouble spots, such as dark undereye shadows, in order to brighten their appearance. Although the amount of product applied will also vary depending upon the final end use, and the appearance intended to be achieved, as a guideline, to achieve an optimum glow, the product will normally be applied in an amount of about 0.1µg/cm<sup>2</sup> to 2 mg/cm<sup>2</sup> of skin.

**[0021]** The invention is further illustrated by the following nonlimiting examples.

EXAMPLES

**[0022]** Example I. This example illustrates the preparation of a non-color formulation to be used to replenish the green fluorescence of the skin. Amethyst has a greenish fluorescence.

Material	Weight Percent
deionized water	QS
methyl paraben	0.01
ceteth-20	2.50
disodium EDTA	0.10
BTC (50% solution)	0.20
whey protein	0.70

EP 1 100 434 B9

(continued)

	Material	Weight Percent
5	amethyst powder	2.00
	Vitamin E	0.10
	dimethicone (100cs)	1.50
	cyclomethicone	4-5
	polyacrylamide	3.00

10 **[0023]** The first two components are added to an emulsification vessel and heated to 75°C. EDTA and BTC are also premixed, as are dimethicone and cyclomethicone. The remaining components of the formula are added to the vessel, and mixed until all solids are completely dissolved or dispersed. The premixed components are then added and mixed to homogeneity. The polyacrylamide is mixed in last, and the composition is then cooled.

15 **[0024]** Example II (**not according to the invention**). This example illustrates the preparation of a color cosmetic, specifically a concealer, using two fluorescent minerals, diopside and calcite. Diopside fluoresces violet, yellow, orange and green, and itself provides a taupe color to the composition. Calcite fluoresces red, pink and orange, and provides a peach color to the composition.

	Material	Weight Percent
20	deionized water	QS
	Polysorbate 85	0.50
	Talc	0.005
25	titanium dioxide	11.00
	diopside	5.00
	cosmetic yellow	1.00
	pure oxy red	0.20
	pure oxy umber	1.35
30	propylene glycol	12.00
	xanthan gum	0.10
	magnesium aluminum silicate	1.23
	lecithin	1.00
35	methyl paraben	0.30
	triethanolamine	1.50
	calcite	3.00
	Polydecene	4.50
	caprylic/capric triglyceride	3.50
40	propylene glycol stearate	3.00
	stearic acid	3.20
	cetyl ester wax	1.00
	propyl paraben	0.10
	butyl paraben	0.10
45	cetyl alcohol	0.10
	stearyl alcohol	0.10

50 **[0025]** The first 15 items are combined together as the water phase, the remaining items are combined as the oil phase. The oil phase is added to the water phase at 95°C, and agitation continued while cooling, to produce an oil-in-water emulsion. The colors of the added minerals are not observable in the final composition.

55 **[0026]** Example III. Not according to the invention. This example illustrates the preparation of a compact foundation, using two fluorescent minerals, for the benefits of replenishing the skin's glow and to provide an even skin tone by using yellow fluorescence to counteract redness. The mineral apatite fluoresces yellow (as well as purple to pink), and fuchsite fluoresces green. The minerals are jet milled and used in the following formula:

Material	Weight Percent
propylene glycol dicaprylate/dicaprate	20.00

## EP 1 100 434 B9

(continued)

	Material	Weight Percent
5	coco-caprylate/caprate	16.00
	dimethicone/polysilicone	12.00
	nylon-12	10.00
	apatite	6.00
	barium sulfate	2.00
10	mica/magnesium myristate	6.50
	titanium dioxide/magnesium myristate	2.00
	fuschite/magnesium myristate	8.00
	yellow iron oxide/magnesium myristate	1.25
	red iron oxide/magnesium myristate	0.45
15	black iron oxide/magnesium myristate	0.30
	polyethylene	8.00
	BHT	0.03
	propyl paraben	0.10
	butyl paraben	0.10
20	carnauba wax	5.27
	tribehenin	2.00

25 **[0027]** The first 12 ingredients are premixed and passed through a ball mill. The polyethylene is added to the main kettle and heated to 100-105°C; when melting is completed, premixed ingredients 1-12 are added, the temperature adjusted to 90-95°C, and mixed until uniform. The last 4 ingredients are also premixed, and then added over the phase in the main kettle, mixed in until uniform, and then cooling of the mixture is started.

### 30 **Claims**

- 35 1. A cosmetic method of enhancing, complementing or counteracting a given skin tone color, which comprises applying to the skin a non-color cosmetic composition comprising at least one fluorescent mineral powder, in an amount in the range of from 0,01 to 10% by weight of the composition, in combination with a cosmetically acceptable vehicle, wherein the non-color composition confers no color change when applied to the skin, which is appreciable to the naked eye.
- 40 2. A cosmetic method of mimicking skin's natural fluorescent color, which comprises applying to the skin a non-color cosmetic composition comprising at least one fluorescent mineral powder, in an amount in the range of from 0,01 to 10% by weight of the composition, in combination with a cosmetically acceptable vehicle, wherein the non-color composition confers no color change when applied to the skin, which is appreciable to the naked eye.
- 45 3. The cosmetic method of claim 1, wherein enhancing, complementing or counteracting a given skin tone color comprise one or more of reducing the appearance of dark shadows or lines, reducing the appearance of chrono- or photoaged skin, and reducing the appearance of symptoms of rosacea.
- 50 4. The method of anyone of claims 1 to 3 in which the mineral shows a green or blue fluorescence.
5. The method of anyone of claims 1 to 4 in which the mineral powder has an average particle size of no greater than about 45 micrometers.
- 55 6. The method of claim 5 in which the particle size is from about 0.5 to about 5 micrometers.
7. The method of anyone of claims 1 to 6 in which the mineral is selected from the group consisting of andalusite, chiastolite, amblygonite, phenakite, variscite, serpentine, amazonite, amethyst, chrysolberyl, turquoise, colorless tourmaline, yellow tourmaline, pink tourmaline, amber, opal, cerussite, fuchsite, diopside, ulexite, aragonite and willemite.

## EP 1 100 434 B9

8. The method of claim 7 in which the mineral is selected from the group consisting of fuchsite, diopside, ulexite, aragonite and willemite.
- 5 9. The method of anyone of claims 1 to 6 in which the mineral is selected from the group consisting of dumortierite, scheelite, smithsonite, danburite, benitoite, fluorite and halite.
10. The method of anyone of claims 1 to 6 in which the mineral is selected from the group consisting of axinite, scapolite, kyanite, sphalerite, calcite, petalite, apatite, and cerussite.
- 10 11. The method of anyone of claims 1 to 10 in which the powder is hydrophobically treated.
12. The method of anyone of claims 1 to 11 in which the composition applied to the skin is a transparent or translucent cosmetic.

15

### Patentansprüche

1. Kosmetisches Verfahren zur Verbesserung, zur Ergänzung oder zur Entgegenwirkung eines gegebenen Hautfarbtone, das ein Auftragen einer kosmetischen Nichtfarbzusammensetzung mindestens eines fluoreszierenden Mineralpulvers in einer Menge in dem Bereich von 0,01 bis 10 Gew.-% der Zusammensetzung in Kombination mit einem kosmetisch annehmbaren Träger auf die Haut umfasst, wobei die Nichtfarbzusammensetzung, wenn sie auf die Haut aufgetragen ist, keine Farbveränderung verleiht, die mit dem bloßen Auge wahrnehmbar ist.
- 20 2. Kosmetisches Verfahren zur Nachahmung der natürlichen fluoreszierenden Hautfarbe, das ein Auftragen einer kosmetischen Nichtfarbzusammensetzung mindestens eines fluoreszierenden Mineralpulvers in einer Menge in dem Bereich von 0,01 bis 10 Gew.-% der Zusammensetzung in Kombination mit einem kosmetisch annehmbaren Träger auf die Haut umfasst, wobei die Nichtfarbzusammensetzung, wenn sie auf die Haut aufgetragen ist, keine Farbveränderung verleiht, die mit dem bloßen Auge wahrnehmbar ist.
- 25 3. Kosmetisches Verfahren nach Anspruch 1, wobei eine Verbesserung, eine Ergänzung oder eine Entgegenwirkung eines gegebenen Hautfarbtone ein oder mehrere Verfahren eines Verminderns des Erscheinungsbildes dunkler Schatten oder Linien, eines Verminderns des Erscheinungsbildes der infolge der Zeit oder durch Sonnenlichteinwirkung gealterten Haut und eines Verminderns des Erscheinungsbildes von Symptomen von Rosacea umfassen.
- 30 4. Verfahren nach einem der Ansprüche 1 bis 3, in dem das Mineral eine grüne oder blaue Fluoreszenz zeigt.
5. Verfahren nach einem der Ansprüche 1 bis 4, in dem das Mineralpulver eine durchschnittliche Partikelgröße von nicht größer als 45 Mikrometer aufweist.
- 35 6. Verfahren nach Anspruch 5, in dem die Partikelgröße in dem Bereich von 0,5 bis etwa 5 Mikrometer liegt.
7. Verfahren nach einem der Ansprüche 1 bis 6, in dem das Mineral aus der Gruppe ausgewählt ist, die aus Andalusit, Chiasolit, Amblygonit, Phenakit, Variscit, Serpentin, Amazonit, Amethyst, Chrysokoll, Türkis, farbloses Turmalin, gelbes Turmalin, rosa Turmalin, Bernstein, Opal, Cerussit, Fuchsit, Diopsid, Ulexit, Aragonit und Willemite besteht.
- 45 8. Verfahren nach Anspruch 7, in dem das Mineral aus der Gruppe ausgewählt ist, die aus Fuchsit, Diopsid, Ulexit, Aragonit und Willemite besteht.
9. Verfahren nach einem der Ansprüche 1 bis 6, in dem das Mineral aus der Gruppe ausgewählt ist, die aus Dumortierit, Scheelit, Smithsonit, Danburit, Benitoit, Fluorit und Halit besteht.
- 50 10. Verfahren nach einem der Ansprüche 1 bis 6, in dem das Mineral aus der Gruppe ausgewählt ist, die aus Axinit, Scapolith, Kyanit, Sphalerit, Calcit, Petalit, Apatit und Cerussit besteht.
- 55 11. Verfahren nach einem der Ansprüche 1 bis 10, in dem das Pulver hydrophob behandelt wird.
12. Verfahren nach einem der Ansprüche 1 bis 11, in dem die Zusammensetzung, die auf die Haut aufgetragen ist, ein lichtdurchlässiges oder durchscheinendes Kosmetikum ist.

**Revendications**

- 5 1. Procédé cosmétique destiné à améliorer, compléter ou contrecarrer une couleur de teint donnée, qui comprend l'application sur la peau d'une composition cosmétique non-colorée comprenant au moins une poudre minérale fluorescente, en une quantité comprise dans l'intervalle allant de 0,01 à 10% en poids de la composition, en association avec un support cosmétiquement acceptable, dans lequel la composition non-colorée ne confère aucun changement de couleur lorsqu'elle est appliquée sur la peau, qui soit discernable à l'oeil nu.
- 10 2. Procédé cosmétique pour imiter la couleur fluorescente naturelle de la peau, qui comprend l'application sur la peau d'une composition cosmétique non-colorée comprenant au moins une poudre minérale fluorescente, en une quantité comprise dans l'intervalle allant de 0,01 à 10% en poids de la composition, en association avec un support cosmétiquement acceptable, dans lequel la composition non-colorée ne confère aucun changement de couleur lorsqu'elle est appliquée sur la peau, qui soit discernable à l'oeil nu.
- 15 3. Procédé cosmétique selon la revendication 1, dans laquelle l'amélioration, la complémentation ou le fait de contrecarrer une couleur de teint donnée comprend l'une ou plusieurs parmi la réduction de l'apparence des ombres ou des lignes sombres, la réduction de l'apparence de la peau âgée par le passage du temps ou par l'exposition au soleil et la réduction de l'apparence des symptômes de la rosacée.
- 20 4. Procédé selon l'une quelconque des revendications 1 à 3, dans lequel la matière minérale présente une fluorescence verte ou bleue.
- 25 5. Procédé selon l'une quelconque des revendications 1 à 4, dans lequel la poudre minérale a une taille moyenne de particules qui n'est pas supérieure à environ 45 micromètres.
- 30 6. Procédé selon la revendication 5, dans lequel la taille des particules est d'environ 0,5 à environ 5 micromètres.
- 35 7. Procédé selon l'une quelconque des revendications 1 à 6 dans lequel le minéral est choisi dans le groupe constitué de l'andalousite, la chiasolite, l'amblygonite, la phénakite, la variscite, la serpentine, l'amazonite, l'améthyste, le chrysolberyl, la turquoise, la tourmaline incolore, la tourmaline jaune, la tourmaline rose, l'ambre, l'opale, la cerussite, la fuchsite, la diopside, l'ulexite, l'aragonite et la willémite.
- 40 8. Procédé selon la revendication 7, dans lequel le minéral est choisi dans le groupe constitué par la fuchsite, la diopside, l'ulexite, l'aragonite et la willémite.
- 45 9. Procédé selon l'une quelconque des revendications 1 à 6, dans lequel le minéral est choisi dans le groupe constitué par la dumortierite, la scheelite, la smithsonite, la danburite, la benitoite, la fluorite et la halite.
- 50 10. Procédé selon l'une quelconque des revendications 1 à 6, dans lequel le minéral est choisi dans le groupe constitué par l'axinite, la scapolite, la kyanite, la sphalérite, la calcite, la péralite, l'apatite, et la cérussite.
- 55 11. Procédé selon l'une quelconque des revendications 1 à 10, dans lequel la poudre est traitée hydrophobe.
12. Procédé selon l'une quelconque des revendications 1 à 11, dans lequel la composition appliquée sur la peau est un cosmétique transparent ou translucide.

**REFERENCES CITED IN THE DESCRIPTION**

*This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.*

**Patent documents cited in the description**

- EP 370470 A [0008] [0009]
- JP 2060978 A [0008]
- JP 3250075 B [0008]
- EP 542669 A [0008]
- US 4857306 A [0008]
- JP 10120520 A [0010]
- EP 759290 A [0011]

**Non-patent literature cited in the description**

- **FELLNER**. *Arch. Dermatol.*, 1976, vol. 112, 667-670 [0002]
- **ZENG et al.** *Photochem. Photobiol.*, 1995, vol. 61, 639-645 [0002]
- **LEFFELL et al.** *Arch. Dermatol.*, 1988, vol. 124, 1514-1518 [0004]
- International Cosmetic Ingredient Dictionary and Handbook. CTFA, 1997, 1628-1630 [0018]