



(11) **EP 2 210 933 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
28.07.2010 Bulletin 2010/30

(51) Int Cl.:
C11D 3/22 (2006.01) C11D 3/37 (2006.01)

(21) Application number: **08152893.7**

(22) Date of filing: **09.09.2003**

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT RO SE SI SK TR**

(30) Priority: **09.09.2002 US 409091 P**
26.02.2003 US 375792

(62) Document number(s) of the earlier application(s) in
accordance with Art. 76 EPC:
03752219.0 / 1 537 197

(27) Previously filed application:
09.09.2003 PCT/US03/28421

(71) Applicant: **The Procter and Gamble Company**
Cincinnati, Ohio 45202 (US)

(72) Inventors:
• **Wang, Jiping**
West Chester, OH 45069 (US)

- **Panandiker, Rajan, Keshav**
West Chester, OH 45069 (US)
- **Kindel, Paul, Francis**
Reading, OH 45215 (US)
- **Leyendecker, Mary, Ruth**
Cincinnati, OH 45247 (US)

(74) Representative: **Howard, Phillip Jan**
Procter & Gamble
Technical Centres Limited
Whitley Road
Longbenton
Newcastle upon Tyne NE12 9TS (GB)

Remarks:

This application was filed on 18-03-2008 as a
divisional application to the application mentioned
under INID code 62.

(54) **Using cationic celluloses to enhance delivery of fabric care benefit agents**

(57) A laundry product composition comprising a stable mixture of from 0.1% to 10%, by weight of the composition, of at least one water insoluble fabric care benefit agent; and from 0.01% to 5%, by weight of the composition, of at least one delivery enhancing agent that is a cationic cellulose, wherein the water-insoluble fabric care benefit agent is a water-insoluble silicone derivative or a

mixture thereof, wherein the composition comprises from 5% to 50% by weight of a surfactant, and wherein the composition comprises a surfactant selected from sodium and potassium alkylbenzene sulphonates in which the alkyl group contains from 9 to 15 carbon atoms in straight chain or branched chain configuration.

EP 2 210 933 A1

DescriptionFIELD OF THE INVENTION

5 **[0001]** The present invention relates to the use of cationic celluloses to enhance deposition of water insoluble fabric care benefit agents such as water insoluble silicone derivatives during laundering.

BACKGROUND OF THE INVENTION

10 **[0002]** Laundering textiles is a necessity in order to remove stains, odors and soils. However, during the laundering process, textiles can undergo mechanical and chemical damage which can result in fabric wrinkles, color fading, dye transfer, pills/fuzz, fabric wear, fiber deterioration, stiffness, and other undesirable consumer issues. Therefore, many laundry products such as detergents, fabric conditioners, and other wash, rinse, and dryer added products, frequently include one or more fabric care benefit agents that are added in an attempt to reduce or prevent these consumer issues.

15 **[0003]** However, such fabric care benefit agents often provide limited benefits due to poor delivery efficiency on the fabrics or textiles during the laundering process. The affinity between these fabric care agents and fabrics/garments is typically very limited due to the lack of natural attractive forces between the fabric care agents and the fabrics. This is because most fabric care agents used in laundry products are formulated to be anionic or nonionic in order to avoid interaction with anionic surfactants which might lead to potential cleaning negatives. Since most textile fibers such as cotton, wool, silk, nylon, and the like carry a slightly anionic charge in the laundry solution, there are repulsive instead of attractive forces between the fabric care agent and the fabric resulting in poor delivery efficiency.

20 **[0004]** This is particularly true of water insoluble fabric care benefit agents, examples of which include but are not limited to, water insoluble silicone derivatives and the like. Due to their water insolubility, water insoluble fabric care benefit agents are generally incorporated into laundry product formulations in some type of water stable form such as an emulsion, a latex, a dispersion, a suspension, or the like. When added to the laundry product in a water stable form, the water insoluble fabric care benefit agent becomes even more stable in solution. This is due to the existence of large amounts of surfactant that are present in laundry products. The surfactant in the laundry products tends to act as an emulsifying agent, dispersion agent, suspension agent, or the like thereby resulting in the further stabilization of the emulsion, dispersion, and/or suspension containing the water insoluble fabric care benefit agent. As a result of this stabilization, the affinity of the water insoluble fabric care benefit agent for the fabric is severely limited. The majority of the water insoluble fabric care benefit agent tends to stay in solution wherein it is discarded with the wash solution thereby limiting the amount of benefit agent available for deposition on the fabric.

30 **[0005]** Accordingly, there is a need to improve the fabric delivery efficiency of water insoluble fabric care benefit agents that are incorporated into laundry products.

SUMMARY OF THE INVENTION

35 **[0006]** The laundry products of the present invention comprise at least one water insoluble fabric care benefit agent and at least one cationic cellulose delivery enhancing agent or deposition aid.

40 **[0007]** Without being limited by theory, it is believed that the laundry products of the present invention improve the fabric delivery efficiency of water insoluble fabric care benefit agents that are incorporated therein by the inclusion of the cationic cellulose delivery agents of the present invention. It has surprisingly been found that by using cationic celluloses as delivery enhancing agents, the delivery of the water insoluble fabric care benefit agent to the fabric is significantly enhanced, which would not otherwise be possible.

45 **[0008]** Although the cationic celluloses may provide fabric care benefits by themselves, an amount of the cationic celluloses needed to deliver significant performance benefits is much larger than an amount of the cationic celluloses needed as a delivery enhancing agent. However, large amounts of cationic celluloses often have a negative affect on cleaning performance. The cleaning negative caused by the large amount of cationic celluloses will normally prohibit their application in laundry detergent embodiments as the benefit agents alone. Importantly however, if the level of the cationic cellulose as the delivery enhancing agent, the impact on cleaning is normally very limited.

50 **[0009]** It has further been surprisingly discovered that the addition of the cationic celluloses of the present invention into laundry products may provide significant improvement in the delivery/deposition of the water insoluble fabric care benefit agent on the fabric versus utilizing the water insoluble fabric care benefit agent alone. In fact, it is surprising to find that when a laundry detergent containing cationic celluloses and the fabric care benefit agent are added in the washer, delivery/deposition enhancements of the water insoluble fabric care benefit agent on fabric of as much as 5 to 10 times the normal amount of benefit agent alone are observed.

55 **[0010]** It is also surprising to find that the delivery/deposition enhancements may be accomplished by mixing the cationic cellulose and the fabric care benefit agent together as a laundry additive of a fabric care composite or by

formulating these two ingredients into laundry detergent or other laundry products.

[0011] The water insoluble benefit agents useful herein include water insoluble silicone derivatives. The water insoluble fabric care benefit agent preferably has a particle size of from about 1 nm to 100 μ m. The present invention also comprises a detergent or fabric softener composition wherein the composition comprises:

- a. from about 1-80 wt% of an anionic, cationic, nonionic, amphoteric, zwitterionic surfactant or a combination thereof;
- b. from about 0.1- 10 wt% of a water insoluble benefit agent wherein said water insoluble fabric care benefit agent is a water insoluble silicone derivative, or a mixture thereof; and
- c. from about 0.01- 2% of a cationic cellulose.

[0012] Preferably the ratio of the delivery enhancing agent to the fabric care benefit agent is from about 1:50 to about 1:1.

DETAILED DESCRIPTION OF THE INVENTION

[0013] The present invention relates to the use of cationic celluloses to enhance deposition of water insoluble fabric care benefit agents including water insoluble silicone derivatives during laundering. Without being limited by theory, utilizing the cationic cellulose delivery enhancing agents of the present invention allows for improved delivery of the water insoluble fabric care benefit agent to the fabric so as to provide enhanced fabric softening, color protection, pill/fuzz reduction, anti-abrasion, anti-wrinkle, and other such benefits to garments and textiles.

[0014] The cationic cellulose, called the delivery enhancing agent, and the water insoluble fabric care benefit agent of the present invention may be mixed together prior to formulating in, adding to, or using in conjunction with a laundry product composition. The two components may be formulated into laundry products separated with different orders of addition. The two components of the present invention may also be mixed together in situ after addition to the laundry product composition. Additionally, the two components of the present invention may be applied directly to the fabric together or separately.

[0015] By using the delivery enhancing agent of the present invention, the deposition of the water insoluble fabric care benefit agent on the fabric is significantly improved and in some instances doubled, (i.e.; utilizing the delivery enhancing agent of the present invention may increase the deposition of the water insoluble fabric care benefit agent on the fabric by potentially about 100% or more compared with using the water insoluble fabric care benefit agent alone). Preferably deposition on the fabric will increase by at least about 200%. Since the fabric care benefit is directly related to the amount of deposition of the fabric care benefit agent on the fabric, the performance of the water insoluble fabric care benefit agent on the fabric should theoretically increase proportionately by potentially about 100% and preferably by at least about 200%.

[0016] The ratio of the delivery enhancing agent to the water insoluble fabric care benefit agent should be from about 1:50 to 1:1 and preferably from about 1:20 to 1:2. The two components of the present invention can be premixed to form a stable composite prior to formulating into a laundry product or prior to adding to the laundry process or applying to a fabric. The two components can also be formulated into laundry products separately with different orders of addition. The two components may also be mixed together so as to form the fabric care composite of the present invention in situ after formulating into the laundry product or adding to the laundry process.

[0017] All percentages, ratios and proportions herein are on a weight basis unless otherwise indicated. All documents cited herein are hereby incorporated by reference.

Delivery Enhancing Agents

[0018] As used herein, "delivery enhancing agent" refers to any cationic cellulose or combination of cationic celluloses that significantly enhance the deposition of the water insoluble fabric care benefit agent onto the fabric during laundering. The delivery enhancing agent of the present invention has a strong physical binding capability with the water insoluble fabric care benefit agent. It also has a very strong affinity to natural textile fibers, such as cotton fibers.

[0019] An effective delivery enhancing agent preferably has a strong binding capability with the water insoluble fabric care benefit agents via physical forces such as van der Waals forces or non-covalent chemical bonds such as hydrogen bonding and/or ionic bonding. It preferably has a very strong affinity to natural textile fibers, particularly cotton fibers.

[0020] The delivery enhancing agent should be water soluble and have a flexible molecular structure so that it can cover the water insoluble fabric care benefit agent particle surface or hold several particles together. Therefore, the delivery enhancing agent is preferably not cross-linked and preferably does not have a network structure as these both tend to lack molecular flexibility.


[0021] In order to drive the fabric care benefit agent onto the fabric, the net charge of the delivery enhancing agent is preferably positive in order to overcome the repulsion between the fabric care benefit agent and the fabric since most fabrics are comprised of textile fibers that have a slightly negative charge in aqueous environments. Examples of fibers

exhibiting a slightly negative charge in water include but are not limited to cotton, rayon, silk, wool, etc.

[0022] Preferably, the delivery enhancing agent is a cationic or amphoteric polymer. The amphoteric polymers of the present invention will also have a net cationic charge, i.e.; the total cationic charges on these polymers will exceed the total anionic charge. The degree of substitution of the cationic charge can be in the range of from about 0.01 (one cationic charge per 100 polymer repeating units) to 1.00 (one cationic charge on every polymer repeating unit) and preferably from about 0.01 to 0.20. The positive charges could be on the backbone of the polymers or the side chains of polymers.


[0023] While there are many ways to calculate the charge density of cationic celluloses, the degree of substitution of the cationic charge can be simply calculated by the cationic charges per 100 glucose repeating units. One cationic charge per 100 glucose repeating units equals to 1% charge density of the cationic celluloses.

[0024] Preferred cationic celluloses for use herein include those which may or may not be hydrophobically-modified, having a molecular weight of from about 50,000 to about 2,000,000, more preferably from about 100,000 to about 1,000,000, and most preferably from about 200,000 to about 800,000. These cationic materials have repeating substituted anhydroglucose units that correspond to the general Structural Formula I as follows:




STRUCTURAL FORMULA I

Wherein R^1 , R^2 , R^3 are each independently H, CH_3 , C_{8-24} alkyl (linear or branched),




or mixtures thereof; wherein n is from about 1 to about 10; R_x is H, CH_3 , C_{8-24} alkyl (linear or branched),




or mixtures thereof, wherein Z is a water soluble anion, preferably a chlorine ion and/or a bromine ion; R^5 is H, CH_3 , CH_2CH_3 , or mixtures thereof; R^7 is CH_3 , CH_2CH_3 , a phenyl group, a C_{8-24} alkyl group (linear or branched), or mixture thereof; and

R^8 and R^9 are each independently CH_3 , CH_2CH_3 , phenyl, or mixtures thereof:

R^4 is H,



or mixtures thereof wherein P is a repeat unit of an addition polymer formed by radical polymerization of a cationic monomer such as



wherein Z' is a water-soluble anion, preferably chlorine ion, bromine ion or mixtures thereof and q is from about 1 to about 10.

[0025] Water-soluble anions useful herein include C8-C24 alkyl sulfates, C8-C24 alkyl alkoxy sulfates, preferably alkyl ethoxy sulfates, C8-C24 alkyl sulfonates, C8-C16 alkyl benzene sulfonates, xylene sulfonates, toluene sulfonates, cumene sulfonates, fatty alkyl carboxylates, chlorine ions, bromine ions, or mixtures thereof, while chlorine and/or bromine ions are preferred.

[0026] The charge density of the cationic celluloses herein (as defined by the number of cationic charges per 100 glucose units) is preferably from about 0.5 % to about 60%, more preferably from about 1% to about 20%, and most preferably from about 2% to about 10%.

[0027] Alkyl substitution on the anhydroglucose rings of the polymer ranges from about 0.01% to 5% per glucose unit, more preferably from about 0.05% to 2% per glucose unit, of the polymeric material.

[0028] The cationic cellulose may lightly cross-linked with a dialdehyde such as glyoxyl to prevent forming lumps, nodules or other agglomerations when added to water at ambient temperatures.

[0029] The cationic cellulose ethers of Structural Formula I likewise include those which are commercially available and further include materials which can be prepared by conventional chemical modification of commercially available materials. Commercially available cellulose ethers of the Structural Formula I type include the JR 30M, JR 400, JR 125, LR 400 and LK 400 polymers, all of which are marketed by Dow Chemical.

Water Insoluble Fabric Care Benefit Agents

[0030] As used herein, "water insoluble fabric care benefit agent" refers to any silicone derivatives that are water insoluble and can provide fabric care benefits such as fabric softening, color protection, pill/fuzz reduction, anti-abrasion, anti-wrinkle, and the like to garments and fabrics, particularly on cotton garments and fabrics, when an adequate amount of the material is present on the garment/fabric. Non-limiting examples of water insoluble fabric care benefit agents include water-insoluble silicone derivatives and mixtures thereof.

Water Insoluble Silicone Derivatives

[0031] For the purposes of the present invention, water insoluble silicone derivatives are any silicone materials which are not soluble in water, but can be prepared as emulsions, latexes, dispersions, suspensions and the like with suitable surfactants before formulation of the laundry products. Any neat silicones that can be directly emulsified or dispersed into laundry products are also covered in the present invention since laundry products typically contain a number of different surfactants that can behave like emulsifiers, dispersing agents, suspension agents, etc. thereby aiding in the emulsification, dispersion, and/or suspension of the water insoluble silicone derivative. By depositing on the fabrics, these silicone derivatives can provide one or more fabric care benefit to the fabric including anti-wrinkle, color protection, pill/fuzz reduction, anti-abrasion, fabric softening and the like.

[0032] The water insoluble silicone derivatives of the present invention include, but are not limited to 1) non-functionalized silicones such as polydimethylsiloxane (PDMS), including linear, grafted and cyclic structures and 2) functionalized silicones or copolymers with one or more different types of functional groups such as amino, alkoxy, alkyl, phenyl, polyether, acrylate, siliconhydride, mercaptopropyl, carboxylic acid, quaternized nitrogen, etc. In terms of silicone emulsions, the particle size can be in the range from about 1 nm to 100 microns and preferably from about 10 nm to about 10 microns including microemulsions (<150 nm), standard emulsions (about 200 nm to about 500 nm) and macroemulsions (about 1 micron to about 20 microns). Water soluble silicone derivatives are outside of the scope of the present invention.

[0033] Non-limiting examples of commercially available water insoluble silicone derivatives include SM2125 commer-

cially available from GE Silicones, and DC8822 and DC 200 Fluid both of which are commercially available from Dow Corning.

Laundry Products

[0034] A non-limiting list of optional components of the present invention includes laundry detergents, fabric conditioners, and other wash, rinse, and dryer added products. The laundry products may comprise from about 0.1% to about 20% of the water insoluble fabric care benefit agent, preferably from about 0.2% to about 10%. The laundry products may also comprise from about 0.01% to about 5% of the delivery enhancing agent, preferably from about 0.02% to about 2%. Conventional components of fabric conditioners include but are not limited to surfactants and the like. Conventional components of detergent compositions include but are not limited to surfactants, bleaches and bleach activators, enzymes and enzyme stabilizing agents, suds boosters or suds suppressers, anti-tarnish and anticorrosion agents, non-builder alkalinity sources, chelating agents, organic and inorganic fillers, solvents, hydrotropes, optical brighteners, dyes, perfumes, and modified cellulose ether fabric treatment agents. The fabric care benefit agents or delivery enhancing agent of the present invention may be a component of or added to a detergent composition or a fabric conditioner. The detergent composition may be in the form of a granule, liquid, or tablet. Detergent compositions of the present invention may be made in accordance with U.S. Patent Nos. 6,274,540 and 6,306,817 and WIPO Publication Nos. WO 01/16237 published March 8, 2001 and WO 01/16263 published on March 8, 2001.

I. Surfactant


[0035] The laundry products of the present invention may comprise from about 1% to 80% by weight of a surfactant. Preferably such compositions comprise from about 5% to 50% by weight of surfactant. Detergative surfactants utilized can be of the anionic, nonionic, zwitterionic, ampholytic or cationic type or can comprise compatible mixtures of these types. Detergent surfactants useful herein are described in U.S. Patent 3,664,961, Norris, issued May 23, 1972, U.S. Patent 3,919,678, Laughlin et al., issued December 30, 1975, U.S. Patent 4,222,905, Cockrell, issued September 16, 1980, and in U.S. Patent 4,239,659, Murphy, issued December 16, 1980. Anionic and nonionic surfactants are preferred.

[0036] Useful anionic surfactants can themselves be of several different types. For example, water-soluble salts of the higher fatty acids, i.e., "soaps", are useful anionic surfactants in the compositions herein. This includes alkali metal soaps such as the sodium, potassium, ammonium, and alkylammonium salts of higher fatty acids containing from about 8 to about 24 carbon atoms, and preferably from about 12 to about 18 carbon atoms. Soaps can be made by direct saponification of fats and oils or by the neutralization of free fatty acids. Particularly useful are the sodium and potassium salts of the mixtures of fatty acids derived from coconut oil and tallow, i.e., sodium or potassium tallow and coconut soap.

[0037] Additional non-soap anionic surfactants which are suitable for use herein include the water-soluble salts, preferably the alkali metal, and ammonium salts, of organic sulfuric reaction products having in their molecular structure an alkyl group containing from about 10 to about 20 carbon atoms and a sulfonic acid or sulfuric acid ester group. (Included in the term "alkyl" is the alkyl portion of acyl groups.) Examples of this group of synthetic surfactants are a) the sodium, potassium and ammonium alkyl sulfates, especially those obtained by sulfating the higher alcohols (C₈-C₁₈ carbon atoms) such as those produced by reducing the glycerides of tallow or coconut oil; b) the sodium, potassium and ammonium alkyl polyethoxylate sulfates, particularly those in which the alkyl group contains from 10 to 22, preferably from 12 to 18 carbon atoms, and wherein the polyethoxylate chain contains from 1 to 15, preferably 1 to 6 ethoxylate moieties; and c) the sodium and potassium alkylbenzene sulfonates in which the alkyl group contains from about 9 to about 15 carbon atoms, in straight chain or branched chain configuration, e.g., those of the type described in U.S. Patents 2,220,099 and 2,477,383. Especially valuable are linear straight chain alkylbenzene sulfonates in which the average number of carbon atoms in the alkyl group is from about 11 to 13, abbreviated as C₁₁₋₁₃ LAS.

[0038] Preferred nonionic surfactants are those of the formula R¹(OC₂H₄)_nOH, wherein R¹ is a C₁₀-C₁₆ alkyl group or a C₈-C₁₂ alkyl phenyl group, and n is from 3 to about 80. Particularly preferred are condensation products of C₁₂-C₁₅ alcohols with from about 5 to about 20 moles of ethylene oxide per mole of alcohol, e.g., C₁₂-C₁₃ alcohol condensed with about 6.5 moles of ethylene oxide per mole of alcohol.

[0039] Additional suitable nonionic surfactants include polyhydroxy fatty acid amides of the formula:



wherein R is a C₉₋₁₇ alkyl or alkenyl, R₁ is a methyl group and Z is glycidyl derived from a reduced sugar or alkoxyated derivative thereof. Examples are N-methyl N-1-deoxyglucityl cocoamide and N-methyl N-1-deoxyglucityl oleamide. Processes for making polyhydroxy fatty acid amides are known and can be found in Wilson, U.S. Patent 2,965,576 and Schwartz, U.S. Patent 2,703,798, the disclosures of which are incorporated herein by reference.

II. Builder

[0040] The compositions may also comprise from about 0.1% to 80% by weight of a builder. Preferably such compositions in liquid form will comprise from about 1% to 10% by weight of the builder component. Preferably such compositions in granular form will comprise from about 1% to 50% by weight of the builder component. Detergent builders are well known in the art and can comprise, for example, phosphate salts as well as various organic and inorganic nonphosphorus builders.

[0041] Water-soluble, nonphosphorus organic builders useful herein include the various alkali metal, ammonium and substituted ammonium polyacetates, carboxylates, polycarboxylates and polyhydroxy sulfonates. Examples of polyacetate and polycarboxylate builders are the sodium, potassium, lithium, ammonium and substituted ammonium salts of ethylene diamine tetraacetic acid, nitrilotriacetic acid, oxydisuccinic acid, mellitic acid, benzene polycarboxylic acids, and citric acid. Other suitable polycarboxylates for use herein are the polyacetal carboxylates described in U.S. Patent 4,144,226, issued March 13, 1979 to Crutchfield et al, and U.S. Patent 4,246,495, issued March 27, 1979 to Crutchfield et al, both of which are incorporated herein by reference. Particularly preferred polycarboxylate builders are the oxydisuccinates and the ether carboxylate builder compositions comprising a combination of tartrate monosuccinate and tartrate disuccinate described in U.S. Patent 4,663,071, Bush et al., issued May 5, 1987, the disclosure of which is incorporated herein by reference.

[0042] Examples of suitable nonphosphorus, inorganic builders include the silicates, aluminosilicates, borates and carbonates. Particularly preferred are sodium and potassium carbonate, bicarbonate, sesquicarbonate, tetraborate decahydrate, and silicates having a weight ratio of SiO₂ to alkali metal oxide of from about 0.5 to about 4.0, preferably from about 1.0 to about 2.4. Also preferred are aluminosilicates including zeolites. Such materials and their use as detergent builders are more fully discussed in Corkill et al, U. S. Patent No. 4,605,509, the disclosure of which is incorporated herein by reference. Also, crystalline layered silicates such as those discussed in Corkill et al, U. S. Patent No. 4,605,509, incorporated herein by reference, are suitable for use in the detergent compositions of this invention.

III. Preferred Enzymes

[0043] The laundry products of the present invention may also comprise an enzyme that is a amylase, lipase, selected protease enzyme, or mixtures thereof. Enzymes are normally incorporated into detergent compositions at levels sufficient to provide a "cleaning-effective amount". The term "cleaning-effective amount" refers to any amount capable of producing a cleaning, stain removal, soil removal, whitening, deodorizing, or freshness improving effect on substrates such as fabrics. Preferably, the laundry product compositions of the present invention may contain up to about 5 mg by weight, more typically from about 0.01 mg to about 3 mg, of active enzyme per gram of the detergent composition. Stated otherwise, the compositions herein will typically comprise from about 0.001% to about 5%, preferably from about 0.01% to about 1% by weight of the composition, of a commercial enzyme preparation. Protease enzymes are preferably present in such commercial preparations at levels sufficient to provide from 0.005 to 0.1 Anson units (AU) of activity per gram of composition. Higher active levels may be desirable in highly concentrated detergent formulations.

[0044] Selected proteases which are useful herein include the subtilisins which are obtained from particular strains of *B. subtilis* and *B. licheniformis*. A preferred protease is obtained from a strain of *Bacillus*, having maximum activity throughout the pH range of 8-12, developed and sold as ESPERASE® by Novo Industries A/S of Denmark, hereinafter "Novo". The preparation of this enzyme and analogous enzymes is described in GB 1,243,784 to Novo. Other suitable proteases include ALCALASE® and SAVINASE® from Novo and MAXATASE® from International Bio-Synthetics, Inc., The Netherlands. When desired, a protease having decreased adsorption and increased hydrolysis may be included in the compositions herein, as described in WO 9507791 to Procter & Gamble. Another recombinant trypsin-like protease for detergents suitable herein is described in WO 9425583 to Novo.

[0045] Any known amylase may be included in the compositions of the present invention.

[0046] Suitable lipase enzymes for use herein include those produced by microorganisms of the *Pseudomonas* group, such as *Pseudomonas stutzeri* ATCC 19,154, as disclosed in GB 1,372,034. See also lipases in Japanese Patent Application 53,20487, laid open Feb. 24, 1978. This lipase is available from Amano Pharmaceutical Co. Ltd., Nagoya, Japan, under the trade name Lipase P "Amano," or "Amano-P." Other suitable commercial lipases include Amano-CES, lipases ex *Chromobacter viscosum*, e.g. *Chromobacter viscosum* var. *lipolyticum* NRRLB 3673 from Toyo Jozo Co., Tagata, Japan; *Chromobacter viscosum* lipases from U.S. Biochemical Corp., U.S.A. and Disoynt Co., The Netherlands, and lipases ex *Pseudomonas gladioli*. LIPOLASE® enzyme derived from *Humicola lanuginosa* and commercially avail-

able from Novo, see also EP 341,947, is a preferred lipase for use herein.

[0047] When the compositions of the present invention contain a compatible enzyme, the compositions preferably also contain an effective enzyme stabilizing system. The enzyme-containing compositions herein may therefore optionally also comprise from about 0.001% to about 10%, preferably from about 0.005% to about 8%, most preferably from about 0.01 % to about 6%, by weight of an enzyme stabilizing system. The enzyme stabilizing system can be any stabilizing system which is compatible with the enzymes useful herein. Such a system may be inherently provided by other formulation actives, or be added separately, e.g., by the formulator or by a manufacturer of enzymes. Such stabilizing systems can, for example, comprise calcium ion, boric acid, propylene glycol, short chain carboxylic acids, boronic acids, or mixtures thereof, and are designed to address different stabilization problems depending on the type and physical form of the detergent composition.

Liquid Laundry Detergents

[0048] Preferably, the laundry product compositions herein are formulated as liquid laundry detergents. The liquid laundry detergent compositions preferably comprise from about 3% to about 98%, preferably from about 15% to about 95%, by weight of the liquid detergent composition, of an aqueous liquid carrier which is preferably water. Preferably, the liquid laundry compositions according to the present invention should provide a wash solution pH from about 6 to about 10, more preferably from about 7 to about 9, in order to maintain a preferred stain removal performance by the liquid laundry products according to the present invention. If needed, the cleaning compositions may contain alkalinizing agents, pH control agents and/or buffering agents.

[0049] The density of the laundry detergent compositions herein preferably ranges from about 400 to about 1200 g/litre, more preferably from about 500 to about 1100 g/litre of composition measured at 20°C.

EXAMPLES

[0050] The following example laundry product formulations may be made by traditional methods and means as known to one of ordinary skill in the art.

EXAMPLES 1 and 2

[0051]

Liquid Detergent

Ingredient	Example 1	Example 2
	Wt %	Wt %
C12-15alkyl polyethoxylate sulfate	12.31	12.31
Linear alkylbenzene sulfonate	5.39	5.39
Ethanol	3.44	3.44
Monoethanolamine	1.49	1.49
Propandiol	6.61	6.61
C12-13Alkyl polyethoxylate (9)	2.18	2.18
C12-14 alkyl dimethylamine N-oxide	0.73	0.73
C12-14 fatty acid	1.98	1.98
Citric acid	3.96	3.96
Borax	1.50	1.50
Sodium hydroxide (to pH 8.0)	5.00	5.00
Cationic Cellulose*	0.10	0.20
PDMS**	1.50	1.50

EP 2 210 933 A1

(continued)

Ingredient	Example 1	Example 2
	Wt %	Wt %
Water, perfume, enzymes, suds suppressor, brightener, additional deposition aid & other optional ingredients	to 100%	to 100%
* Supplied by Dow Chemicals. ** polydimethylsiloxane, supplied by Dow Corning		

EXAMPLES 3 and 4

[0052]

Powder Detergent

Ingredient	Example 3	Example 4
	Wt %	Wt %
C12 linear alkylbenzene sulfonate	3.44	3.44
C16-17 methyl branched alkyl sulfate	9.41	9.41
C14-15 alkyl sulfate	4.04	4.04
AlSiI	37.37	37.37
Na ₂ CO ₃	22.34	22.34
PEG	2.53	2.53
DTPA	0.72	0.72
NaPAA	1.03	1.03
Perborate	2.56	2.56
Nonanoyloxybenzenesulfonate	1.92	1.92
Modified cellulose	1.54	1.54
Cationic Cellulose*	0.15	0.20
PDMS (100k cSt)**	1.50	2.50
Water, perfume, enzymes, suds suppressor, brightener, additional deposition aid & other optional ingredients	to 100%	to 100%
* Supplied by Dow Chemicals ** polydimethylsiloxane supplied by Dow Corning		

EXAMPLES 5 and 6

[0053]

Fabric Conditioners

Ingredient	Example 5	Example 6
	Wt %	Wt %
Di-(tallowyl-oxy-ethyl) dimethyl ammonium chloride.	18.0	24.0
NH ₄ Cl	0.2	0.2
Cationic Cellulose*	0.2	0.3
PDMS (100 k cSt)**	3.0	2.0

(continued)

Ingredient	Example 5	Example 6
	Wt %	Wt %
Water, perfume and minors	To 100%	To 100%
* Supplied by Dow Chemicals ** polydimethylsiloxane supplied by Dow Corning		

[0054] While particular embodiments of the present invention have been illustrated and described, it would be obvious to those skilled in the art that various other changes and modifications can be made without departing from the spirit and scope of the invention. It is therefore intended to cover in the appended claims all such changes and modifications that are within the scope of this invention.

Claims

1. A laundry product composition comprising a stable mixture of:

- a) from 0.1% to 10%, by weight of the composition, of at least one water insoluble fabric care benefit agent; and
- b) from 0.01% to 5%, by weight of the composition, of at least one delivery enhancing agent that is a cationic cellulose, wherein the water-insoluble fabric care benefit agent is a water-insoluble silicone derivative or a mixture thereof, wherein the composition comprises from 5% to 50% by weight of a surfactant, and wherein the composition comprises a surfactant selected from sodium and potassium alkylbenzene sulphonates in which the alkyl group contains from 9 to 15 carbon atoms in straight chain or branched chain configuration.


2. A laundry product composition according to Claim 1 wherein the water insoluble fabric care benefit agent has a particle size of from 1 nm to 100 microns.

3. A laundry product composition according to any of the preceding claims wherein the water insoluble fabric care benefit agent is a non-functionalized silicone having a linear, grafted, or cyclic structure; a functionalized silicone; a copolymer with one or more different types of functional groups that is an amino, alkoxy, alkyl, phenyl, polyether, acrylate, siliconhydride, mercaptopropyl, carboxylic acid, quaternized nitrogen, or mixture thereof; or a mixture thereof, more preferably polydimethylsiloxane.


4. A laundry product composition according to any of the preceding claims wherein the stable mixture is formed in situ.

5. A laundry product composition according to Claim 1 wherein the ratio of the delivery enhancing agent to the fabric care benefit agent is from 1:50 to 1:1.


6. A laundry product composition according to any of the preceding claims wherein the cationic cellulose has the structure:



wherein R¹, R², R³ are each independently H, CH₃, C₈₋₂₄ alkyl (linear or branched),




or mixtures thereof; wherein n is from 1 to 10; R_x is H, CH₃, C₈₋₂₄ alkyl (linear or branched),




or mixtures thereof, wherein Z is a chlorine ion, bromine ion, or mixture thereof; R⁵ is H, CH₃, CH₂CH₃, or mixtures thereof; R⁷ is CH₃, CH₂CH₃, a phenyl group, a C₈₋₂₄ alkyl group (linear or branched), or mixture thereof; and

R⁸ and R⁹ are each independently CH₃, CH₂CH₃, phenyl, or mixtures thereof:
R⁴ is H,



or mixtures thereof wherein P is a repeat unit of an addition polymer formed by radical polymerization of a cationic monomer



wherein Z' is a chlorine ion, bromine ion or mixtures thereof and q is from 1 to 10.



EUROPEAN SEARCH REPORT

Application Number
EP 08 15 2893

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
A	US 4 237 016 A (RUDKIN ARTHUR L ET AL) 2 December 1980 (1980-12-02) * claims; examples 5,6,13 * -----	1-6	INV. C11D3/22 C11D3/37
A	WO 94/03152 A (UNILEVER PLC ;UNILEVER NV (NL)) 17 February 1994 (1994-02-17) * page 1, line 22 - page 3, line 5; claims; examples 2,5 * * page 8, line 12 - page 9, line 28 * -----	1-6	
A	US 3 580 853 A (PARRAN JOHN J JR) 25 May 1971 (1971-05-25) * column 1, line 29 - column 2, line 29; claims; examples XII,XIII * * column 5, line 73 - column 6, line 55 * * column 7, line 55 - line 67 * -----	1-6	
A	WO 00/59463 A (UNILEVER PLC ;LEVER HINDUSTAN LTD (IN); UNILEVER NV (NL)) 12 October 2000 (2000-10-12) * page 1, line 24 - page 3, line 4; examples 3,4 * * page 5, line 19 - line 29 * * page 14, line 19 - page 17, line 18 * -----	1-6	TECHNICAL FIELDS SEARCHED (IPC) C11D
The present search report has been drawn up for all claims			
Place of search Munich		Date of completion of the search 12 May 2010	Examiner Hillebrecht, Dieter
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

 1
EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 08 15 2893

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

12-05-2010

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4237016	A	02-12-1980	CA 1105209 A1	21-07-1981
			EP 0002085 A2	30-05-1979

WO 9403152	A	17-02-1994	AU 676189 B2	06-03-1997
			AU 4706893 A	03-03-1994
			BR 9306853 A	08-12-1998
			CA 2141328 A1	17-02-1994
			CZ 9500302 A3	13-09-1995
			DE 69325657 D1	19-08-1999
			DE 69325657 T2	09-12-1999
			EP 0658100 A1	21-06-1995
			ES 2134266 T3	01-10-1999
			HU 71956 A2	28-02-1996
			JP 7509708 T	26-10-1995
			PL 307345 A1	15-05-1995
			SK 15895 A3	13-09-1995
			ZA 9305695 A	06-02-1995

US 3580853	A	25-05-1971	AT 310905 B	25-10-1973
			BE 721384 A	25-03-1969
			CH 531041 A	30-11-1972
			DE 1792618 A1	25-11-1971
			FR 1588952 A	16-03-1970
			GB 1195158 A	17-06-1970
			IT 1046452 B	30-06-1980
			NL 6813826 A	31-03-1969
			SE 353738 B	12-02-1973

WO 0059463	A	12-10-2000	AR 029349 A1	25-06-2003
			AT 330582 T	15-07-2006
			AU 768909 B2	08-01-2004
			AU 3430400 A	23-10-2000
			BR 0009555 A	08-01-2002
			CA 2366827 A1	12-10-2000
			CN 1348355 A	08-05-2002
			CO 5160288 A1	30-05-2002
			CZ 20013604 A3	13-02-2002
			DE 60028947 T2	16-11-2006
			EP 1165034 A1	02-01-2002
			ES 2265921 T3	01-03-2007
			HU 0200736 A2	28-08-2002
			ID 30309 A	22-11-2001
			JP 2002541083 T	03-12-2002
			MX PA01009858 A	06-05-2002
			PL 351328 A1	07-04-2003
			RU 2236839 C2	27-09-2004

EPO FORM P0453

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

12-05-2010

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0059463	A	US 6126954 A	03-10-2000
		ZA 200107245 A	02-12-2002

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US 6274540 B [0034]
- US 6306817 B [0034]
- WO 0116237 A [0034]
- WO 0116263 A [0034]
- US 3664961 A, Norris [0035]
- US 3919678 A, Laughlin [0035]
- US 4222905 A, Cockrell [0035]
- US 4239659 A, Murphy [0035]
- US 2220099 A [0037]
- US 2477383 A [0037]
- US 2965576 A, Schwartz [0039]
- US 2703798 A [0039]
- US 4144226 A, Crutchfield [0041]
- US 4246495 A, Crutchfield [0041]
- US 4663071 A, Bush [0041]
- US 4605509 A, Corkill [0042]
- GB 1243784 A [0044]
- WO 9507791 A [0044]
- WO 9425583 A [0044]
- GB 1372034 A [0046]
- JP 53020487 A [0046]
- EP 341947 A [0046]