



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
**19.09.2018 Bulletin 2018/38**

(21) Application number: **18155738.0**

(22) Date of filing: **29.09.2011**

(51) Int Cl.:  
**A23K 10/30** <sup>(2016.01)</sup> **A23K 20/147** <sup>(2016.01)</sup>  
**A23K 20/163** <sup>(2016.01)</sup> **A23K 40/00** <sup>(2016.01)</sup>  
**A23K 40/20** <sup>(2016.01)</sup> **A23K 40/25** <sup>(2016.01)</sup>  
**A23K 50/42** <sup>(2016.01)</sup> **A01K 15/02** <sup>(2006.01)</sup>

(84) Designated Contracting States:  
**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR**

(30) Priority: **30.09.2010 US 404277 P**  
**24.06.2011 US 201161571309 P**

(62) Document number(s) of the earlier application(s) in accordance with Art. 76 EPC:  
**11831035.8 / 2 621 289**

(71) Applicant: **Nestec S.A.**  
**1800 Vevey (CH)**

(72) Inventors:  
• **Albuja, Mario Guillermo**  
**Eureka, Missouri 63025 (US)**  
• **Leiweke, Michael Edward**  
**Hillsboro, Missouri 63050 (US)**

(74) Representative: **Rupp, Christian**  
**Mitscherlich PartmbB**  
**Patent- und Rechtsanwälte**  
**Sonnenstraße 33**  
**80331 München (DE)**


Remarks:

This application was filed on 08-02-2018 as a divisional application to the application mentioned under INID code 62.

(54) **MULTI-TEXTURED ANIMAL TREATS**

(57) The invention provides multi-textured animal treats and methods for making the multi-textured animal treats. In a general aspect, the multi-textured animal treat includes a hard component comprising a mechanical joint and one or more soft components fixedly attached to the

mechanical joint and wrapped around the hard component. The soft components can include an adhesive or a combination of adhesives and mechanical joints for providing an additional attachment mechanism to the hard component.



## Description

### CROSS REFERENCE TO RELATED APPLICATIONS

**[0001]** This application claims priority to US Provisional Application Serial No. 61/404277 filed September 30, 2010 and US Provisional Application Serial No. 61/571309 filed June 24, 2011, the disclosures of which are incorporated herein by this reference.

### BACKGROUND OF THE INVENTION

#### Field of the Invention

**[0002]** The invention relates generally to multi-textured animal treats and particularly to multi-textured animal treats having different textural components that stay together for an extended period.

#### Description of Related Art

**[0003]** There are many pet food products on the market. The pet food products can be in a variety of shapes and structures such as kibbles, biscuits, rawhide products and meat emulsion products. Typically, these pet food products are homogenous in that they are usually made from the same materials throughout the product. Even pet food products that appear to be made from different base materials are usually made by providing the same base materials with different colors so as to give the pet food products a multicomponent appearance.

**[0004]** The pet food products can be in a soft, hard or chewy form to achieve a variety of different objectives. Hard or chewy pet food products can be used to provide healthy and strong teeth in pets as they are chewed. However, the textures of many hard and chewy pet food products are often unappealing and unpalatable. For example, extruded dry pet foods are typically provided in hard lumps and have a dry, dusty appearance. Soft pet food products may be used to supply a specific nutritional component in a more readily palatable form, but do not promote strong teeth in the pets to the same extent that hard pet food products do. Providing a single pet food piece having a soft and hard component can overcome these problems.

**[0005]** Although hard pet food components and soft pet food components may be sold together as separate pieces (e.g., kibbles and bits), there are no satisfactory multi-textured pet food products formed entirely in one piece currently on the market. This arises because the hard pet food component and the soft pet food component are usually made from different materials that will not remain attached to each other for long periods of time without the two components becoming unstable and separating from each other. When this happens, it defeats the purpose of making a single multi-textured pet food product in the first place.

### SUMMARY OF THE INVENTION

**[0006]** It is, therefore, an object of the invention to provide multi-textured animal treats having a hard component and at least one soft component that does not separate from the hard component for an extended period, e.g., at least 12 months.

**[0007]** It is another object of the invention to provide multi-textured animal treats having a hard component that provides resistance to an animal's teeth to provide a brushing effect on the surface of the teeth.

**[0008]** It is a further object of the invention to provide multi-textured animal treats that provides a delivery vehicle for functional ingredients needed for a healthy pet or other animal.

**[0009]** It is another object of the invention to provide methods of making multi-textured animal treats having a hard component and at least one soft component.

**[0010]** These and other objects are achieved using multi-textured animal treats having a hard component and at least one soft component. The soft component(s) are attached to the hard component mechanically via the use of a corresponding mechanical joint on the hard component. In addition to or in place of the mechanical joint(s), the soft component(s) can be attached to the hard component using an edible adhesive.

**[0011]** Additional and further objects, features, and advantages of the invention will be readily apparent to those skilled in the art.

### BRIEF DESCRIPTION OF THE DRAWINGS

**[0012]**

FIG. 1 shows a front perspective view of a multi-textured animal treat in an embodiment of the invention.

FIG. 2 shows a front perspective view of a multi-textured animal treat in a second embodiment of the invention.

FIG. 3 shows a front perspective view of a multi-textured animal treat in a third embodiment of the invention.

## DETAILED DESCRIPTION OF THE INVENTION

### Definitions

**[0013]** The term "single package" means that the components of a kit are physically associated in or with one or more containers and considered a unit for manufacture, distribution, sale, or use. Containers include, but are not limited to, bags, boxes, cartons, bottles, packages of any type or design or material, over-wrap, shrink-wrap, affixed components (e.g., stapled, adhered, or the like), or combinations thereof. A single package may be containers of individual multi-textured animal treats and other components physically associated such that they are considered a unit for manufacture, distribution, sale, or use.

**[0014]** The term "virtual package" means that the components of a kit are associated by directions on one or more physical or virtual kit components instructing the user how to obtain the other components, e.g., a bag or other container containing one component and directions instructing the user to go to a website, contact a recorded message or a fax-back service, view a visual message, or contact a caregiver or instructor to obtain instructions on how to use the kit or safety or technical information about one or more components of a kit.

**[0015]** All percentages expressed herein relating to the components of a composition are by weight of the total weight of the composition unless expressed otherwise.

**[0016]** As used throughout, ranges are used herein in shorthand, so as to avoid having to set out at length and describe each and every value within the range. Any appropriate value within the range can be selected, where appropriate, as the upper value, lower value, or the terminus of the range.

**[0017]** As used herein and in the appended claims, the singular form of a word includes the plural, and vice versa, unless the context clearly dictates otherwise. Thus, the references "a", "an", and "the" are generally inclusive of the plurals of the respective terms. For example, reference to "a multi-textured animal treat" or "a method" includes a plurality of such "multi-textured animal treats" or "methods". Similarly, the words "comprise", "comprises", and "comprising" are to be interpreted inclusively rather than exclusively. Likewise, the terms "include", "including" and "or" should all be construed to be inclusive, unless such a construction is clearly prohibited from the context. Where used herein the term "examples," particularly when followed by a listing of terms is merely exemplary and illustrative, and should not be deemed to be exclusive or comprehensive.

**[0018]** The products, methods, compositions, and other advances disclosed here are not limited to particular methodology, protocols, and ingredients described herein because, as the skilled artisan will appreciate, they may vary. Further, the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to, and does not, limit the scope of that which is disclosed or claimed.

### The Invention

**[0019]** In one aspect illustrated in FIG. 1, the invention provides a multi-textured animal treat 10 having a hard component 20 including a corresponding mechanical joint 40 and a soft component 30 fixedly attached to mechanical joint 40. Hard component 20 has a hardness as measured by Instron compressibility values ranging from about 25 lb-f to about 60 lb-f (e.g., Instron 5500R) and more preferably from about 25 lb-f to about 55 lb-f or any value within the range. Soft component 30 has a hardness as measured by Instron compressibility values ranging from about 1 lb-f to about 20 lb-f (e.g., Instron 5500R) and more preferably from about 1 lb-f to about 15 lb-f or any value within the range. Multi-textured animal treat 10 can have any suitable length or thickness. As illustrated in FIG. 1, hard component 20 and soft component 30 can take the form of separate ropes or strands that interact with each other.

**[0020]** As further illustrated in FIG. 1, hard component 20 has a twisted shape. For example, the hexagonal shape of hard component 20 depicts ridges at the plane of the intersection of two adjacent sides to convey a scraping capability of treat 10 with oral health benefits and also provides a solid base for mechanical joint 40. Hard component 20 can have any suitable shape compatible with soft component 30, e.g., the hard component can be cylindrical, triangular, rectangular, hexagonal, octagonal, and the like.

**[0021]** Soft component 30 can be wrapped around mechanical joint 40 of hard component 20 in a spiral shape. As a result, soft component 30 is mechanically attached to hard component 20 via mechanical joint 40. This mechanical attachment prevents soft component 30 from coming detached from hard component 20 during an extended period, e.g., 1 week, 2 weeks, 1 month, 6 months, 12 months or longer, including during storage of multi-textured animal treat 10.

**[0022]** As used herein, a "mechanical joint" is a protrusion extending from the hard component by which the soft component can readily surround and maintain an attachment to the hard component. Mechanical joint 40 can be provided

along part of or the entire length of hard component 20. Mechanical joint 40 can also be provided intermittently along the length of hard component 20. Soft component 30 can be placed over and attached to any suitable portion of mechanical joint 40 so that at least a portion or all of soft component 30 is fixedly attached to hard component 20. In addition to the dovetail shape shown in FIG. 1, mechanical joint 40 can be in any suitable shape including a triangle, hook, t-shape, arrow, and the like suitable for fixedly attaching soft component 30 to hard component 20. It should be appreciated that this description of mechanical joint 40 can apply to any embodiments of the multi-textured animal treat described herein and to multiple mechanical joints when the multi-textured animal treat has multiple soft components.

**[0023]** In another aspect, along with mechanical joint 40, soft component 30 can be attached to hard component 20 by using an edible adhesive such as, for example, sodium caseinate and/or gelatine. The adhesion of soft component 30 to hard component 20 is enhanced by providing a large surface area via mechanical joint 40 at the interface of the components. The adhesive can be added to soft component 30 during manufacturing. Alternatively, the adhesive can be added to hard component 20 or both soft component 30 and hard component 20. During the stage when soft component 30 contains a substantial amount of moisture and is wrapped around hard component 20, the sodium caseinate/gelatine acts as an adhesive and causes soft component 30 to fixedly be attached to hard component 20 when the two components are extruded and dried. It should be appreciated that this description of mechanical joint 40 with adhesive can apply to any embodiments of the multi-textured animal treat described herein that use adhesives and to multiple mechanical joints when the multi-textured animal treat has multiple soft components.

**[0024]** In addition to or in place of sodium caseinate/gelatine, the adhesive can be from one or more maltodextrins, flours (e.g., pre-cooked/toasted flours), starches, animal proteins, vegetable proteins or combinations thereof. Suitable animal proteins include plasma and blood. Suitable vegetable proteins include pea protein, corn protein (e.g., ground corn or corn gluten), wheat protein (e.g., ground wheat or wheat gluten), soy protein (e.g., soybean meal, soy concentrate, or soy isolate), rice protein (e.g., ground rice or rice gluten) and the like. These vegetable proteins may be provided in the form of meals, flours, concentrates, and isolates as desired.

**[0025]** The adhesive can be used in any suitable amount to provide sufficient adhesion for the soft component to remain fixedly attached to the hard component. In an embodiment, the adhesive can be sodium caseinate ranging from about 0.1% to about 10% including about 0.5%, 1%, 1.5%, 2%, 2.5%, 3%, 3.5%, 4%, 4.5%, 5%, 5.5%, 6%, 6.5%, 7%, 7.5%, 8%, 8.5%, 9%, 9.5% and the like. In an embodiment, the adhesive can be gelatine (e.g.,  $\geq 100$  Bloom) at ranging from about 1% to about 15% including about 0.5%, 1%, 1.5%, 2%, 2.5%, 3%, 3.5%, 4%, 4.5%, 5%, 5.5%, 6%, 6.5%, 7%, 7.5%, 8%, 8.5%, 9%, 9.5%, 10%, 10.5%, 11%, 11.5%, 12%, 12.5%, 13%, 13.5%, 14%, 14.5% and the like. It should be appreciated that this description of the adhesive(s) can apply to any embodiments of the multi-textured animal treat described herein.

**[0026]** In another aspect illustrated in FIG. 2, the invention provides a multi-textured animal treat 110 having a hard component 120 including a mechanical joint 140 and a soft component 130 fixedly attached to mechanical joint 140 with an adhesive. Hard component 120 has a hardness as measured by Instron compressibility values ranging from about 25 lb-f to about 60 lb-f (e.g., Instron 5500R) and more preferably from about 25 lb-f to about 55 lb-f or any value within the range. Soft component 130 has a hardness as measured by Instron compressibility values ranging from about 1 lb-f to about 20 lb-f (e.g., Instron 5500R) and more preferably from about 1 lb-f to about 15 lb-f or any value within the range. Multi-textured animal treat 110 can have any suitable length or thickness.

**[0027]** As further illustrated in FIG. 2, hard component 120 has a cylindrical shape. Soft component 130 is wrapped around mechanical joint 140 of hard component 120 in a spiral shape. As a result, soft component 130 is mechanically attached to hard component 140 via mechanical joint 140. This mechanical attachment prevents soft component 130 from coming detached from hard component 120 during an extended period, including during storage of multi-textured animal treat 110. In another aspect, along with the mechanical joint, soft component 130 can be attached to hard component 120 by using an adhesive.

**[0028]** In an alternative aspect illustrated in FIG. 3, the invention provides a multi-textured animal treat 210 having a hard component 220 and a soft component 230 fixedly attached to hard component 220 using a suitable adhesive. Hard component 220 has a hardness as measured by Instron compressibility values ranging from about 25 lb-f to about 60 lb-f (e.g., Instron 5500R) and more preferably from about 25 lb-f to about 55 lb-f or any value within the range. Soft component 230 has a hardness as measured by Instron compressibility values ranging from about 1 lb-f to about 20 lb-f (e.g., Instron 5500R) and more preferably from about 1 lb-f to about 15 lb-f or any value within the range. Multi-textured animal treat 210 can have any suitable length or thickness.

**[0029]** In this aspect, no mechanical joint is necessary. This adhesive attachment prevents soft component 230 from coming detached from hard component 220 for an extended period. As further illustrated in FIG. 3, hard component 220 has a twisted shape. Soft component 230 is wrapped around hard component 220 in a spiral shape. When the multi-textured animal treat has more than one soft component, the adhesive is used with all of the soft components or with some but not all of the soft components, as described herein.

**[0030]** The hard component can be formulated to provide sufficient resistance to a dog's biting of the multi-textured animal treat, which will induce a brushing effect on the dog's teeth surface. In any aspects of the multi-textured animal

treats of the present disclosure, the hard component can be a starch-based extruded product. The hard component can also be a pregelatinized cereal grain such as, for example, corn, wheat, barley, millet, sorghum, oat, rye, triticale or a combination thereof.

**[0031]** In an embodiment, the hard component can be a bio-plastics material produced from an expanded material as described in U.S. Patent Publication No. 2006/0292288. The bio-plastics material may be produced by a method that includes thermally treating a pre-expanded (e.g., porous) dry constituent so as to melt it. Preferably, cooking the pre-expanded dry constituent takes place in the presence of a component capable forming hydrogen bonds. The component can be a substance other than water. The component preferably is capable of solvating the constituent. The component may be a polyhydric solvent. This may be liquid or solid under standard temperature and pressure conditions. Examples of suitable liquid solvents are ethylene glycol, glycerol and propylene glycol. Examples of suitable solid polyhydric solvents are sugars and sorbitol. Water may be present.

**[0032]** The cooking of the pre-expanded dry constituent can be carried out preferably at low water activity and under low moisture conditions. Prior to the cooking, the pre-expanded constituent and the hydrogen bond-forming component, when used, are preferably mixed together to form a substantially homogeneous mixture, which is then disposed in a cooking vessel. Preferably, the mixture includes from 10% to about 90% by weight of the constituent and more preferably from 40% to about 80% by weight. Preferably, the mixture includes from about 0% to about 50% water by weight. Further preferably, the mixture includes from about 1% to about 15% water by weight. Preferably, the mixture includes from about 0% to 80% by weight of the hydrogen bond-forming component. Further preferably, the mixture includes from about 4% to about 16% of the hydrogen bond-forming component by weight.

**[0033]** The mixture may further include from about 1% to 30% protein. The protein may be derived from a plant or animal source or both. It may be provided as a protein concentrate. Optional ingredients such as those conventionally selected for inclusion in food products may also be added to the mixture. Accordingly, the mixture may still further include at least one additional constituent such as, for example, gelatin, dicalcium phosphate, a nutrient mixture, a reactive sugar, an amino acid, high-amylose or amylopectin component (such as starch) and inert (or non-digestible) fillers.

**[0034]** The mixture may further include a preservative. Suitable examples include potassium sorbate, sorbic acid, methyl para-hydroxybenzoate, calcium propionate and propionic acid. As water activity decreases, the need (if any) for such preservatives diminishes accordingly. Thus, where no water is added, no preservative is strictly needed. The presence, in preferred embodiments, of a hydrogen bond-forming component in combination with the pre-expanded constituent contained in the mixture, while requiring the input of substantial amounts of energy in the cooking, nevertheless promotes controlled transformation of the constituent into a stable, coherent and digestible foodstuff body that can form a hard component that has a desired texture and unique properties by design.

**[0035]** Using pre-expanded particles provides an advantage over unexpanded particles because the pre-expanded particles are highly porous and have a higher number of micro-pores of a size greater than ten times the average molecular radius of the chosen hydrogen bond forming component, for example a polyhydric solvent. Consequently, the pre-expanded particles have a larger external surface area to volume ratio, compared to unexpanded particles. The external surface area includes all surfaces accessible to molecules of the solvent, including surfaces within the pores, micro-pores and intra-particular tunnels. The pre-expanded particles are found to have a much faster absorption rate for the polyhydric solvent, compared to unexpanded prior art particles. The pre-expanded particles also have a much faster adsorption of polyhydric solvents compared to prior art particles. The pre-expanded particles further have a much faster rate of solvation with a polyhydric solvent compared to prior art particles.

**[0036]** In addition to the hard component, the soft component can include a preservative. In addition, at least one of the hard component and the soft component can include additional ingredients such as, for example, drugs, nutrients, herbs, oral care ingredients, visible nutrition ingredients, colorants, flavorants, humectants, antioxidants, or a combination thereof.

**[0037]** The oral care ingredients can be any ingredient that improves oral health. Typical oral care ingredients include those that freshen breath, control tartar, combat gingivitis, combat periodontitis, and the like. The oral care ingredients can be in the multi-textured animal treat in an amount ranging from about 0.05% to about 2.5%. Suitable oral care ingredients include alfalfa nutrient concentrate (contains chlorophyll), sodium bicarbonate, phosphates (e.g., tricalcium phosphate, acid pyrophosphates, tetrasodium pyrophosphate, metaphosphates, orthophosphates), peppermint, cloves, parsley, ginger, and the like.

**[0038]** The visible nutrition ingredients can be in the form of pieces or specks on the surfaces and/or within the hard component or soft component. The visible nutrition ingredients can be in the multi-textured animal treat in an amount ranging from about 0.1% to about 0.8%. Suitable visible nutrition ingredients include corn germ meal, dehydrated vegetables, fruits, grains (e.g., spinach, carrots, cranberry), and the like.

**[0039]** The colorants can provide an aesthetic effect. The colorants can be in the multi-textured animal treat in an amount ranging from about 0.001% to about 0.8%. Suitable colorants include FD & C colors, natural colors, titanium dioxide, and the like. In various embodiments, the melt and the dough are different colors.

**[0040]** The flavorants can make the multi-textured animal treat more palatable for the animal. The flavorants can be

in the multi-textured animal treat in an amount ranging from about 0.03% to about 8%, preferably from about 0.05 to about 5%, more preferably from about 0.1 to about 4%. Suitable flavorants include yeast, tallow, rendered animal meals (e.g., poultry, beef, lamb, and pork), flavor extracts or blends (e.g., grilled beef), and the like.

**[0041]** The humectants can provide an aesthetic effect. The humectants can be in the multi-textured animal treat in an amount ranging from about 9% to about 31%, preferably from about 11 to about 24%. Suitable humectants include salt, sugars, propylene glycol and polyhydric glycols such as glycerin and sorbitol, and the like.

**[0042]** The antioxidants can provide an aesthetic effect. The antioxidants can be in the multi-textured animal treat in an amount ranging from about 0.01% to about 0.5%. Suitable antioxidants include BHA/BHT, vitamin E (tocopherols), and the like.

**[0043]** In general, any ingredient that is compatible with the hard component and/or soft component can be added to the component. For example, pharmaceuticals, nutraceuticals, drugs, herbs, nutrients, or other ingredients that prevent disease, treat disease, ameliorate disease symptoms, or affect one or more bodily functions can be added to one or more of the components where applicable, e.g., unsaturated fatty acids (UFA); nitric oxide releasing compounds (NORC); anti-glycation agents; colostrum; amino acids; proteins; peptides; polypeptides; nucleic acids; oligonucleotides; polynucleotides; small molecules; macromolecules; vitamins; minerals; simple sugars; complex sugars; polysaccharides; carbohydrates; medium-chain triglycerides (MCTs); triacylglycerides (TAGs); n-3 (omega-3) fatty acids such as DHA, EPA, and ALA; n-6 (omega-6) fatty acids such as LA,  $\gamma$ -linolenic acid (GLA) and ARA, SA, and conjugated linoleic acid (CLA); choline or choline sources such as lecithin; fat-soluble vitamins such as vitamin A and precursors thereof such as carotenoids (e.g.,  $\beta$ -carotene); vitamin D sources such as vitamin D2 (ergocalciferol) and vitamin D3 (cholecalciferol); vitamin E sources such as tocopherols (e.g.,  $\alpha$ -tocopherol) and tocotrienols and vitamin E derivatives such as trolox; and vitamin K sources such as vitamin K1 (phyloquinone) and vitamin K2 (menadione); water-soluble vitamins such as B vitamins such as riboflavin; niacin (including nicotinamide and nicotinic acid); pyridoxine; pantothenic acid; folic acid; biotin; cobalamin; vitamin C (ascorbic acid); antioxidants including some of the vitamins listed above, especially vitamins E and C; bioflavonoids such as apigenin, catechin, flavonone, genistein, naringenin, quercetin and theaflavin; quinones such as ubiquinone; carotenoids such as lycopene and lycopanthin;  $\alpha$ -lipoic acid; L-carnitine; D-limonene; glucosamine; S-adenosylmethionine; chitosan; alginate; calcium; hyaluronic acid; magnesium; monooleylphosphatidic acid; nitric oxide (e.g., as nitroglycerin); S-carbamylcysteine; sodium butyrate; sodium salicylate; spermidine; sphingosine; and glucose. Other examples include ingredients that affect joint conditions or disease such as analgesics, glucosamine, chondroitin, non-steroidal anti-inflammatory drugs, chondroitin sulfate, and glucosamine sulfate. Other examples include immune system enhancing agents such as calcineurin inhibitors, glucocorticoids, and the like. Similarly, these and the above mentioned ingredients can be added to the hard component or soft component in various combinations when compatible with the components and each other, e.g., one or more oral care ingredients and one or more ingredients that affect joint conditions or disease in the same hard component or in the same soft component.

**[0044]** Similarly, the multi-textured animal treat can act as a delivery vehicle for numerous individual functional ingredients. For instance, one component may have a functional ingredient related to oral health while the other component may have an ingredient beneficial for joint health or gut health. In addition, by providing separate delivery vehicles via the hard and soft components, the multi-textured animal treat can carry ingredients that might adversely react with one another if they are in the same component.

**[0045]** In another aspect, the invention provides packages useful for containing a multi-textured animal treat of the invention. The packages comprise at least one material suitable for containing the multi-textured animal treat and a label affixed to the material containing a word or words, picture, design, acronym, slogan, phrase, or other device, or combination thereof, that indicates that the package contains the multi-textured animal treat. Typically, such device comprises the words "multi-textured animal treat" or "multi-textured animal treat having a hard and a soft component" or an equivalent expression printed on the material that distinguishes the multi-textured animal treat of the invention. Any package configuration and packaging material suitable for containing the multi-textured animal treat are useful in the invention, e.g., a bag, box, sachet, bottle, can, pouch, and the like manufactured from paper, plastic, foil, metal, and the like. In preferred embodiments, the package further comprises one or more multi-textured animal treats of the invention. In various embodiments, the package further comprises at least one window that permit the package contents to be viewed without opening the package. In some embodiments, the window is a transparent portion of the packaging material. In others, the window is a missing portion of the packaging material. The multi-textured animal treats have a hard component and a soft component fixedly attached to the hard component. The soft component remains fixedly attached to the hard component without separating for at least 8 weeks, 10 weeks, 12 weeks, 6 months, 12 months or longer.

**[0046]** In another aspect, the invention provides a method of making a multi-textured animal treat. The method comprises mixing a dry blend of components for a hard component with plasticizers in the extruder to form a first melt and mixing a dry blend of components for a soft component with plasticizers which are heated and mixed to form a dough. The first melt and the heated dough are coextruded through a die assembly to form the multi-textured animal treat. The first melt forms an elongated rope having at least one protrusion, preferably a protrusion on one side of the rope. The dough encases the protrusion and forms a mechanical joint prior to exiting the die assembly. The extruded hard component

can have a twisted shape or a cylindrical shape. The soft component can be wrapped around the hard component in a spiral shape.

**[0047]** In an alternative aspect, the invention provides a method of making a multi-textured animal treat. The method comprises mixing a dry blend of components for a hard component with water in a first barrel of an extruder to form a first melt and mixing a dry blend of components for a soft component with water in a second barrel of an extruder to form a dough. At least one of the first melt and the dough can include an adhesive. The first melt and the dough are coextruded through a die assembly to form the multi-textured animal treat, the dough wrapped around the first melt prior to exiting the die assembly. The adhesive can be one or more maltodextrins, flours, starches, animal proteins, vegetable proteins and combinations thereof in an amount sufficient enough to fixedly attach the soft melt to the hard dough. In an alternative embodiment, the hard component can include a mechanical joint on which the soft component is fixedly attached to.

**[0048]** Generally, a hard component and one or more soft components are co-extruded and held together by mechanical or physical means as described herein.

**[0049]** In various embodiments, the invention provides multi-textured animal treats having a hard component (illustrated as 20 in FIG. 1) including two or more mechanical joints (one such mechanical joint illustrated as 40 in FIG. 1) and two or more soft components (one such soft component illustrated as 30 in FIG. 1) fixedly attached to a corresponding mechanical joint (illustrated as 40 in FIG. 1). In one embodiment, the hard component has two soft components fixedly attached to a corresponding mechanical joint on the hard component, *i.e.*, the hard component has two mechanical joints and each of the soft components are attached to the hard component using a corresponding mechanical joint. In another, the hard component has three soft components fixedly attached to a corresponding mechanical joint, *i.e.*, each soft component is attached to a different one of three mechanical joints on the hard component. In others, the hard component has four or more soft components fixedly attached to four or more corresponding mechanical joints on the hard component, the upper limit of soft components being dictated by the size of the hard component and the soft components.

**[0050]** The soft components can comprise the same ingredients or different ingredients, *e.g.*, the ingredients given herein such as oral care ingredients, visible nutrition ingredients, colorants, flavorants, humectants, antioxidants, and combinations thereof. Similarly, the soft components can have the same or different size, shape, appearance, and texture. Varying these characteristics of the soft components permits the multi-textured animal treat to be customized as needed to meet the aesthetic, health, hedonistic, or other needs or various animals and, when applicable, their caregivers. For example, in certain embodiments the soft components contain different flavorants that vary the taste of the multi-textured animal treat; different ingredients that vary the texture of the multi-textured animal treat; and different colorants that vary the color of the multi-textured animal treat. In one embodiment, the multi-textured animal treat has two soft components, one containing one or more oral care ingredients and one containing one or more flavorants. This embodiment provides a flavorful treat that is desirable to the animal and that has a beneficial effect on oral health. In another, the multi-textured animal treat has two soft components, one containing one or more compounds that benefit joint health and one containing one or more different ingredients, *e.g.*, flavorants, colorants, and the like. In another, the multi-textured animal treat has two soft components, one containing one or more flavorants and one containing one or more different flavorants. This embodiment provides a multi-flavorful treat that typically has enhanced appeal to the animal. In another, the multi-textured animal treat has two soft components, one containing one or more flavorants and one containing one or more antioxidants. This embodiment provides a flavorful treat that has a beneficial effect on animal health. In another, the multi-textured animal treat has two soft components, one containing one or more flavorants and one containing one or more medications. This embodiment provides a flavorful treat that the animal will desire and consume while taking needed medications without the difficulties that often accompany administering medications to animals. In a further, the multi-textured animal treat has three soft components, one containing flavorants and colorants; one containing oral health ingredients, and one containing antioxidants. Numerous such combinations can be prepared by the skilled artisan. Treats containing two or more soft components are made using the same methods described herein except that the two or more soft components are coextruded during the process. In certain other embodiments, the soft components have different sizes and/or shapes. Varying these characteristics of the soft components permits the multi-textured animal treat to be varied as needed to meet the aesthetic, manufacturing requirements, or other needs of manufacturers, animals and, when applicable, their caregivers. For example, when manufacturing a multi-textured animal treat with four soft components (often having different palatants, colorants, and the like), the soft components may need to have a smaller size so that the multiple soft components can be accommodated on the hard component while keeping the overall size of the multi-textured animal treat such that it is appealing to and/or can be consumed by the animal, *e.g.*, mouth size and bite size compatible. Similarly, the shape of the soft components can be varied simply to create a visually appealing treat. For example, a multi-textured animal treat having three soft components can have one soft component in the shape of a star, one soft component in shape of a circle, and one soft component in shape of a triangle. Numerous combinations of shapes, sizes, flavorants, colorants, and the like are envisioned and are included within the invention.

**[0051]** In various embodiments, the multi-textured animal treat comprises a combination of soft components fixedly attached individually to the hard component using one or more mechanical joints and one or more edible adhesives, as the mechanical joints and adhesives are described herein.

**[0052]** In other embodiments, an individual soft component is fixedly attached to the hard component using a combination of one or more sections of mechanical joint and one or more sections of edible adhesive, *e.g.*, one-half of an individual soft component is attached to the hard component using a mechanical joint and the other half of the soft component is attached to the hard component using edible adhesive or one-fourth of an individual soft component is attached to the hard component using a mechanical joint and one-third of the remaining soft component is attached to the hard component using edible adhesive. In some of these embodiments, there are one or more sections of the soft component that are not fixedly attached to the hard component.

**[0053]** In another aspect, the invention provided animal treats made according to the methods of the invention.

**[0054]** Various ingredients in various amounts can be used to make the multi-textured animal treats of the invention. Examples of such ingredients and ranges for such ingredients are:

15	Hard Component Formulations	Preferred Ranges
	Pregelatinized Rice Flour	Level varies with other components (66.6 - 89.1%)
	Sorbic Acid	0.2 - 0.4 %
	Glycerin	6.0 - 27.0 %
	Water	4.5 - 27.0 %
20	Soft Component Formulations	Preferred Ranges
	Wheat Gluten	8.5 - 11.5 %
	Wheat Flour	35 - 50 %
	Gelatin	1 - 15 %
25	Maltodextrin	0.3 - 0.5 %
	Sodium Caseinate	0.1 - 10 %
	Polyol (Glycerin/Hydrosorb)	13 - 24 %
	Water	0 - 7 %
	Sorbic Acid	0.2 - 0.4 %
30	Calcium Propionate	0.15 - 0.3 %
	Phosphoric Acid	0.2 - 0.4 %
	Total Product Formulations	
	Cereal/Starch Matrix	
35	Pregelatinized Cereal Grain	Level varies with other components (44.4 - 59.4%)
	Wheat Gluten	2.2.0 - 3.8 %
	Wheat Flour	10.1 - 16.7 %
	Binders / Glues / Adhesives	
	Gelatin	0.3 - 5 %
40	Maltodextrin	0.01 - 0.5 %
	Sodium Caseinate	0.05 - 3.3 %
	Plasticizers- Humectants	
	Polyols	7.0 - 26 %
45	Sugar / Salt	2 - 5 %
	Water	2.3 - 18 %
	Antimycotic Preservatives	
	Sorbic Acid	0.2 - 0.4 %
	Calcium Propionate	0.05 - 0.1 %
50	Phosphoric Acid	0.07 - 0.14 %

**[0055]** In a further aspect, the invention provides kits. The kits comprise in separate containers in a single package or in separate containers in a virtual package, as appropriate for the kit component, at least one multi-textured animal treat of the invention and one or more of (1) one or more comestible ingredients, *e.g.* different treats, dog foods, cat foods, animal toys, and the like; (2) one or more devices useful for entertaining an animal, *e.g.*, a play toy, a chew toy, and the like; (3) one or more devices useful for managing or protecting an animal, *e.g.*, a piece of clothing, a leash, a collar, and the like; and (4) instructions for how to use the animal treats and other kit components, particularly for the



benefit of the animal.

**[0056]** When the kit comprises a virtual package, the kit is limited to instructions in a virtual environment in combination with one or more physical kit components. The kits may contain the kit components in any of various combinations. In one embodiment, the kit contains a multi-textured animal treat of the invention and a container of food for consumption by an animal, e.g., dog food or cat food. In another, the kit contains the animal treat and an inedible chew toy. In another, the kit contains the animal treat and a animal collar and a corresponding leash. Numerous such combinations are within the purview of the skilled artisan.

**[0057]** In another aspect, the invention provides a package useful for containing a multi-textured animal treat of the invention. The package comprises at least one material suitable for containing the animal treat and a label affixed to the material containing a word or words, picture, design, acronym, slogan, phrase, or other device, or combination thereof, that indicates that the package contains the animal treat. Typically, such device comprises the words "multi-textured animal treat" or "long lasting multi-textured animal treat" or an equivalent expression printed on the material. Any package configuration and packaging material suitable for containing the animal treat are useful in the invention, e.g., a bag, box, bottle, can, pouch, and the like manufactured from paper, plastic, foil, metal, and the like. In preferred embodiments, the package further comprises a animal treat of the invention. In various embodiments, the package further comprises at least one window that permit the package contents to be viewed without opening the package. In some embodiments, the window is a transparent portion of the packaging material. In others, the window is a missing portion of the packaging material.

**[0058]** In another aspect, the invention provides a means for communicating information about or instructions for one or more of (1) instruction for using multi-textured animal treats of the invention, particularly to entertain or benefit an animal, and (2) using the kits of the present invention. The means comprises a document, digital storage media, optical storage media, audio presentation, or visual display containing the information or instructions. In certain embodiments, the communication means is a displayed web site, visual display, kiosk, brochure, product label, package insert, advertisement, handout, public announcement, audiotape, videotape, DVD, CD-ROM, computer readable chip, computer readable card, computer readable disk, computer memory, or combination thereof containing such information or instructions. Useful information includes contact information for animals or their caregivers to use if they have a question about the multi-textured animal treats of the kits.

## EXAMPLES

**[0059]** By way of example and not limitation, the following examples are illustrative of various embodiments of the present disclosure. The examples describe formulations for the hard and soft components and the method of linking them to form a multi-textured twisted product that stays together through the product shelf life.

### Example 1

#### Hard Component

**[0060]** One thousand (1000) pounds (lbs) of extrudate for the hard component was prepared by weighing each ingredient as shown in Table 1 and adding to a ribbon mixer where they were mixed to form a homogeneous dry blend.

**[0061]** The dry blend was then transferred to a hopper that feeds a twin screw extruder ("TSE"). The screws were configured for high shear and a vent section was used towards the exit end of the extruder barrel.

**[0062]** After extruder start-up, the dry blend was fed into the first barrel of the extruder at 8 lbs/minute. Glycerin that was heated to 160°F (320°C) was injected into this barrel at 16% of the dry blend feed rate. Water was also injected into this section at 15.5% dry blend feed rate. The screw speed was adjusted to develop a pressure that ranged from 1200 - 1600 psi and temperature ranging from 198 - 220°F (428°C) in the dough melt. This melt was then pumped through the vent section and into a hexagonal die in a die assembly attached at the end of the extruder creating a rope.

Table 1

Hard Component Formulation	
Ingredient	Lbs
Pregelatinized Rice Flour	908.5
Distilled Monoglyceride	17.5
BHA/BHT Powder Oxy-Block 14	0.25
Yeast Internal Dried	30.75

## EP 3 375 296 A1

(continued)

Hard Component Formulation	
Ingredient	Lbs
Corn Germ Meal	12.0
Poultry By-Product Meal	10.2
Tricalcium Phosphate (High Density)	11.0
Sodium Bicarbonate	0.3
Sorbic Acid	3.0
Color Blend	6.5
Total	1000.0

### Example 2

#### Soft Component

**[0063]** Two hundred ninety-three lbs of dry blend for the soft component was made by weighing ingredients as shown in Table 2 into a double ribbon mixer with steam injection ports. The ingredients were mixed into a homogeneous dry blend. To this blend, liquids and flavors were weighed as shown in Table 3 and added while continuously mixing and with steam injection until the product reached a temperature ranging from 185 - 190°F (365 - 374°C) forming a 400 lb batch. The hot dough was emptied into the hopper of a high pressure (e.g., up to 1000 psi) screw pump. The dough was then pumped to a die adjacent to the die for the hard component in the same die assembly attached to the end of the TSE. For this soft component, a round die was used to create a rope. The flow rate of the soft extrudate was adjusted to 33% of that of the hard extrudate.

Table 2

Dry Mix Blend for Soft Component	
Ingredient	lbs
Titanium Dioxide	3.82
Maltodextrin DE 10	0.38
Wheat Gluten Vital Bulk	38.2
Sodium Caseinate	12.98
Wheat Flour Second Clear or Better	168.0
Sugar Granulated	27.5
Gelatin 250 Bloom	16.4
Sorbic Acid	1.38
Calcium Propionate	0.96
Deoiled Dried Soy Lecithin	0.38
Ground Alfalfa Nutrient Concentrate	15.3
Salt	7.7
Total	293.0

## EP 3 375 296 A1

Table 3

Soft Component Formulation	
Ingredient	lbs
Dry Mix Blend	293
Glycerin	62.6
Roquette Hydrosorb AN 7522	12.8
Water	13.9
Tallow Edible w/Vitamin E	12.7
Phosphoric Acid	4
Grilled Beef Flavor (Givaudan)	1
Total	400.0

### Example 3

#### Forming the Multi-textured Twist Product - 1

**[0064]** As shown in Example 1 (the hard extrudate) and Example 2 (the soft extrudate) were both formed separately in the same die assembly. Further, as the hard extrudate entered the die, one of the vertices was compressed to create a protrusion (e.g., this could be dovetail or tongue, or any other shape as square, rectangular, circular, and polygonal) and at this point the hard and soft extrudates were still separated from each other. At approximately one third of the length of the die assembly, the flow paths were configured so that the extruded ropes were brought in contact and the protrusion of the hard extrudate penetrated into the soft extrudate. From that point the die cross-section area was maintained to ensure that mechanical compression was applied to both ropes through the discharge of the die assembly to strengthen the bond that was created. The bonded ropes were rotated as they exited the die assembly creating a braided structure. This product was cut in approximately six inch pieces and sealed in moisture barrier flexible bags. The product is shown in FIG. 1. The products were stored at ambient conditions and examined every two weeks. After 12 months, the ropes were still strongly bonded and the dual texture was maintained.

### Example 4

#### Forming the Multi-textured Twist Product - 2 (adhesive only)

**[0065]** As shown in Example 1 and Example 2, the hard extrudate and the soft extrudate were formed separately and fed to the die assembly where they were brought together without the protrusion (i.e., mechanical joint) and rotated as they exited the die assembly forming an intertwined braided structure. The product was cut in approximately six inch pieces and sealed in moisture barrier flexible bags. The products were stored at ambient conditions and examined every two weeks. After about 8 weeks of storage, the ropes started to separate.

### Example 5

#### Forming the Multi-textured Twist Product - 3 (no adhesive or mechanical joint)

**[0066]** Example 4 was repeated but the sodium caseinate in the soft component was removed. In less than two weeks the ropes of storage, the ropes separated.

### Example 6

#### Forming the Multi-textured Twist Product - 4 (mechanical joint only)

**[0067]** Example 3 was repeated but the sodium caseinate in the soft component was removed. After about 8 weeks of storage, the ropes started to separate.

Example 7

Forming the Multi-textured Twist Product - 5

**[0068]** Example 3 was repeated but the mechanical joint was created after the steam flashing and loss of stickiness (glue functionality) - about 6 inches from the die exit. The ropes separated immediately showing that adhesive property of the composition is needed for the formation of the bond between the multi-textured ropes.

Example 8

Forming the Multi-textured Twist Product - 6

**[0069]** Examples 1, 2, & 3 were repeated where the sodium caseinate in the soft component was removed and included in the hard component at 1.4% in the hard component formula and the rice flour reduced proportionately. After 12 months, the ropes were still strongly bonded and the dual texture was maintained. This example shows that the added adhesive component is effective in either the soft component or the hard component.

Example 9

Hardness and Softness Tests

**[0070]** The follow texture studies for samples took place at ambient 70 - 75°F (158 - 167°C). An Instron® 5500R fitted with a pointed brass cone was used. A hard component (in the form of a rope) was placed on a solid platform and the Instron crosshead with the pointed cone probe was activated to travel towards the hard rope at 2 inches per minute. The maximum load when the probe penetrated 0.4 inch into the rope was taken as a measure of hardness/softness. Measurements were taken at 3 different points, an inch apart, on a rope and on three different ropes. The values ranged from about 31 pound force ("lb-f") to about 45 lb-f. This experiment was repeated for the soft component (in the form of a rope) and the values ranged from about 10 lb-f to about 13 lb-f. Reasonable expected values for embodiments of the hard component range from about 25 lb-f to about 60 lb-f, and the soft component from about 1 lb-f to about 20 lb-f.

**[0071]** All patents, patent applications, publications, and other references cited or referred to herein are incorporated herein by reference to the extent allowed by law. The discussion of those references is intended merely to summarize the assertions made therein. No admission is made that any such patents, patent applications, publications or references, or any portion thereof, are relevant prior art for the present invention and the right to challenge the accuracy and pertinence of such patents, patent applications, publications, and other references is specifically reserved.

PREFERRED EMBODIMENTS

**[0072]**

1. A multi-textured animal treat comprising:

a hard component comprising at least one mechanical joint, the hard component having a hardness as measured by Instron compressibility values ranging from about 25 lb-f to about 60 lb-f; and  
at least one soft component fixedly attached to a corresponding mechanical joint on the hard component, the soft component having a hardness as measured by Instron compressibility values ranging from about 1 lb-f to about 20 lb-f.

2. The multi-textured animal treat of item 1 wherein the hard component is a starch-based extruded product.

3. The multi-textured animal treat of item 1 wherein the hard component comprises a pregelatinized cereal grain selected from the group consisting of corn, wheat, barley, millet, sorghum, oat, rye, triticale and combinations thereof.

4. The multi-textured animal treat of item 1 wherein at least one of the hard component and the soft component comprises a preservative.

5. The multi-textured animal treat of item 1 wherein at least one of the hard component and the soft component comprises an additional ingredient selected from the group consisting of oral care ingredients, visible nutrition, colorants, flavorants, humectants, antioxidants and combinations thereof.

6. The multi-textured animal treat of item 1 wherein the hard component has a twisted shape.

7. The multi-textured animal treat of item 1 wherein the soft component is wrapped around the hard component in a spiral shape.

## 8. A multi-textured animal treat comprising:

a hard component having a hardness as measured by Instron compressibility values ranging from about 25 lb-f to about 60 lb-f; and

at least one soft component wrapped around the hard component and fixedly attached to the hard component with an adhesive, the soft component having a hardness as measured by Instron compressibility values ranging from about 1 lb-f to about 20 lb-f.

9. The multi-textured animal treat of item 8 wherein the adhesive is selected from the group consisting of sodium caseinate, gelatine and combinations thereof.

10. The multi-textured animal treat of item 8 wherein the adhesive is selected from the group consisting of malto-dextrins, flours, starches, animal proteins, vegetable proteins and combinations thereof in an amount sufficient enough to fixedly attached the soft component to the hard component.

11. The multi-textured animal treat of item 8 wherein the hard component is a starch-based extruded product.

12. The multi-textured animal treat of item 8 wherein the hard component comprises a pregelatinized cereal grain selected from the group consisting of corn, wheat, barley, millet, sorghum, oat, rye, triticale and combinations thereof.

13. The multi-textured animal treat of item 8 wherein at least one of the hard component and the soft component comprises a preservative.

14. The multi-textured animal treat of item 8 wherein at least one of the hard component and the soft component comprises an additional ingredient selected from the group consisting of oral care, visible nutrition, colorants, flavorants, humectants, antioxidants and combinations thereof.

15. The multi-textured animal treat of item 8 wherein the hard component has a twisted shape.

16. The multi-textured animal treat of item 8 wherein the soft component is wrapped around the hard component in a spiral shape.

## 17. A multi-textured animal treat comprising:

a hard component comprising at least one mechanical joint, the hard component having a hardness as measured by Instron compressibility values ranging from about 25 lb-f to about 60 lb-f; and

at least one soft component fixedly attached to a corresponding mechanical joint with an adhesive and wrapped around the hard component, the soft component having a hardness as measured by Instron compressibility values ranging from about 1 lb-f to about 20 lb-f.

18. The multi-textured animal treat of item 17 wherein the adhesive is selected from the group consisting of sodium caseinate, gelatine and combinations thereof.

19. The multi-textured animal treat of item 17 wherein the adhesive is selected from the group consisting of malto-dextrins, flours, starches, animal proteins, vegetable proteins and combinations thereof in an amount sufficient enough to fixedly attached the soft component to the hard component.

20. The multi-textured animal treat of item 17 wherein the hard component is a starch-based extruded product.

21. The multi-textured animal treat of item 17 wherein the hard component comprises a pregelatinized cereal grain selected from the group consisting of corn, wheat, barley, millet, sorghum, oat, rye, triticale and combinations thereof.

22. The multi-textured animal treat of item 17 wherein at least one of the hard component and the soft component comprises a preservative.

23. The multi-textured animal treat of item 17 wherein at least one of the hard component and the soft component comprises an additional ingredient selected from the group consisting of oral care, visible nutrition, colorants, flavorants, humectants, antioxidants and combinations thereof.

24. The multi-textured animal treat of item 17 wherein the hard component has a twisted shape.

25. The multi-textured animal treat of item 17 wherein the soft component is wrapped around the hard component in a spiral shape.

## 26. A method of making a multi-textured animal treat comprising:

mixing a dry blend of components for a hard component with plasticizers in an extruder to form a first melt;

mixing a dry blend of components for a soft component with plasticizers to form a soft component blend;

mixing and heating the soft component blend to form a dough;

coextruding the first melt and the dough through a die assembly to form the multi-textured animal treat, the first melt forming an elongated rope having at least one protrusion, the dough encasing the protrusion while in the die assembly to form a mechanical joint.

27. The method of item 26 wherein at least one of the first melt and the dough includes an adhesive.

28. The method of item 27 wherein the adhesive is selected from the group consisting of maltodextrins, flours, starches, animal proteins, vegetable proteins and combinations thereof in an amount sufficient enough to fixedly attach the soft melt to the hard dough.

29. The method of item 27 wherein the hard component has a twisted shape.

30. The method of item 27 wherein the soft component is wrapped around the hard component in a spiral shape.

31. A method of making a multi-textured animal treat comprising:

mixing a dry blend of components for a hard component with water in a first barrel of an extruder to form a first melt;  
mixing a dry blend of components for a soft component with water in a second barrel of an extruder to form a dough, at least one of the first melt and the dough including an adhesive;  
coextruding the first melt and the dough through a die assembly to form the multi-textured animal treat, the dough wrapped around the first melt prior to exiting the die assembly.

32. The method of item 31 wherein the adhesive is selected from the group consisting of sodium caseinate, gelatine and combinations thereof

33. The method of item 31 wherein the adhesive is selected from the group consisting of maltodextrins, flours, starches, animal proteins, vegetable proteins and combinations thereof in an amount sufficient enough to fixedly attach the soft melt to the hard dough.

34. The method of item 31 wherein the hard component has a twisted shape.

35. The method of item 31 wherein the soft component is wrapped around the hard component in a spiral shape.

36. A multi-textured animal treat made according to the method of item 26.

37. A multi-textured animal treat made according to the method of item 31.

38. A package comprising at least one material suitable for containing a multi-textured animal treat comprising a hard component comprising at least one mechanical joint, the hard component having a hardness as measured by Instron compressibility values ranging from about 25 lb-f to about 60 lb-f and at least one soft component fixedly attached to a corresponding mechanical joint, the soft component having a hardness as measured by Instron compressibility values ranging from about 1 lb-f to about 20 lb-f, and a label affixed to the material containing a word or words, picture, design, acronym, slogan, phrase, or other device, or combination thereof that indicates that the package contains the multi-textured animal treat.

39. The package of item 38 further comprising the multi-textured animal treat.

40. The package of item 38 further comprising at least one window.

41. The package of item 38 further comprising a multi-textured animal treat of item 1.

42. The package of item 38 further comprising a multi-textured animal treat of item 8.

43. The package of item 38 further comprising a multi-textured animal treat of item 17.

44. The package of item 38 further comprising a multi-textured animal treat of item 36.

45. The package of item 38 further comprising a multi-textured animal treat of item 37.

46. A kit comprising in separate containers in a single package or in separate containers in a virtual package, as appropriate for the kit component, at least one multi-textured animal treat of item 1, item 8, item 17 item 36, or item 37 and one or more of (1) one or more comestible ingredients; (2) one or more devices useful for entertaining an animal; (3) one or more devices useful for managing or protecting an animal; and (4) instructions for how to use the multi-textured animal treats and other kit components.

47. A means for communicating information about or instructions for one or more of (1) instruction for using multi-textured animal treats of item 1 and (2) using the kits of item 46, the means comprising a document, digital storage media, optical storage media, audio presentation, or visual display containing the information or instructions.

48. The means of item 47 selected from the group consisting of a displayed website, a visual display kiosk, a brochure, a product label, a package insert, an advertisement, a handout, a public announcement, an audiotape, a videotape, a DVD, a CD-ROM, a computer readable chip, a computer readable card, a computer readable disk, a USB device, a FireWire device, a computer memory, and any combination thereof.

49. The multi-textured animal treat of item 1 comprising (1) a hard component having three or more mechanical joints and (2) three or more corresponding soft components.

50. The multi-textured animal treat of item 49 wherein the soft components comprise the same ingredients.

51. The multi-textured animal treat of item 49 wherein at least two of the soft components comprise different ingredients.

52. The multi-textured animal treat of item 51 wherein at least two of the soft components comprise different flavorants.

53. The multi-textured animal treat of item 51 wherein at least two of the soft components comprise different colorants.

54. The multi-textured animal treat of item 51 wherein at least two of the soft components have different sizes.

55. The multi-textured animal treat of item 51 wherein at least two of the soft components have different shapes.

56. The multi-textured animal treat of item 1 comprising (1) a hard component having two mechanical joints and (2)

two corresponding soft components.

57. The multi-textured animal treat of item 56 wherein the soft components comprise the same ingredients.

58. The multi-textured animal treat of item 56 wherein the soft components comprise different ingredients.

59. The multi-textured animal treat of item 58 wherein the soft components comprise different flavorants.

60. The multi-textured animal treat of item 58 wherein the soft components comprise different colorants.

61. The multi-textured animal treat of item 58 wherein the soft components have different sizes.

62. The multi-textured animal treat of item 58 wherein the soft components have different shapes.

63. The multi-textured animal treat of item 58 wherein one of the soft components comprises one or more flavorants and the other soft component comprises one or more oral care ingredients.

64. The multi-textured animal treat of item 58 wherein one of the soft components comprises one or more colorants and the other soft component comprises one or more oral care ingredients.

65. The multi-textured animal treat of item 58 wherein one of the soft components comprises one or more flavorants and one or more colorants and the other soft component comprises one or more oral care ingredients.

66. The multi-textured animal treat of item 1 comprising (1) a hard component having one mechanical joint and (2) one corresponding soft component.

67. The multi-textured animal treat of item 1 comprising more than one soft component wherein the soft components are fixedly attached individually to the hard component by a combination of one or more mechanical joints and one or more edible adhesives.

68. The multi-textured animal treat of item 8 comprising three or more soft components.

69. The multi-textured animal treat of item 68 wherein the soft components comprise the same ingredients.

70. The multi-textured animal treat of item 68 wherein at least two of the soft components comprise different ingredients.

71. The multi-textured animal treat of item 70 wherein at least two of the soft components comprise different flavorants.

72. The multi-textured animal treat of item 70 wherein at least two of the soft components comprise different colorants.

73. The multi-textured animal treat of item 70 wherein at least two of the soft components have different sizes.

74. The multi-textured animal treat of item 70 wherein at least two of the soft components have different shapes.

75. The multi-textured animal treat of item 8 comprising two soft components.

76. The multi-textured animal treat of item 75 wherein the soft components comprise the same ingredients.

77. The multi-textured animal treat of item 75 wherein the soft components comprise different ingredients.

78. The multi-textured animal treat of item 77 wherein the soft components comprise different flavorants.

79. The multi-textured animal treat of item 77 wherein the soft components comprise different colorants.

80. The multi-textured animal treat of item 77 wherein the soft components have different sizes.

81. The multi-textured animal treat of item 77 wherein the soft components have different shapes.

82. The multi-textured animal treat of item 77 wherein one of the soft components comprises one or more flavorants and the other soft component comprises one or more oral care ingredients.

83. The multi-textured animal treat of item 77 wherein one of the soft components comprises one or more colorants and the other soft component comprises one or more oral care ingredients.

84. The multi-textured animal treat of item 77 wherein one of the soft components comprises one or more flavorants and one or more colorants and the other soft component comprises one or more oral care ingredients.

85. The multi-textured animal treat of item 17 comprising (1) a hard component having three or more mechanical joints and (2) three or more corresponding soft components.

86. The multi-textured animal treat of item 85 wherein the soft components comprise the same ingredients.

87. The multi-textured animal treat of item 85 wherein at least two of the soft components comprise different ingredients.

88. The multi-textured animal treat of item 87 wherein at least two of the soft components comprise different flavorants.

89. The multi-textured animal treat of item 87 wherein at least two of the soft components comprise different colorants.

90. The multi-textured animal treat of item 87 wherein at least two of the soft components have different sizes.

91. The multi-textured animal treat of item 87 wherein at least two of the soft components have different shapes.

92. The multi-textured animal treat of item 17 comprising (1) a hard component having two mechanical joints and (2) two corresponding soft components.

93. The multi-textured animal treat of item 92 wherein the soft components comprise the same ingredients.

94. The multi-textured animal treat of item 92 wherein the soft components comprise different ingredients.

95. The multi-textured animal treat of item 94 wherein the soft components comprise different flavorants.

96. The multi-textured animal treat of item 94 wherein the soft components comprise different colorants.

97. The multi-textured animal treat of item 94 wherein the soft components have different sizes.

98. The multi-textured animal treat of item 94 wherein the soft components have different shapes.

99. The multi-textured animal treat of item 94 wherein one of the soft components comprises one or more flavorants and the other soft component comprises one or more oral care ingredients.

100. The multi-textured animal treat of item 94 wherein one of the soft components comprises one or more colorants and the other soft component comprises one or more oral care ingredients.

101. The multi-textured animal treat of item 94 wherein one of the soft components comprises one or more flavorants and one or more colorants and the other soft component comprises one or more oral care ingredients.

102. The multi-textured animal treat of item 17 comprising (1) a hard component having one mechanical joint and (2) one corresponding soft component.

103. The multi-textured animal treat of item 17 comprising more than one soft component wherein the soft components are fixedly attached individually to the hard component by a combination of one or more mechanical joints and one or more edible adhesives.

104. The package of item 38 further comprising a multi-textured animal treat of item 49.

105. The package of item 38 further comprising a multi-textured animal treat of item 56.

106. The package of item 38 further comprising a multi-textured animal treat of item 66.

107. The package of item 38 further comprising a multi-textured animal treat of item 67.

108. The package of item 38 further comprising a multi-textured animal treat of item 68.

109. The package of item 38 further comprising a multi-textured animal treat of item 75.

110. The package of item 38 further comprising a multi-textured animal treat of item 85.

111. The package of item 38 further comprising a multi-textured animal treat of item 92.

112. The package of item 38 further comprising a multi-textured animal treat of item 102.

113. The package of item 38 further comprising a multi-textured animal treat of item 103.

## Claims

### 1. A multi-textured animal treat comprising:

a hard component comprising at least one mechanical joint, the hard component having a hardness as measured by Instron compressibility values ranging from 111.21 N (25 lb-f) to 266.89 N (60 lb-f); and

at least one soft component fixedly attached to a corresponding mechanical joint on the hard component, the soft component having a hardness as measured by Instron compressibility values ranging from 4.45 N (1 lb-f) to 88.96 N (20 lb-f), wherein the Instron compressibility values are determined using an Instron 5500R device fitted with a pointed brass cone at 21.1 to 23.9°C, and

wherein the soft components remain fixedly attached to the hard component without separating for at least 12 months or longer during storage of the multi-textured animal treat.

### 2. A multi-textured animal treat obtainable by coextrusion and comprising:

a hard component comprising at least one mechanical joint, the hard component having a hardness as measured by Instron compressibility values ranging from 111.21 N (25 lb-f) to 266.89 N (60 lb-f); and

at least one soft component fixedly attached to a corresponding mechanical joint on the hard component, the soft component having a hardness as measured by Instron compressibility values ranging from 4.45 N (1 lb-f) to 88.96 N (20 lb-f), and

wherein the Instron compressibility values are determined using an Instron 5500R device fitted with a pointed brass cone at 21.1 to 23.9°C.

### 3. A multi-textured animal treat comprising:

a hard component having a hardness as measured by Instron compressibility values ranging from 111.21 N (25 lb-f) to 266.89 N (60 lb-f); and

at least one soft component wrapped around the hard component and fixedly attached to the hard component with an adhesive, the soft component having a hardness as measured by Instron compressibility values ranging from 4.45 N (1 lb-f) to 88.96 N (20 lb-f),

wherein the Instron compressibility values are determined using an Instron 5500R device fitted with a pointed brass cone at 21.1 to 23.9°C, and

wherein the soft components remain fixedly attached to the hard component without separating for at least 12 months or longer during storage of the multi-textured animal treat.

### 4. A multi-textured animal treat obtainable by coextrusion and comprising:



a hard component having a hardness as measured by Instron compressibility values ranging from 111.21 N (25 lb-f) to 266.89 N (60 lb-f); and  
 at least one soft component wrapped around the hard component and fixedly attached to the hard component with an adhesive, the soft component having a hardness as measured by Instron compressibility values ranging from 4.45 N (1 lb-f) to 88.96 N (20 lb-f),  
 wherein the Instron compressibility values are determined using an Instron 5500R device fitted with a pointed brass cone at 21.1 to 23.9°C.

5. A multi-textured animal treat comprising:

a hard component comprising at least one mechanical joint, the hard component having a hardness as measured by Instron compressibility values ranging from 111.21 N (25 lb-f) to 266.89 N (60 lb-f); and  
 at least one soft component fixedly attached to a corresponding mechanical joint with an adhesive and wrapped around the hard component, the soft component having a hardness as measured by Instron compressibility values ranging from 4.45 N (1 lb-f) to 88.96 N (20 lb-f),  
 wherein the Instron compressibility values are determined using an Instron 5500R device fitted with a pointed brass cone at 21.1 to 23.9°C, and  
 wherein the soft components remain fixedly attached to the hard component without separating for at least 12 months or longer during storage of the multi-textured animal treat.

6. A multi-textured animal treat obtainable by coextrusion and comprising:

a hard component comprising at least one mechanical joint, the hard component having a hardness as measured by Instron compressibility values ranging from 111.21 N (25 lb-f) to 266.89 N (60 lb-f); and  
 at least one soft component fixedly attached to a corresponding mechanical joint with an adhesive and wrapped around the hard component, the soft component having a hardness as measured by Instron compressibility values ranging from 4.45 N (1 lb-f) to 88.96 N (20 lb-f),  
 wherein the Instron compressibility values are determined using an Instron 5500R device fitted with a pointed brass cone at 21.1 to 23.9°C.

7. The multi-textured animal treat of any one of claims 3 to 6 wherein the adhesive is selected from the group consisting of sodium caseinate, gelatine and combinations thereof.

8. The multi-textured animal treat of any one of claims 3 to 6 wherein the adhesive is selected from the group consisting of maltodextrins, flours, starches, animal proteins, vegetable proteins and combinations thereof in an amount sufficient enough to fixedly attached the soft component to the hard component.

9. The multi-textured animal treat of any one of claims 1 to 6 wherein the hard component is a starch-based extruded product.

10. The multi-textured animal treat of any one of claims 1 to 6 wherein the hard component comprises a pregelatinized cereal grain selected from the group consisting of corn, wheat, barley, millet, sorghum, oat, rye, triticale and combinations thereof.

11. The multi-textured animal treat of any one of claims 1 to 6 wherein at least one of the hard component and the soft component comprises a preservative.

12. The multi-textured animal treat of any one of claims 1 to 6 wherein at least one of the hard component and the soft component comprises an additional ingredient selected from the group consisting of oral care, visible nutrition, colorants, flavorants, humectants, antioxidants and combinations thereof.

13. The multi-textured animal treat of any one of claims 1 to 6 wherein the hard component has a twisted shape.

14. The multi-textured animal treat of any one of claim 1 to 6 wherein the soft component is wrapped around the hard component in a spiral shape.

15. The multi-textured animal treat of any one of claims 1, 3 or 5 wherein the multi-textured animal treat is obtainable by coextrusion.

**16.** A method of making a multi-textured animal treat comprising:

mixing a dry blend of components for a hard component with plasticizers in an extruder to form a first melt;  
 mixing a dry blend of components for a soft component with plasticizers to form a soft component blend;  
 mixing and heating the soft component blend to form a dough;  
 coextruding the first melt and the dough through a die assembly to form the multi-textured animal treat, the first  
 melt forming an elongated rope having at least one protrusion, the dough encasing the protrusion while in the  
 die assembly to form a mechanical joint.

**17.** The method of claim 16 wherein at least one of the first melt and the dough includes an adhesive.

**18.** A method of making a multi-textured animal treat comprising:

mixing a dry blend of components for a hard component with water in a first barrel of an extruder to form a first melt;  
 mixing a dry blend of components for a soft component with water in a second barrel of an extruder to form a  
 dough, at least one of the first melt and the dough including an adhesive;  
 coextruding the first melt and the dough through a die assembly to form the multi-textured animal treat, the  
 dough wrapped around the first melt prior to exiting the die assembly.

**19.** The method of claim 18 wherein the adhesive is selected from the group consisting of sodium caseinate, gelatine  
 and combinations thereof.

**20.** The method of claim 16 or 18 wherein the adhesive is selected from the group consisting of maltodextrins, flours,  
 starches, animal proteins, vegetable proteins and combinations thereof in an amount sufficient enough to fixedly  
 attach the soft melt to the hard dough.

**21.** The multi-textured animal treat of claim 1 or 2 comprising (1) a hard component having one mechanical joint and  
 (2) one corresponding soft component, or  
 comprising more than one soft component wherein the soft components are fixedly attached individually to the hard  
 component by a combination of one or more mechanical joints and one or more edible adhesives, or  
 comprising (1) a hard component having three or more mechanical joints and (2) three or more corresponding soft  
 components, or  
 comprising (1) a hard component having two mechanical joints and (2) two corresponding soft components, or  
 comprising (1) a hard component having one mechanical joint and (2) one corresponding soft component.

**22.** The multi-textured animal treat of claim 5 or 6 comprising more than one soft component wherein the soft components  
 are fixedly attached individually to the hard component by a combination of one or more mechanical joints and one  
 or more edible adhesives.

FIG. 1




FIG. 2





FIG. 3





## EUROPEAN SEARCH REPORT

Application Number  
EP 18 15 5738

5

10

15

20

25

30

35

40

45

50

55

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	US 4 900 572 A (REPHOLZ KENNETH M [US] ET AL) 13 February 1990 (1990-02-13)	3,4,8,9,11,12,15,18,20	INV. A23K10/30 A23K20/147 A23K20/163 A23K40/00 A23K40/20 A23K40/25 A23K50/42 A01K15/02
Y	* column 1, line 47 - line 54 * * column 6, line 60 - line 66 * * column 7, line 10 - column 8, line 2 * * column 8, line 3 - line 10 * * column 8, line 27 - line 56; example 1 * -----	1-22	
X	US 2004/052906 A1 (HERNANDEZ ANGEL [US] ET AL) 18 March 2004 (2004-03-18)	16,17,20	
Y	* paragraph [0010]; claims 1,7,8; figures 2,3,8 * * paragraph [0025] - paragraph [0028] * * paragraph [0037] * * paragraph [0043] * -----	1-22	
Y	US 2010/224138 A1 (AXELROD GLEN S [US] ET AL) 9 September 2010 (2010-09-09) * paragraph [0002] * * paragraph [0008] * * paragraph [0017] * * paragraph [0019] * * paragraph [0022] - paragraph [0024] * * paragraph [0030] * * paragraph [0033] * * paragraph [0037] - paragraph [0004] * * paragraph [0049]; claims 1,3,4,6,7; figures 2,5; table 1 * -----	1-22	TECHNICAL FIELDS SEARCHED (IPC)  A23K A01K
Y	US 4 284 652 A (CHRISTENSEN EDWIN H) 18 August 1981 (1981-08-18) * column 3, line 45 - column 4, line 10 * * column 4, line 59 - line 62 * * column 9, line 6 - line 33; examples 1,8,11 * ----- -/--	7,10,19	
The present search report has been drawn up for all claims			
Place of search <b>The Hague</b>		Date of completion of the search <b>4 July 2018</b>	Examiner <b>Kirchhoff, Eva</b>
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ----- & : member of the same patent family, corresponding document	

EPO FORM 1503 03.82 (P04C01)



## EUROPEAN SEARCH REPORT

Application Number  
EP 18 15 5738

5

10

15

20

25

30

35

40

45

50

55

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
Y	US 2003/228400 A1 (DAHL STEPHEN R [US] ET AL) 11 December 2003 (2003-12-11) * paragraph [0019] - paragraph [0020]; claims 1,3,6,17; figures 1-7,11 * * paragraph [0037] - paragraph [0041] * * paragraph [0044] * * paragraph [0046] * * paragraph [0049] - paragraph [0052] *	13	
Y	US 2009/004328 A1 (WEINBERG CHRISTOPHER ALAN [US]) 1 January 2009 (2009-01-01) * claim 1; figures 2,3 *	14	
Y	WO 2009/157950 A1 (MARS INC [US]; SLUSARCZYK PETER SEBASTIAN [US]; ZIENER TRACEY DIANNE [US]) 30 December 2009 (2009-12-30) * paragraph [0012]; claims 1,7,9,13,16; figures 4,10 * * paragraph [0059] *	21,22	
A	US 4 006 266 A (BONE DAVID PALMER ET AL) 1 February 1977 (1977-02-01) * column 2, line 33 - line 46; claims 1,6 * * column 6, line 18 - line 24 * * column 7, line 30 - column 8, line 53 *	1-22	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (IPC)
Place of search The Hague		Date of completion of the search 4 July 2018	Examiner Kirchhoff, Eva
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 18 15 5738

5

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

04-07-2018

10

15

20

25

30

35

40

45

50

55

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4900572 A	13-02-1990	NONE	
US 2004052906 A1	18-03-2004	AU 2003266003 A1 EP 1545238 A2 JP 4435686 B2 JP 2005538715 A US 2004052906 A1 US 2004253342 A1 US 2008138464 A1 WO 2004023885 A2	30-04-2004 29-06-2005 24-03-2010 22-12-2005 18-03-2004 16-12-2004 12-06-2008 25-03-2004
US 2010224138 A1	09-09-2010	CN 102340986 A EP 2403330 A1 US 2010224138 A1 US 2017020110 A1 WO 2010102174 A1	01-02-2012 11-01-2012 09-09-2010 26-01-2017 10-09-2010
US 4284652 A	18-08-1981	NONE	
US 2003228400 A1	11-12-2003	NONE	
US 2009004328 A1	01-01-2009	US 2009004328 A1 US 2011217419 A1	01-01-2009 08-09-2011
WO 2009157950 A1	30-12-2009	AU 2008358376 A1 CA 2729112 A1 CN 102123608 A EP 2312956 A1 JP 5503647 B2 JP 2011525809 A WO 2009157950 A1	30-12-2009 30-12-2009 13-07-2011 27-04-2011 28-05-2014 29-09-2011 30-12-2009
US 4006266 A	01-02-1977	BE 845927 A CA 1053499 A DE 2639629 A1 DK 402176 A FR 2326872 A1 GB 1515054 A IT 1066299 B NL 7609934 A NO 763052 A US 4006266 A	08-03-1977 01-05-1979 21-04-1977 09-04-1977 06-05-1977 21-06-1978 04-03-1985 13-04-1977 13-04-1977 01-02-1977

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**REFERENCES CITED IN THE DESCRIPTION**

*This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.*

**Patent documents cited in the description**

- US 61404277 A [0001]
- US 61571309 A [0001]
- US 20060292288 A [0031]