

Title (en)
Rotary printing cylinder.

Title (de)
Rotationsdruckzylinder.

Title (fr)
Cylindre imprimeur rotatif.

Publication
EP 0000410 A1 19790124 (EN)

Application
EP 78200071 A 19780630

Priority
SE 7708025 A 19770711

Abstract (en)
Rotary printing cylinders usually have the form of a steel cylinder, the surface of which is covered with a copper layer into which in transferring elements are engraved. Such printing cylinders are heavy, expensive to manufacture and can only be used for one printing pattern. According to this invention it is suggested to avoid the above drawbacks by using a separate printing sleeve (I) with a cylindrical outer printing surface and a conical inner surface, which sleeve can be firmly applied onto a basic cylinder (7) the outer surface of which has a corresponding conical shape. To make the sleeve changing easier the basic cylinder is provided with ducts (10) emerging into the conical surface, through which ducts compressed air can be discharged into the space between the sleeve and the cylinder when the sleeve is mounted or dismounted.

IPC 1-7
B41F 13/10

IPC 8 full level
B41F 13/10 (2006.01); **B41F 27/00** (2006.01); **B41F 27/10** (2006.01)

CPC (source: EP)
B41F 27/105 (2013.01)

Citation (search report)

- DE 1097452 B 19610119 - GEORGE EDMOND BRACKENBURY ABEL, et al
- GB 289836 A 19290903
- DE 2700118 A1 19770714 - STRACHAN & HENSHAW LTD
- US 3146709 A 19640901 - BASS WALDO E, et al

Cited by
DE19753744A1; EP0127953A3; US5784961A; IT201800003625A1; GB2274812A; GB2274812B; US2016271931A1; US6874417B2; US7357892B2; WO03045680A1

Designated contracting state (EPC)
CH DE FR GB NL

DOCDB simple family (publication)
EP 0000410 A1 19790124; AU 3789978 A 19800117; CH 646377 A5 19841130; IT 1096921 B 19850826; IT 7825456 A0 19780707; JP S5418311 A 19790210; SE 414291 B 19800721; SE 7708025 L 19790112

DOCDB simple family (application)
EP 78200071 A 19780630; AU 3789978 A 19780710; CH 303080 A 19780630; IT 2545678 A 19780707; JP 8451478 A 19780711; SE 7708025 A 19770711