

Title (en)  
SEAMING PLASTICS MATERIALS

Publication  
**EP 0000643 A3 19790613**

Application  
**EP 78300166 A 19780719**

Priority  
GB 3095977 A 19770722

Abstract (en)  
[origin: EP0000643A2] A method of seaming together the edges of plastics sheet (10) by bringing them towards each other, leaving a small gap, and introducing a plastics strip (26) into the groove thus formed. The strip can be directly extruded into the groove so that it welds directly to the sheet edges. Alternatively, external heat may be applied, for example by a hot air jet just before the strip enters the groove, so that the strip welds to the sheet edges. The sheet, and possibly also the strip may comprise foamed plastics material. The seam thus formed can be rolled before the material has cooled so as to produce a flush joint. This method can be used to produce tubular plastics bodies for making into containers. Also disclosed is a method of fitting a metal end closure in which an outward flange on the closure is turned around the outside of the foamed plastics body and engages under an outward shoulder at the rim of the body forming a circumferential seam, the material of the body being compressed between the flange and an upstanding annular wall of the end closure. An alternative method of producing a flush seam between plastics sheets comprises reducing the thickness of the edge portions of the sheets and then overlapping these portions and sealing them together. The reduced thickness areas preferably have complementary profiles.

IPC 1-7  
**B29C 27/02**

IPC 8 full level  
**B29C 53/00** (2006.01); **B29C 65/00** (2006.01); **B29C 65/10** (2006.01); **B29C 65/12** (2006.01); **B29C 65/42** (2006.01); **B29C 65/48** (2006.01);  
**B29C 67/00** (2006.01); **B29C 53/48** (2006.01)

CPC (source: EP)  
**B29C 65/12** (2013.01); **B29C 65/42** (2013.01); **B29C 66/0222** (2013.01); **B29C 66/1142** (2013.01); **B29C 66/1282** (2013.01);  
**B29C 66/12841** (2013.01); **B29C 66/135** (2013.01); **B29C 66/30321** (2013.01); **B29C 66/30325** (2013.01); **B29C 66/4322** (2013.01);  
**B29C 66/49** (2013.01); **B29C 66/83411** (2013.01); **B29C 67/0044** (2013.01); **B29C 53/48** (2013.01); **B29C 66/1224** (2013.01);  
**B29C 66/1226** (2013.01); **B29C 66/542** (2013.01); **B29C 66/71** (2013.01); **B29C 66/72321** (2013.01); **B29C 66/73921** (2013.01)

Citation (search report)  
• [X] FR 1543889 A 19681025 - HOECHST AG  
• [X] GB 986963 A 19650324 - BAT APPLIC ET REVETEMENTS PLAS  
• GB 735795 A 19550831 - CONST MECANIQUES DE STAINS SOC  
• DE 201333 A1 19710121  
• DE 2116510 A1 19721012 - CLOUTH GUMMIWERKE AG  
• DE 2057565 A1 19720622 - NOBIS RICHARD PREGLER  
• [A] US 3853669 A 19741210 - WERSTLEIN P  
• [A] FR 2163420 A1 19730727 - STEIGER ENGINEERING AG

Cited by  
EP1619009A1; US9505294B2; WO2006008254A1

Designated contracting state (EPC)  
BE CH DE FR GB NL SE

DOCDB simple family (publication)  
**EP 0000643 A2 19790207**; **EP 0000643 A3 19790613**; AU 3822678 A 19800124; CA 1112418 A 19811117; JP S54119575 A 19790917;  
ZA 784061 B 19790725

DOCDB simple family (application)  
**EP 78300166 A 19780719**; AU 3822678 A 19780720; CA 307735 A 19780719; JP 8895778 A 19780722; ZA 784061 A 19780717