

Title (en)  
DRIVING MECHANISM FOR SWITCHES

Publication  
**EP 0003352 B1 19811125 (DE)**

Application  
**EP 79100204 A 19790124**

Priority  
DE 2803787 A 19780128

Abstract (en)  
[origin: EP0003352A1] 1. A switch driving system having a driving part and a driven part, with two rocking levers (7, 8) whose turnpins (6) are in a single plane and are parallel to each other and there levers (7, 8) are joined together, at a point spaced from their turnpin (6), by at least one spring (14, 14') in each case which is able to be cocked, and with a locking unit, which has two locking levers (16, 23), placed in the plane of the rocking levers (7, 8), such locking levers locking in turn the rocking lever (8) transmitting the energy of the closed spring (14, 23) to the switch till the other rocking lever (7) on being turned as is necessary for cocking the spring (14, 23) in relation to the first-named rocking lever (8) has been moved into a starting position, characterized in that the one rocking lever (7) takes the form of the driving part, while the other rocking lever (8) takes the form of the driven part and in that the locking levers (16, 23) are designed sticking out into the path of turning of the driving part and are moved by the same out of their locking position into the unlocked position.

IPC 1-7  
**H01H 3/30**; H01H 33/40

IPC 8 full level  
**H01H 3/30** (2006.01); **H01H 33/40** (2006.01)

CPC (source: EP)  
**H01H 3/30** (2013.01); **H01H 33/40** (2013.01)

Designated contracting state (EPC)  
CH FR GB IT NL SE

DOCDB simple family (publication)  
**EP 0003352 A1 19790808**; **EP 0003352 B1 19811125**; DE 2803787 A1 19790802; DE 2803787 B2 19791122; DE 2803787 C3 19840802

DOCDB simple family (application)  
**EP 79100204 A 19790124**; DE 2803787 A 19780128