

Title (en)
DEVICE FOR SCREWING-ON FIXATION MEANS

Publication
EP 0003714 B1 19810429 (DE)

Application
EP 79810002 A 19790115

Priority
AT 106378 A 19780214

Abstract (en)
[origin: US4354403A] Screw driving apparatus in which a slide is movable back and forth on a support and is formed with a chute extending in the slide away from the support toward an open end of the chute, and with an access opening to the chute. A driver is mounted on the support for rotation in the chute and for movement in the chute toward and away from the open end in response to the back-and-forth movement of the slide. The slide carries a control plate capable of limited movement relative to the slide between two terminal positions spaced in the direction of slide movement. Two jaws are pivotally mounted on the slide and may jointly obstruct the open end of the chute. A jaw operating member on the control plate engages the jaws and moves them toward and away from the chute-obstructing position in response to movement of the control plate between its terminal positions which is caused by motion transmitting elements on the support when the slide moves back and forth.

IPC 1-7
B25B 21/00; **B25B 23/08**

IPC 8 full level
B25B 21/00 (2006.01); **B25B 23/10** (2006.01)

CPC (source: EP US)
B25B 21/00 (2013.01 - EP US); **B25B 23/10** (2013.01 - EP US); **E04D 15/04** (2013.01 - EP US); **E04D 2015/047** (2013.01 - EP US)

Cited by
EP0600283A1

Designated contracting state (EPC)
BE CH DE FR GB IT LU NL SE

DOCDB simple family (publication)
EP 0003714 A1 19790822; **EP 0003714 B1 19810429**; AT 360926 B 19810210; AT A106378 A 19800615; DE 2960282 D1 19810806; US 4354403 A 19821019

DOCDB simple family (application)
EP 79810002 A 19790115; AT 106378 A 19780214; DE 2960282 T 19790115; US 663479 A 19790126