

Title (en)

Means for transporting casting ladles to a continuous casting plant.

Title (de)

Einrichtung zum Transport von Giesspfannen zu einer Stranggiessanlage.

Title (fr)

Dispositif de support de poches pour une installation de coulée continue.

Publication

EP 0009259 A1 19800402 (DE)

Application

EP 79103587 A 19790924

Priority

FR 7827545 A 19780926

Abstract (en)

1. Apparatus for transporting casting ladles to a continuous-casting installation and consisting of a hoist for removing the ladles, emanating from the steel mill, from a transportation means and lifting them to the level of the casting position, as well as of a revolving turret, which is arranged at the level of the casting platform and which receives the ladles, lifted in a ladle-change station, and moves them to the casting station, characterized in that the hoist (4, 41, 43) for the casting ladles (2, 2') is provided directly on the revolving turret and can be pivoted therewith from a position covering the ladle-change station into the position aligned with the casting station.

Abstract (de)

Zum Transport von aus dem Stahlwerk ankommenden Giesspfannen (2) zu einer Stranggiessanlage wird ein Hebezeug (4, 41) direkt auf ein Tragorgan (33), das zwischen einer Giesstation (7) und einer Pfannenwechselstation (6) bewegbar ist, angeordnet.

IPC 1-7

B22D 11/10

IPC 8 full level

B22D 41/12 (2006.01); **B22D 11/10** (2006.01); **B22D 41/13** (2006.01)

CPC (source: EP)

B22D 41/13 (2013.01)

Citation (search report)

- FR 1578603 A 19690814
- DE 1288767 B 19690206 - VOEST AG
- FR 1371056 A 19640828 - SCHLOEMANN AG
- DE 2028078 A1 19711216

Cited by

CN110642146A; EP0140217A1; EP0206169A3

Designated contracting state (EPC)

AT DE IT LU

DOCDB simple family (publication)

EP 0009259 A1 19800402; **EP 0009259 B1 19810715**; AT E106 T1 19810715; DE 2960492 D1 19811022; ES 484724 A1 19800616; FR 2437258 A1 19800425; FR 2437258 B1 19810227; JP S5545599 A 19800331

DOCDB simple family (application)

EP 79103587 A 19790924; AT 79103587 T 19790924; DE 2960492 T 19790924; ES 484724 A 19790925; FR 7827545 A 19780926; JP 12274979 A 19790926