

Title (en)
LOCK ASSEMBLY

Publication
EP 0013555 B1 19820901 (DE)

Application
EP 80100013 A 19800103

Priority
DE 2900632 A 19790109

Abstract (en)
[origin: EP0013555A1] 1. Lock assembly consisting of a locking case (5) with a blocking shackle (9) articulated pivotably thereto, and of a lock (1), the lock bolt (11) of which, with the blocking shackle (9) swung to, can be pushed, in at least two steps, through a slot (13) in the blocking shackle (9), in a first closing position the lock bolt (11) merely passing through the slot (13) in the blocking shackle (9) and, in a second closing position, penetrating into a closing orifice (15) in the locking case (5), and the lock bolt (11) having at least one shoulder (19, 21) which points towards the lock (1) and which engages behind the edge of the slot (13), with the blocking shackle (9) swung out, the blocking shackle (9) being prestressed into its swung-to position by means of a spring (53), characterized in that the blocking shackle (9) is designed as a tube, the wall of which limits on all sides the slot (13) extending in the direction of the tube axis and encloses this slot, on the side remote from the lock, with the exception of a passage orifice (29) for the lock bolt (11), which is located between the slot (13) and the closing orifice (15) of the locking case (5) and the size of which corresponds to that of the closing orifice (15).

IPC 1-7
E05B 63/00; **E05C 17/02**

IPC 8 full level
E05B 63/00 (2006.01); **E05C 17/02** (2006.01); **E05C 17/16** (2006.01); **E05B 15/04** (2006.01); **E05B 15/16** (2006.01); **E05B 63/04** (2006.01)

CPC (source: EP)
E05C 17/166 (2013.01); **E05B 15/1614** (2013.01); **E05B 63/04** (2013.01); **E05B 2015/041** (2013.01); **E05B 2015/0413** (2013.01)

Cited by
EP0742333A1; FR2654768A1

Designated contracting state (EPC)
AT BE CH FR GB IT NL SE

DOCDB simple family (publication)
EP 0013555 A1 19800723; **EP 0013555 B1 19820901**; AT 365714 B 19820210; AT A768779 A 19810615; AT E1512 T1 19820915; DE 2900632 A1 19800717

DOCDB simple family (application)
EP 80100013 A 19800103; AT 768779 A 19791205; AT 80100013 T 19800103; DE 2900632 A 19790109