

Title (en)

MODE COUPLER IN AN AUTOMATIC ANGLE TRACKING SYSTEM

Publication

EP 0014692 B1 19831130 (EN)

Application

EP 80850014 A 19800206

Priority

SE 7901055 A 19790207

Abstract (en)

[origin: EP0014692A2] the invention relates to a mode coupler which, for example is included in an angle tracking system of a satellite to establish a telecommunication between the transmitting and the receiving ground stations. The mode coupler is realized through a circular main wave guide (1) which also can include the feeding horn of the satellite antenna in which a basic mode, for example the TE₁₁-mode of the incoming circular polarized wave guide field appears and which procures two communication channels (f₁-f₂ and f₃-f₄ respectively), as well as a beacon frequency (fb). To the main wave guide four rectangular wave guide arms (2a-2d) are connected via the associated apertures (3a-3d). The main wave guide is dimensioned as a mode filter for filtering away the non-desired higher modes TE₂₁ and TM₀₁ and the wave guide arms are dimensioned as a frequency filter for filtering away the frequency bands of the communication channels. From the higher modes TE₂₁ and TM₀₁, the difference- and the sum signals are created in known way to provide a measure of the angle error of the satellite antenna.

IPC 1-7

H01P 1/16; **H01Q 25/04**

IPC 8 full level

H01P 1/16 (2006.01); **H01Q 13/02** (2006.01); **H01Q 25/04** (2006.01)

CPC (source: EP)

H01P 1/16 (2013.01); **H01Q 13/025** (2013.01); **H01Q 25/04** (2013.01)

Cited by

FR2498336A1; EP1672739A1; CN116581550A; GB2163909A; CN103094718A; EP1369955A3; US2013207859A1; US9843099B2; WO2012172565A1; US9735470B2; WO2013121221A3

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

EP 0014692 A2 19800820; **EP 0014692 A3 19800917**; **EP 0014692 B1 19831130**; DE 3065740 D1 19840105; SE 419906 B 19810831; SE 7901055 L 19800808

DOCDB simple family (application)

EP 80850014 A 19800206; DE 3065740 T 19800206; SE 7901055 A 19790207