

Title (en)
FIRE DETECTOR

Publication
EP 0015348 B1 19840620 (FR)

Application
EP 79400108 A 19790222

Priority
EP 79400108 A 19790222

Abstract (en)
[origin: EP0015348A1] 1. A fire detector equipped with a reference element and an analysing element which is constituted by an open radioactive ionization chamber (1) the impedance of which varies in the presence of combustion gases, said elements being coupled in a bridge and connected to two inputs of two voltage comparators (A1 and A2) each connected to an alarm system (S1, S2) such that imbalance of the bridge produces a signal at the output of one or other comparator depending on the direction of the imbalance and operates the corresponding alarm system, characterized in that the voltage applied at the terminals of the analysing chamber lies within the so-called recombination zone of its curve for ionization current as a function of the voltage applied.

IPC 1-7
G08B 17/00

IPC 8 full level
G08B 17/00 (2006.01)

CPC (source: EP)
G08B 17/00 (2013.01)

Cited by
CN107170188A

Designated contracting state (EPC)
BE CH DE FR GB IT NL SE

DOCDB simple family (publication)
EP 0015348 A1 19800917; EP 0015348 B1 19840620; DE 2967062 D1 19840726

DOCDB simple family (application)
EP 79400108 A 19790222; DE 2967062 T 19790222