

Title (en)
CORNER JOINT FOR TWO STRAIGHT GUTTER OR TUBE SECTIONS

Publication
EP 0025145 B1 19850130 (DE)

Application
EP 80104920 A 19800819

Priority
DE 2935782 A 19790905

Abstract (en)
[origin: EP0025145A2] 1. Corner angle joint of two straight eaves gutter parts (1, 2; 11, 12) of dimensionally stable material, with an at least approximately mitred cut, the mitre surfaces being arranged at a mutual distance and the eaves gutter parts (1, 2; 11, 12) being joined by elastic material (4, 24; 30) at an elastic angle, characterised by the following features : a) the eaves gutter parts (1, 2; 11, 12) are joined by sheet-like elastomeric material (4, 24; 30) ; b) a strip (4) of the sheet-like elastomeric material is provided only on the inside of the eaves gutter parts (1, 2; 11, 12) and bridges the distance between the mitre surfaces ; c) the distance between the mitre surfaces transversely to the mitre bevel is 1 to 5 mm, in particular 2 to 3 mm.

IPC 1-7
E04D 13/06; **F16L 27/10**; **F16L 43/02**

IPC 8 full level
E04D 13/068 (2006.01); **F16L 27/10** (2006.01); **F16L 43/02** (2006.01)

CPC (source: EP)
E04D 13/0643 (2013.01); **E04D 13/068** (2013.01)

Citation (examination)
DE 1779170 U 19581211 - EICHER KURT [DE]

Cited by
FR2762632A1; GB2376698A; GB2376698B; NL1012720C2; WO2008089942A1

Designated contracting state (EPC)
DE LU NL SE

DOCDB simple family (publication)
EP 0025145 A2 19810318; **EP 0025145 A3 19810506**; **EP 0025145 B1 19850130**; BE 885037 A 19801231; DE 2935782 A1 19810312; DE 2935782 C2 19820513; DE 3070060 D1 19850314; FR 2464397 A1 19810306; FR 2464397 B1 19850222

DOCDB simple family (application)
EP 80104920 A 19800819; BE 201954 A 19800902; DE 2935782 A 19790905; DE 3070060 T 19800819; FR 8019096 A 19800904