

Title (en)
INK JET PRINTER COMPRISING A PICTURE-SLANT CONTROL DEVICE

Publication
EP 0025492 B1 19840516 (FR)

Application
EP 80104356 A 19800724

Priority
US 7591179 A 19790917

Abstract (en)
[origin: US4219823A] In a continuous type ink jet printer having a conventional charging electrode for charging ink drops in accordance with a signal to be recorded on a record receiving medium, at least one, and preferably both of the deflection electrodes is mounted so that the deflection electrodes may be positioned in a first position by an actuator to allow for printing in a first direction. The actuator tilts the electric field to compensate for character inclination during carrier movement, and at the opposite end of the print line rotates the deflection electrodes to a second position to incline the electric field to compensate, during carrier movement in that opposite direction, for character inclination due to carrier movement in the second direction.

IPC 1-7
B41J 3/04

IPC 8 full level
B41J 2/01 (2006.01); **B41J 2/09** (2006.01); **B41J 2/13** (2006.01)

CPC (source: EP US)
B41J 2/09 (2013.01 - EP US); **B41J 2/13** (2013.01 - EP US)

Designated contracting state (EPC)
DE FR GB IT

DOCDB simple family (publication)
US 4219823 A 19800826; CA 1156715 A 19831108; DE 3067838 D1 19840620; EP 0025492 A1 19810325; EP 0025492 B1 19840516; JP S5646760 A 19810428

DOCDB simple family (application)
US 7591179 A 19790917; CA 356152 A 19800714; DE 3067838 T 19800724; EP 80104356 A 19800724; JP 8298380 A 19800620