

Title (en)

Coil for electric apparatus or electric machine.

Title (de)

Spule für elektrischen Apparat oder elektrische Maschine.

Title (fr)

Bobine pour appareil ou machine électrique.

Publication

EP 0028034 A1 19810506 (DE)

Application

EP 80200761 A 19800813

Priority

DE 2941178 A 19791011

Abstract (en)

Coil for an electric apparatus, particularly for physical heavy-current installations, having at least one conductor rod of a highly conductive material and an insulating layer surrounding the conductor rod. The cost for the supporting construction for absorbing the high forces occurring with a rapid current rise is reduced in that the coils themselves are provided with higher strength. This is achieved in that the conductor rod consists of a composite material, one component of the conductor rod consisting of a material of high conductivity but low strength. The second component of the conductor rod consists, on the other hand, of a curable, highly conductive material, e.g. copper-cobalt-beryllium. <IMAGE>

IPC 1-7

H01F 27/28; **H01F 5/00**; **H01F 7/20**

IPC 8 full level

H01F 5/00 (2006.01); **H01F 7/20** (2006.01); **H01F 27/28** (2006.01)

CPC (source: EP)

H01F 5/00 (2013.01); **H01F 7/202** (2013.01); **H01F 27/2847** (2013.01)

Citation (search report)

- FR 1510111 A 19680119 - ALSTHOM SAVOISIENNE
- DE 533274 C 19311003 - PHILIPS NV
- CH 125304 A 19280402 - BBC BROWN BOVERI & CIE [CH]
- DE 1638508 A1 19700618 - I TRUDOVOGOKRASNOGO Z MO ELEKT
- IEEE SPECTRUM, Band 3, Heft 8, August 1966, Seiten 111-114 D.B. MONTGOMERY: "High-strength conductors for supermagnets" * Seite 112, linke Spalte, Absatz 2, Zeilen 12-14 *
- ZEITSCHRIFT FÜR ANGEWANDTE PHYSIK, Band 31, Nr. 5/6, 1971, Seiten 346-359 D. SCHNEIDER et al.: "Technik gepulster hoher Magnetfelder mit kapazitiven und induktiven Speichern oder nach dem Kompressionsverfahren" * Seite 351, rechte Spalte, letzter Absatz *

Cited by

US5336778A; US5166206A

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

EP 0028034 A1 19810506; DE 2941178 A1 19810423

DOCDB simple family (application)

EP 80200761 A 19800813; DE 2941178 A 19791011