

Title (en)

DEVICE FOR DETERMINING THE INDICATION OF A SIGNAL TO BE CONVEYED TO A RAILWAY TRACTION VEHICLE

Publication

**EP 0032581 B1 19841010 (DE)**

Application

**EP 80108134 A 19801222**

Priority

DE 3001440 A 19800116

Abstract (en)

[origin: US4381094A] The signal term to be transmitted to a railroad traction vehicle is formed in a signaling system in that each element, from a destination element back to a start element has a respective top speed assigned thereto as an identification. The identification is transmitted element-by-element back to the start element and is devalued during relaying thereof when the identification is greater than that prescribed for a travel path element having a lower assigned top speed so that the identification received at the start element indicates the top speed admissible for the route. The admissible top speed is then converted into a corresponding signal term.

IPC 1-7

**B61L 21/00**

IPC 8 full level

**B61L 21/00** (2006.01); **B61L 21/04** (2006.01); **B61L 21/08** (2006.01)

CPC (source: EP US)

**B61L 21/04** (2013.01 - EP US); **B61L 21/08** (2013.01 - EP US)

Cited by

EP0705753A3; EP3323693A1; EP0481574A3; WO2018091186A1

Designated contracting state (EPC)

AT CH DE LI NL

DOCDB simple family (publication)

**EP 0032581 A2 19810729**; **EP 0032581 A3 19811007**; **EP 0032581 B1 19841010**; **EP 0032581 B2 19890118**; AT E9775 T1 19841015; DE 3001440 A1 19810723; DE 3001440 C2 19820408; DE 3069431 D1 19841115; US 4381094 A 19830426; ZA 81264 B 19820127

DOCDB simple family (application)

**EP 80108134 A 19801222**; AT 80108134 T 19801222; DE 3001440 A 19800116; DE 3069431 T 19801222; US 22327181 A 19810108; ZA 81264 A 19810115