

Title (en)
DRIVE MECHANISM FOR A PRINT CARRIAGE AND AN INK RIBBON

Publication
EP 0033500 B1 19841107 (DE)

Application
EP 81100519 A 19810124

Priority
JP 933380 A 19800131

Abstract (en)
[origin: JPS56106889A] PURPOSE:To reduce a number of parts, facilitate the assembling thereof and miniaturize the device by a method wherein a ribbon feeding is effected utilizing a wire driving a carrier in the serial printer utilizing an ink ribbon cassette. CONSTITUTION:When a driving drum 12 is rotated clockwise by the rotation of a motor 17, the wire 5b is wound around a drum 12 and the carrier 3 is moved to the right at this time. On the other hand, the wire 5a is rewound from the drum 12 and rotates a pulley 8a counterclockwise. This rotation is transmitted to a rotary shaft 7 through a one direction clutch 9a mounted to the pulley 8a and an ink ribbon feeding roller 6 is driven. In the same manner, when the carrier 3 is moved to the left, the wire 5b rotated the pulley 8b counterclockwise when it is rewound from the drum 12, the rotary shaft 7 is rotated through the one direction clutch 9b and rotates the ribbon feeding roller 6 into the direction same as before.

IPC 1-7
B41J 33/04; **B41J 33/24**; **B41J 19/20**; **B41J 33/22**

IPC 8 full level
B41J 33/38 (2006.01); **B41J 33/04** (2006.01); **B41J 33/24** (2006.01)

CPC (source: EP US)
B41J 33/04 (2013.01 - EP US); **B41J 33/24** (2013.01 - EP US)

Designated contracting state (EPC)
BE DE FR GB

DOCDB simple family (publication)
EP 0033500 A2 19810812; **EP 0033500 A3 19820714**; **EP 0033500 B1 19841107**; AU 534792 B2 19840216; AU 6654581 A 19810806; CA 1147691 A 19830607; DE 3167006 D1 19841213; JP S56106889 A 19810825; US 4376586 A 19830315

DOCDB simple family (application)
EP 81100519 A 19810124; AU 6654581 A 19810122; CA 369770 A 19810130; DE 3167006 T 19810124; JP 933380 A 19800131; US 22753681 A 19810122