

Title (en)  
PUSH-BUTTON BLOCK

Publication  
**EP 0038501 B1 19840704 (DE)**

Application  
**EP 81102802 A 19810411**

Priority  
DE 3015292 A 19800421

Abstract (en)  
[origin: ES8202460A1] A key assembly for receivers for communication systems, especially radio and television receivers, comprises a casing, keys adapted for mutual release by means of a spring-loaded locking plate for switching in storable, selectively adjustable electrical values of channel memories consisting of a plurality of voltage dividers for variable capacitance diode tuning, rotary and slidable press buttons associated with the respective keys for channel tuning and optionally for selecting a frequency range, which is adjustable in a preferably pressed position of the rotary press button being different from the tuning position by turning into various locking angular positions, as well as a channel and frequency range indicator scale. According to the invention said indicator scale simultaneously is the locking plate for the keys.

IPC 1-7  
**H01H 13/74**; **H03J 1/02**; **H03J 5/32**

IPC 8 full level  
**H03J 5/12** (2006.01); **H01H 13/74** (2006.01)

CPC (source: EP US)  
**H01H 13/74** (2013.01 - EP US)

Cited by  
FR2527834A1

Designated contracting state (EPC)  
FR GB IT

DOCDB simple family (publication)  
**EP 0038501 A2 19811028**; **EP 0038501 A3 19820512**; **EP 0038501 B1 19840704**; DE 3015292 A1 19811022; DE 3015292 C2 19851017; ES 501526 A0 19820201; ES 8202460 A1 19820201; JP S56166623 A 19811221; JP S647692 B2 19890209; US 4368441 A 19830111

DOCDB simple family (application)  
**EP 81102802 A 19810411**; DE 3015292 A 19800421; ES 501526 A 19810421; JP 5931281 A 19810421; US 25463581 A 19810416