

Title (en)

METHOD FOR WINDING SEVERAL TURNS OF WIRE ON A CASE, IN PARTICULAR FOR THE WINDING OF DEVIATION RINGS FOR CATHODE RAY TUBES, MACHINE FOR CARRYING OUT THE METHOD AND WINDING OBTAINED BY THE METHOD

Publication

EP 0039276 B1 19840808 (FR)

Application

EP 81400620 A 19810417

Priority

FR 8008964 A 19800422

Abstract (en)

[origin: US4417698A] The invention refers to a process and a machine making it possible to achieve improved winding of turns of electrical wire on a cathode ray tube deflection ring. According to the invention, the machine includes three axes X, Y, Z with motor means. The winders 12 rotate around axis Z to achieve turns of winding. They are supported by a rotatable column 11 around axis X to the winding plane. The deflecting ring 15 is mounted pivotally around axis X on a fixed support 4. The machine also includes pairing means for controlling electric motor means 5, 14. It is able to perform windings of desired incline without reducing the work speed of the winders 12.

IPC 1-7

H01J 9/236; H01J 29/76; H01F 41/08

IPC 8 full level

H01J 9/236 (2006.01); **H01J 29/76** (2006.01)

CPC (source: EP US)

H01J 9/236 (2013.01 - EP US); **H01J 2209/2366** (2013.01 - EP US)

Cited by

EP0286484A1; FR2613128A1; US5165614A

Designated contracting state (EPC)

DE NL

DOCDB simple family (publication)

EP 0039276 A1 19811104; **EP 0039276 B1 19840808**; DE 3165350 D1 19840913; FR 2481002 A1 19811023; FR 2481002 B1 19821001; IT 1148073 B 19861126; IT 8146834 A0 19810421; JP S5734637 A 19820225; US 4417698 A 19831129

DOCDB simple family (application)

EP 81400620 A 19810417; DE 3165350 T 19810417; FR 8008964 A 19800422; IT 4683481 A 19810421; JP 6108481 A 19810422; US 25637581 A 19810422