

Title (en)
SYSTEM FOR PRODUCING A LIQUID SPRAY CURTAIN FOR APPLICATION TO A MOVING WEB

Publication
EP 0040927 B1 19841114 (EN)

Application
EP 81302126 A 19810513

Priority
US 15102380 A 19800519

Abstract (en)
[origin: EP0040927A1] A method and a system are provided for producing a continuous liquid spray curtain which, when sprayed onto a moving surface, covers essentially the entirety of that surface without substantial streaking thereof. The subject spray curtain is produced by discharging a continuous air curtain at a relatively high velocity of at least 600 feet per second (183 metres/sec.). A plurality of liquid streams are at the same time discharged from a liquid discharge means (37) at a relatively low velocity of not more than about 20 feet per second (6 metres/sec.). The air curtain contacts the liquid streams at a minimum contact angle of between about -10 DEG and about +30 DEG , measured from the center line of the liquid discharge means. The contacting air curtain atomizes the liquid streams and forms the subject high velocity, uniform, liquid spray curtain.

IPC 1-7
B05B 7/08; **B05B 7/02**; **D21G 7/00**

IPC 8 full level
B05B 1/02 (2006.01); **B05B 1/26** (2006.01); **B05B 1/28** (2006.01); **B05B 7/02** (2006.01); **B05B 7/08** (2006.01); **D21G 7/00** (2006.01)

CPC (source: EP)
B05B 7/0807 (2013.01); **B05B 7/0884** (2013.01); **D21G 7/00** (2013.01)

Cited by
EP0498600A1; US5996576A; WO9711783A1

Designated contracting state (EPC)
AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)
EP 0040927 A1 19811202; **EP 0040927 B1 19841114**; AT E10261 T1 19841115; CA 1174530 A 19840918; DE 3167158 D1 19841220; JP S57500636 A 19820415; WO 8103372 A1 19811126

DOCDB simple family (application)
EP 81302126 A 19810513; AT 81302126 T 19810513; CA 377396 A 19810512; DE 3167158 T 19810513; JP 50181381 A 19810511; US 8100664 W 19810511