

Title (en)  
Improvements relating to latch mechanisms.

Title (de)  
Fallenmechanismen.

Title (fr)  
Mécanismes de loquets.

Publication  
**EP 0042757 A1 19811230 (EN)**

Application  
**EP 81302812 A 19810623**

Priority  
GB 8020677 A 19800624

Abstract (en)  
A handle (6) is linked by co-operating flanges to a plate (14) by a bolt nose (2). The plate (14) can be moved independently by a lock mechanism (13) acting to rotate the plate (20) which will engage a pin (21) on the plate (14) to withdraw the bolt nose (2) into the body (1). The locking mechanism (13) incorporates a slot which, upon rotation, can be located in one or other of a pair of notches (28) in a hold plate associated with the plate (14) so as to lock the bolt in either the withdrawn or extended positions. A deadlatch nose (5), when withdrawn into the body (1), moves an associated plate (40) so as to allow a pin 48 to enter a notch so that a moulding (46) can rotate and allow a pin (47) to enter a notch (53) in the plate (14) (when the bolt nose (2) is extended) and thus hold the plate (14) against movement allowing the bolt nose to be withdrawn.

IPC 1-7  
**E05B 55/00**; **E05B 63/16**

IPC 8 full level  
**E05B 55/00** (2006.01); **E05B 63/16** (2006.01)

CPC (source: EP)  
**E05B 55/00** (2013.01)

Citation (search report)  
• [X] US 3765710 A 19731016 - ORR J  
• [A] US 1513904 A 19241104 - HILL ELERT A

Cited by  
GB2303874A; GB2303874B

Designated contracting state (EPC)  
AT BE CH DE FR GB IT LU NL SE

DOCDB simple family (publication)  
**EP 0042757 A1 19811230**; **EP 0042757 B1 19850313**; AT E12132 T1 19850315; DE 3169242 D1 19850418; GB 2080382 A 19820203

DOCDB simple family (application)  
**EP 81302812 A 19810623**; AT 81302812 T 19810623; DE 3169242 T 19810623; GB 8020677 A 19800624