

Title (en)

LIQUID OSCILLATOR DEVICE

Publication

EP 0044331 B1 19860102 (EN)

Application

EP 81900400 A 19810113

Priority

- US 11224880 A 19800114
- US 21824780 A 19801219

Abstract (en)

[origin: WO8101966A1] The liquid spray device includes an oscillator for producing a fan spray with liquid droplets of uniform size. The oscillator is constituted by a power nozzle (15), a pair of side walls (20, 21) forming a pair of vortex spaces (30, 31) offset from the power nozzle, a pair of inwardly extending protuberances or deflectors (20B, 21B) downstream of which are a pair of inlets (181, 191) to passages (18, 19) leading to exits (16, 17) adjacent the power nozzle, and an outlet throat or aperture (24) having a pair of short wall surfaces (26L, 26R) defining an exit throat of any value selected from about 30° to about 160° so that the fan angle can be selected to be from about 30° to 160°. This structure results in an oscillator which has a relatively low threshold of pressure at which oscillations are initiated and, most importantly, the liquid is issued in a much more uniform fan pattern than heretofore possible. In a preferred embodiment the liquid is a windshield washer fluid and the oscillator is incorporated in a nozzle for an automobile windshield washer assembly for issuing a fan spray of washer fluid onto the windshield.

IPC 1-7

B05B 1/08

IPC 8 full level

B05B 1/08 (2006.01); **F15C 1/22** (2006.01)

CPC (source: EP)

B05B 1/08 (2013.01); **F15C 1/22** (2013.01)

Cited by

CN112547330A; DE19838764B4; WO0012361A1

Designated contracting state (EPC)

DE FR GB SE

DOCDB simple family (publication)

WO 8101966 A1 19810723; AU 544839 B2 19850613; AU 6778081 A 19810807; BR 8105864 A 19811117; EP 0044331 A1 19820127;
EP 0044331 A4 19820528; EP 0044331 B1 19860102

DOCDB simple family (application)

US 8100047 W 19810113; AU 6778081 A 19810113; BR 8105864 A 19810113; EP 81900400 A 19810113