

Title (en)

MECHANICAL CONTROL FOR THE SHEDDING OF WARP ENDS OF A LOOM AND LOOM COMPRISING SUCH MECHANICAL CONTROL

Publication

EP 0045758 B1 19840627 (FR)

Application

EP 81900431 A 19810217

Priority

MC 1432 A 19800218

Abstract (en)

[origin: WO8102312A1] The mechanical doffing comprises a plurality of doffing ends (30) pressed right through the warp yarn layer (10) and provided each with a yarn doffing stitch (28) wherein a respective warp end (10) passes therethrough. Each doffing yarn passes in the score (36) of a respective pulley (32), individual displacement means (54, 56) for the doffing yarn (30) being associated to the yarn and the respective pulley to allow a traction and a return of the yarn, said means being arranged on the side opposed to the side where the doffing yarn (30) arrives on the pulley (32).

IPC 1-7

D03C 13/00

IPC 8 full level

D03C 13/00 (2006.01); **D03C 3/00** (2006.01)

CPC (source: EP US)

D03C 13/00 (2013.01 - EP US)

Designated contracting state (EPC)

CH DE FR GB LI

DOCDB simple family (publication)

WO 8102312 A1 19810820; BE 887551 A 19810615; DE 3164357 D1 19840802; EP 0045758 A1 19820217; EP 0045758 B1 19840627; IT 1135517 B 19860827; IT 8119825 A0 19810218; JP S57500112 A 19820121; MC 1319 A1 19810310; US 4440196 A 19840403

DOCDB simple family (application)

FR 8100018 W 19810217; BE 203819 A 19810217; DE 3164357 T 19810217; EP 81900431 A 19810217; IT 1982581 A 19810218; JP 50068981 A 19810217; MC 1432 A 19800218; US 30996981 A 19811005