

Title (en)

BRAZEABLE FERRITIC STAINLESS STEEL, METHOD OF USING SAME AND ARTICLE FORMED THEREFROM

Publication

**EP 0049033 B1 19851121 (EN)**

Application

**EP 81303337 A 19810721**

Priority

US 17632480 A 19800808

Abstract (en)

[origin: EP0049033A1] A stabilized ferritic stainless steel is wettable by brazing materials used at temperatures of from 1093 DEG C to 1149 DEG C (2000 DEG F to 2100 DEG F). The steel consists essentially of, by weight, 10.5% to 13.5% chromium, up to 0.1 carbon, up to 0.05% nitrogen, up to 0.12% titanium and at least one other stabilizing element selected from niobium and tantalum in an amount in accordance with the relationship: <CHEM> The invention includes a method of using the steel which comprises brazing the steel, preferably with copper, and a brazed article formed from the steel.

IPC 1-7

**C22C 38/26**

IPC 8 full level

**C22C 38/00** (2006.01); **C22C 38/26** (2006.01); **C22C 38/28** (2006.01)

CPC (source: EP)

**C22C 38/26** (2013.01); **C22C 38/28** (2013.01)

Cited by

CN103643136A; EP2744718A4; EP0678587A1; US5792285A; EP0306578A1; US10131977B2; US9199764B2

Designated contracting state (EPC)

BE DE FR GB IT SE

DOCDB simple family (publication)

**EP 0049033 A1 19820407; EP 0049033 B1 19851121;** AT A345281 A 19831215; AU 7317081 A 19820211; BR 8105025 A 19820420; CA 1181267 A 19850122; DE 3172977 D1 19860102; ES 504584 A0 19830101; ES 8302116 A1 19830101; JP H034617 B2 19910123; JP S5760056 A 19820410; ZA 814922 B 19820728

DOCDB simple family (application)

**EP 81303337 A 19810721;** AT 345281 A 19810805; AU 7317081 A 19810721; BR 8105025 A 19810805; CA 383481 A 19810807; DE 3172977 T 19810721; ES 504584 A 19810806; JP 12463881 A 19810808; ZA 814922 A 19810717