

Title (en)  
Continuous-casting device.

Title (de)  
Stranggussvorrichtung.

Title (fr)  
Dispositif de coulée en continu.

Publication  
**EP 0049239 A1 19820407 (DE)**

Application  
**EP 81890156 A 19810928**

Priority  
DE 3037059 A 19801001

Abstract (en)  
1. Continuous casting apparatus for metals and alloys with a molten metal container (1) which comprises at least one channel which communicates with the cavity of a substantially horizontally arranged mould (6) by way of at least one nozzle block (4) of refractory material extending into the channel portion (2) of the molten metal container (1) and passing through a seal (3) having a substantially flat sealing surface or surfaces (2a, 4b) between it and the molten metal container (1), characterised in that for casting high-melting metals and their alloys, for example steel, the nozzle block (4) is ceramic, preferably of zirconium oxide, and the seal (3) is formed by a fleece of aluminium oxide fibres.

Abstract (de)  
Der horizontale Strangguss ist insbesondere für hochwertige Stahlqualitäten geeignet. Die Verbindung zwischen Schmelzenbehälter (1) und Kokille (6) kann die Ursache von Störungen und Verunreinigung der Legierung sein. Diese Störungen können dadurch vermieden werden, daß zwischen dem Düsenstein (4) der Kokille und dem Schmelzenbehälter eine Dichtung aus einem Vlies aus Aluminiumoxidfasern angeordnet ist.

IPC 1-7  
**B22D 11/04**; **B22D 11/14**

IPC 8 full level  
**B22D 11/04** (2006.01); **B22D 11/047** (2006.01); **B22D 11/14** (2006.01)

CPC (source: EP)  
**B22D 11/047** (2013.01); **B22D 11/143** (2013.01)

Citation (search report)  
• CH 440571 A 19670731 - MACHIN ANSTALT [LI]  
• DE 2355015 A1 19740516 - SIDERURGIE FSE INST RECH  
• DE 3520091 A

Cited by  
AT407350B; EP0092539A1; EP0149164A3; EP0251570A3; EP0153014A1; US4730659A; US6554055B1

Designated contracting state (EPC)  
AT BE CH DE FR GB IT LU NL SE

DOCDB simple family (publication)  
**EP 0049239 A1 19820407**; **EP 0049239 B1 19840912**; AT E9286 T1 19840915; DE 3037059 A1 19820429; DE 3166053 D1 19841018

DOCDB simple family (application)  
**EP 81890156 A 19810928**; AT 81890156 T 19810928; DE 3037059 A 19801001; DE 3166053 T 19810928