

Title (en)  
VAPOR STRIPPING PROCESS

Publication  
**EP 0049240 B1 19880120 (EN)**

Application  
**EP 80900863 A 19800402**

Priority  
US 8000414 W 19800402

Abstract (en)  
[origin: WO8102858A1] Organic coatings, such as paint, varnish, shellac, asphalt and oils are stripped from the surface of a coated object by contacting the surface with a stripping composition in the gaseous state. This process is particularly useful for objects which can be placed in a stripping zone and substantially sealed from the atmosphere, especially objects having an irregular surface, and also for interior surfaces which can be substantially sealed from the atmosphere, including extensive surfaces such as those of storage tanks, tank cars and the holds and ballast tanks of ships.

IPC 1-7  
**B08B 5/00**; B08B 9/08

IPC 8 full level  
**B44D 3/16** (2006.01); **B08B 5/00** (2006.01); **C09D 9/00** (2006.01)

CPC (source: EP)  
**B08B 5/00** (2013.01)

Cited by  
US7193006B2; US9382390B2

Designated contracting state (EPC)  
DE GB NL

DOCDB simple family (publication)  
**WO 8102858 A1 19811015**; AU 5995980 A 19811026; DE 3072068 D1 19880225; EP 0049240 A1 19820414; EP 0049240 A4 19830418; EP 0049240 B1 19880120; JP H0416360 B2 19920323; JP S57500328 A 19820225

DOCDB simple family (application)  
**US 8000414 W 19800402**; AU 5995980 A 19800402; DE 3072068 T 19800402; EP 80900863 A 19800402; JP 50104280 A 19800402