

Title (en)

Alarm glass pane and method of making the same.

Title (de)

Alarmglasscheibe und Verfahren zu ihrer Herstellung.

Title (fr)

Feuille de vitre d'alarme et procédé pour sa fabrication.

Publication

**EP 0058348 A2 19820825 (DE)**

Application

**EP 82100781 A 19820204**

Priority

DE 3105564 A 19810216

Abstract (en)

1. An alarm glass pane comprising at least two sheets of glass (2 and 3) which are connected together with the use of a metallic spacer frame (4) to form an insulating glass pane with an air gap therein and of which one glass sheet (2) consists of tempered glass, and within the spacer frame (4) on the surface adjacent to the air gap it carries a printed and fused-on electrical alarm loop (10), which at its ends has broad terminal surfaces (12), with which lead wires (14) leading to an alarm circuit are soldered, and the leads leading to the printed alarm loop (10) between the glass sheets arranged with an air gap between them extend out of the air gap of the insulating glass pane, characterized in that the broad terminal surfaces (12) for the lead wires (14) are arranged in a known manner in the marginal part of the tempered glass sheet (2), and in that the conductor sections (11 and 11') connecting the alarm loop (2) as such with the terminal surfaces (12) placed outside the spacer frame (4) are covered over by an electrically insulating and enamel-like guard layer (16) which is printed on these conductor sections (11 and 11'), and is also fused on.

Abstract (de)

Eine als Alarmglasscheibe ausgebildete Isolierglasscheibe umfaßt eine Glasscheibe (2) aus vorgespanntem Glas, die über einen Abstandsrahmen (4) mit der zweiten Glasscheibe (3) mittels Klebmassen (6, 7) verklebt ist. Der Signalgeber besteht aus einer auf der Innenseite der Glasscheibe (2) angeordneten Alarmschleife (10) aus einem aufgedruckten und eingebrannten Leitstreifen. Die Verbindungsleitstreifen (11) zwischen den Anschlußflächen (12) und der Alarmschleife (10) sind durch eine isolierende Schutzschicht (16) aus einer ebenfalls aufgedruckten und eingebrannten Einbrennfarbe abgedeckt. Die Anschlußflächen (12) sind unmittelbar im Randbereich der Glasscheibe (2) außerhalb des Abstandsrahmens (4) angeordnet.

IPC 1-7

**G08B 13/04**; **E06B 3/66**

IPC 8 full level

**E06B 3/66** (2006.01); **E06B 5/11** (2006.01); **G08B 13/04** (2006.01)

CPC (source: EP)

**E06B 5/11** (2013.01)

Cited by

CN102134952A; DE29512628U1; DE19748868C1; CN103953269A; DE10154558C1; EP1310929A3; GB2166575B; CN103244021A; GB2250367A; GB2198570B; DE10354350A1; DE10354350B4; DE19960450C1; EP0712101A1; EP1109140A3; EP1109140A2; WO2018024565A1; US10490036B2; WO2017085302A1; US10242542B2; WO2017085303A1; US10553087B2; WO2018024564A1; US10557877B2

Designated contracting state (EPC)

AT BE CH DE FR IT LI LU NL

DOCDB simple family (publication)

**EP 0058348 A2 19820825**; **EP 0058348 A3 19821201**; **EP 0058348 B1 19860820**; AT E21572 T1 19860915; DE 3105564 A1 19820909; DE 3272655 D1 19860925; ES 509596 A0 19830501; ES 8305956 A1 19830501

DOCDB simple family (application)

**EP 82100781 A 19820204**; AT 82100781 T 19820204; DE 3105564 A 19810216; DE 3272655 T 19820204; ES 509596 A 19820215