

Title (en)  
PROCESS TO AROMATISE TABACCO SMOKE, CIGARETTE END PIECE TO CARRY OUT THE PROCESS, AND USE OF THE PROCESS

Publication  
**EP 0069056 B1 19860430 (DE)**

Application  
**EP 82810238 A 19820601**

Priority  
CH 378781 A 19810610

Abstract (en)  
[origin: US4466451A] A highly-porous silica gel charged with 10% by weight of anethole and 20% by weight of deactivating agent is used in the tip of a cigarette in order to aromatize the smoke drawn from the cigarette in a simple way with anethole even after prolonged storage of the cigarette.

IPC 1-7  
**A24D 3/06**

IPC 8 full level  
**A24D 3/04** (2006.01); **A24D 3/00** (2006.01); **A24D 3/06** (2006.01); **A24D 3/14** (2006.01); **A24D 3/16** (2006.01); **A24D 3/18** (2006.01); **A24F 7/04** (2006.01); **A24F 13/06** (2006.01)

CPC (source: EP US)  
**A24D 3/06** (2013.01 - EP US)

Cited by  
EP0434332A3; US5269329A

Designated contracting state (EPC)  
AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0069056 A1 19830105; EP 0069056 B1 19860430**; AT E19462 T1 19860515; DE 3270841 D1 19860605; JP H0473993 B2 19921125; JP S57208979 A 19821222; US 4466451 A 19840821

DOCDB simple family (application)  
**EP 82810238 A 19820601**; AT 82810238 T 19820601; DE 3270841 T 19820601; JP 9992582 A 19820610; US 38494482 A 19820604