

Title (en)
Improved sign.

Title (de)
Verbesserte Anzeigetafel.

Title (fr)
Enseigne améliorée.

Publication
EP 0069571 A1 19830112 (EN)

Application
EP 82303513 A 19820705

Priority
AU 958581 A 19810703

Abstract (en)
A sign having rows and columns of selectively illuminable incandescent globes (15) in which each row is located so as to be seen only through an associated aperture (14) in the face of the sign. Mechanically the electronic circuitry associated with the sign may comprise two spaced circuit boards (21, 25), the spacing being provided by certain of the components (26). The time of display of messages on the sign can be varied depending upon the cognitive latency of the particular message being displayed.

IPC 1-7
G09F 13/28; **G09G 3/00**

IPC 8 full level
G09F 13/28 (2006.01); **G09G 3/00** (2006.01)

CPC (source: EP)
G09F 13/28 (2013.01); **G09G 3/004** (2013.01)

Citation (search report)

- [X] US 3918052 A 19751104 - BRICHER KENNETH J
- [Y] FR 2106842 A5 19720505 - ADES ELECTRIC
- [Y] GB 664008 A 19510102 - GRAHAM CRAWFORD WALTER SMEE
- [A] FR 1526674 A 19680524
- [A] US 3384888 A 19680521 - HARNDEN JR JOHN D, et al
- [A] ELECTRONIC DESIGN, vol. 26, no. 4, February 1978, pages 76-80, Rochelle Park, USA
- [A] IBM TECHNICAL DISCLOSURE BULLETIN, vol. 19, no. 1, June 1976, pages 41-42, New York, USA

Cited by
FR2547089A2; GB2158984A; GB2144254A; EP0289124A1; US4847531A; GB2180383A; GB2164189A; WO03050791A1

Designated contracting state (EPC)
DE FR GB IT SE

DOCDB simple family (publication)
EP 0069571 A1 19830112; AU 8550682 A 19821202

DOCDB simple family (application)
EP 82303513 A 19820705; AU 8550682 A 19810703