

Title (en)

ELECTROLYSIS APPARATUS

Publication

EP 0083591 B1 19851023 (FR)

Application

EP 82900614 A 19820217

Priority

LU 83152 A 19810219

Abstract (en)

[origin: WO8202907A1] In an electrolysis apparatus comprising: electrolytic cells (2) in which are suspended groups of electrodes and of which the longitudinal walls (17) are capped by two rows (19, 20) of supports (21, 22) for the suspension ears (12, 16) of the electrodes, said rows extending on either side of a middle element of electrical connection (23), and handling means (5) for introducing a group of electrodes in a cell and for taking it out, the supports (21, 22) stand over the middle element of electrical connection (23), the ears (12, 16) of the electrodes suspended in the cells extend beyond their supports (21, 22) and the handling means (5) are adapted to lift the electrodes by the lower face of the ends of their ears (12, 16).

IPC 1-7

C25C 7/00

IPC 8 full level

C25C 7/02 (2006.01); **C25C 7/00** (2006.01)

IPC 8 main group level

C25C (2006.01)

CPC (source: EP US)

C25C 7/00 (2013.01 - EP US)

Designated contracting state (EPC)

BE DE GB SE

DOCDB simple family (publication)

WO 8202907 A1 19820902; AU 545884 B2 19850801; AU 8143682 A 19820914; CA 1162513 A 19840221; DE 3266976 D1 19851128;
EP 0083591 A1 19830720; EP 0083591 B1 19851023; JP S58500201 A 19830210; JP S5857518 B2 19831220; LU 83152 A1 19820910;
US 4436606 A 19840313

DOCDB simple family (application)

BE 8200002 W 19820217; AU 8143682 A 19820217; CA 396594 A 19820218; DE 3266976 T 19820217; EP 82900614 A 19820217;
JP 50067982 A 19820217; LU 83152 A 19810219; US 43292582 A 19820930