

Title (en)  
ELECTRODES ARRANGEMENT FOR CAPACITIVE PROTECTION FENCES

Publication  
**EP 0087108 B1 19860604 (DE)**

Application  
**EP 83101441 A 19830215**

Priority  
• DE 3205837 A 19820218  
• DE 8204566 U 19820218  
• DE 8204572 U 19820218

Abstract (en)  
[origin: US4579317A] An electrode arrangement for capacitive guard fences wherein the conductor is horizontally stretched substantially parallel to the ground has a shape for preventing formation of water droplets which may collect as a result of precipitation from generating a false alarm and which also deters small animals from perching on the electrode. In one embodiment the electrode has a rectangular cross-section with the longest sides of the electrode being disposed substantially vertically. In another embodiment the electrode consists of two conductors having circular cross-sections which may be disposed parallel to one another or twisted. A further electrode embodiment has at least three conductors having very small circular cross-sections disposed at equal intervals from one another around a circular circumference. Means for facilitating water droplet runoff are provided at equal intervals which simultaneously serve as spacers for the conductors. Another electrode embodiment has a single line wire in the shape of a stretched helical spring.

IPC 1-7  
**G08B 13/26**

IPC 8 full level  
**G08B 13/26** (2006.01)

CPC (source: EP US)  
**G08B 13/26** (2013.01 - EP US)

Cited by  
DE102012107412A1; DE102012107412B4

Designated contracting state (EPC)  
DE IT NL

DOCDB simple family (publication)  
**EP 0087108 A1 19830831; EP 0087108 B1 19860604**; AR 231776 A1 19850228; DE 3363860 D1 19860710; ES 278033 U 19860716; ES 278033 Y 19870401; GR 77969 B 19840925; MX 153461 A 19861020; US 4579317 A 19860401

DOCDB simple family (application)  
**EP 83101441 A 19830215**; AR 29202883 A 19830203; DE 3363860 T 19830215; ES 278033 U 19830217; GR 830170511 A 19830216; MX 19627983 A 19830215; US 45923383 A 19830119