

Title (en)
DISC BRAKES

Publication
EP 0092896 B1 19860910 (EN)

Application
EP 83300759 A 19830216

Priority
GB 8209092 A 19820327

Abstract (en)
[origin: EP0092896A1] In an automotive disc brake, the main hydraulic seal 18 is arranged in a trapezoidal annular groove 21 so that it distorts into a parallelogram shape during brake application and provides a resilient retraction force for the piston 17 in the cylinder 16 when the cylinder is depressurised. A combined dust seal and retraction control means 19 incorporates an abutment means 26, 28 which grips the piston and can move axially with the piston between retraction stop 31 forming the rear of a groove 34 and a setting stop provided by a flange on retainer 25. During brake application the piston slides through the abutment means 26, 28, which has its position on the piston set by the setting stop. On brake release, retraction brought about by main seal 18 is restricted to distance A by engagement of the abutment means with the retraction stop.

IPC 1-7
F16D 65/02; **F16D 55/224**

IPC 8 full level
F16D 55/22 (2006.01); **F16D 65/14** (2006.01); **F16D 65/18** (2006.01); **F16D 65/54** (2006.01); **F16J 15/56** (2006.01)

CPC (source: EP)
F16D 65/18 (2013.01); **F16D 65/54** (2013.01); **F16J 15/56** (2013.01); **F16D 2121/02** (2013.01); **F16D 2127/02** (2013.01)

Citation (examination)
• EP 0057883 A2 19820818 - WABCO WESTINGHOUSE FAHRZEUG [DE]
• US 4058084 A 19771115 - KAWAGUCHI HIROSHI, et al
• DE 2709762 A1 19780914 - WABCO WESTINGHOUSE GMBH
• DE 1136164 B 19620906 - TEVES KG ALFRED

Cited by
US4809821A; EP0144552A3; EP2273149A1; EP0684400A3; US5934416A; EP0774391A1; DE19542657C2; EP0867633A1; US6044936A; GB2258703A; US5325949A; GB2258703B; US8225910B2; WO2011077410A1; US6328388B1; WO2007057929A1

Designated contracting state (EPC)
DE FR IT

DOCDB simple family (publication)
EP 0092896 A1 19831102; **EP 0092896 B1 19860910**; DE 3365952 D1 19861016; GB 2117464 A 19831012; GB 2117464 B 19850911; GB 8304241 D0 19830323; JP S58170437 U 19831114

DOCDB simple family (application)
EP 83300759 A 19830216; DE 3365952 T 19830216; GB 8304241 A 19830216; JP 4217583 U 19830325