

Title (en)
ELECTRICAL CONNECTION DEVICE

Publication
EP 0093056 B1 19861105 (FR)

Application
EP 83400806 A 19830422

Priority
FR 8207140 A 19820426

Abstract (en)
[origin: US4518214A] A device for electrically connecting a cylindrical conductor, of the kind comprising at least one fork whose members each have a cutting edge, the conductor to be connected being forced in and gripped between such cutting edges, wherein each member of the fork is prolonged by an arm, the device also comprising a member for inserting and extracting the conductor to be connected, such member having a shape such that it can move the ends of the arms away from one another when the conductor is introduced and keep them apart to a distance such that the distance apart of the cutting edges at the level of the conductor is slightly less than its diameter.

IPC 1-7
H01R 4/24

IPC 8 full level
H01R 4/24 (2006.01); **H01R 43/01** (2006.01)

CPC (source: EP US)
H01R 4/2425 (2013.01 - EP US); **H01R 43/015** (2013.01 - EP US); **Y10T 29/515** (2015.01 - EP US); **Y10T 29/53235** (2015.01 - EP US)

Cited by
US10744066B2

Designated contracting state (EPC)
BE DE GB IT NL

DOCDB simple family (publication)
EP 0093056 A1 19831102; EP 0093056 B1 19861105; CA 1207049 A 19860702; DE 3367487 D1 19861211; ES 279906 U 19850601;
ES 279906 Y 19860116; ES 283085 U 19850801; ES 283085 Y 19860416; FR 2525824 A1 19831028; FR 2525824 B1 19840720;
US 4518214 A 19850521

DOCDB simple family (application)
EP 83400806 A 19830422; CA 426667 A 19830425; DE 3367487 T 19830422; ES 279906 U 19830426; ES 283085 U 19841130;
FR 8207140 A 19820426; US 48632083 A 19830419