

Title (en)
PROCESS FOR APPLYING POWDER IN STRIP FORM AND POWDER APPLICATION DEVICE

Publication
EP 0093083 B1 19861210 (DE)

Application
EP 83810161 A 19830418

Priority
• CH 100483 A 19830223
• CH 256282 A 19820427
• CH 502482 A 19820824

Abstract (en)
[origin: US4661379A] In order to apply a strip-shaped powder layer onto the inside of a can body to cover a welding seam of the can body in a controlled manner, the can body is moved in a predetermined direction over a spraying head transporting the powder, due to the kinetic energy imparted thereto by a moving air current, to an elongated opening of the spraying head. This elongated opening flow communicates with a spray chamber of the spraying head and is located opposite the welding seam of the can body. While the can body moves past the spraying head there is formed a strip-shaped powder layer at the welding seam without any cloud formation of the powder in the spray chamber. Advantageously, a vacuum action is applied immediately adjacent the outlet opening where the powder conveyed by the moving air current is introduced as a bundled powder jet into the spray chamber of the spraying head, so that the bundled powder jet entering this spray chamber is retained in its jet-like configuration through removal of the air current serving as carrier air for the powder particles. In this way, the powder particles are not deflected out of their intended flight path or trajectory towards the welding seam.

IPC 1-7
B05B 5/08; **B05B 13/06**; **B05C 19/00**; **B05D 1/12**; **B05D 1/36**; **B05D 7/14**; **B65D 8/22**

IPC 8 full level
B05B 13/06 (2006.01); **B05D 1/06** (2006.01); **B05D 1/36** (2006.01); **B05D 7/22** (2006.01)

CPC (source: EP US)
B05B 5/032 (2013.01 - EP US); **B05B 5/12** (2013.01 - EP US); **B05B 7/1486** (2013.01 - EP US); **B05B 14/10** (2018.01 - EP US);
B05D 1/12 (2013.01 - EP US); **B05D 7/222** (2013.01 - EP US); **B05B 5/047** (2013.01 - EP US); **B05D 7/54** (2013.01 - EP US);
B05D 2401/32 (2013.01 - EP US)

Cited by
US2016082463A1; EP0184994A1; EP0791400A1; US5863600A; EP0170827A1; CH666630A5; US4826704A; FR2993188A1; CN104428658A;
RU2625974C2; US4749593A; EP0152375A3; US10792689B2; US9804100B2; WO2014009629A1; WO8906165A1

Designated contracting state (EPC)
AT BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)
EP 0093083 A2 19831102; **EP 0093083 A3 19840704**; **EP 0093083 B1 19861210**; **EP 0093083 B2 19931124**; DE 3368210 D1 19870122;
US 4661379 A 19870428

DOCDB simple family (application)
EP 83810161 A 19830418; DE 3368210 T 19830418; US 79791985 A 19851114