

Title (en)  
Coke oven.

Title (de)  
Verkokungsöfen.

Title (fr)  
Four à coke.

Publication  
**EP 0098465 A2 19840118 (DE)**

Application  
**EP 83106125 A 19830622**

Priority  
• DE 3224949 A 19820703  
• DE 3226783 A 19820717

Abstract (en)  
1. A coking oven with a multiplicity of horizontal coking chambers closed off at the top by an oven roof, with a rail track laid on the oven roof and with a coal charging truck that can run on the rail track, in which the coal charging truck is provided with suction equipment to remove by suction any dirt deposited on the oven roof and the suction equipment possesses at least one suction nozzle with suction aperture of basically slotted shape, a suction pipe connected to the suction nozzle and a suction blower connected to the suction pipe, and in which the suction nozzle can be transported over the oven roof in the direction of movement of the coal charging truck as the coal charging truck is moved, characterized in that the suction nozzle (9) is arranged to have its suction aperture (10) aligned with the direction of movement of the coal charging truck (7) and that the suction nozzle (9) can be transported over the whole width of the oven roof (3) transversely to the direction of movement of the coal charging truck (7).

Abstract (de)  
Bei einem Verkokungsöfen (1) mit einer Vielzahl von horizontalen, auf der Oberseite mit einer Ofendecke (3) abgeschlossenen Verkokungskammern (2), mit auf der Ofendecke (3) angeordneten Fahrschienen (6) und mit einem auf den Fahrschienen (6) verfahrbaren Kohlenfüllwagen (7), bei dem der Kohlenfüllwagen (7) mit einer Absaugvorrichtung (8) zum Absaugen von auf der Ofendecke (3) abgelagertem Schmutz versehen ist und die Absaugvorrichtung mindestens eine Absaugdüse (9) aufweist, kann ohne die Gefahr von Überlastungen des Antriebsmotors des Kohlenfüllwagens (7) und ohne Erhöhung der Saugleistung ein gründliches und effektives Absaugen von auf der Ofendecke (3) abgelagertem Schmutz dadurch gewährleistet werden, daß die Absaugdüse (9) mit ihrer Absaugöffnung (10) im wesentlichen in Bewegungsrichtung des Kohlenfüllwagens (7) angeordnet und quer zur Bewegungsrichtung im wesentlichen über die gesamte Breite der Ofendecke (3) verfahrbar ist.

IPC 1-7  
**C10B 45/00; C10B 31/04**

IPC 8 full level  
**B08B 15/00** (2006.01); **C10B 31/04** (2006.01); **C10B 45/00** (2006.01)

CPC (source: EP)  
**B08B 15/005** (2013.01); **C10B 31/04** (2013.01); **C10B 45/00** (2013.01)

Cited by  
US7860396B2

Designated contracting state (EPC)  
AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)  
**EP 0098465 A2 19840118; EP 0098465 A3 19841227; EP 0098465 B1 19860402**; DE 3226783 A1 19840105; DE 3226783 C2 19840419; DE 3362776 D1 19860507

DOCDB simple family (application)  
**EP 83106125 A 19830622**; DE 3226783 A 19820717; DE 3362776 T 19830622