

Title (en)

HAMMER MILL

Publication

EP 0103240 B1 19871119 (DE)

Application

EP 83108623 A 19830901

Priority

DE 3233985 A 19820914

Abstract (en)

[origin: ES8405292A1] In a hammer breaker for breaking and crushing scrap material, in which a hammer rotor having a plurality of hammers pivotally mounted thereon is rotatably mounted in a housing having an inlet for the material to be broken and crushed, a passage for receiving the broken and crushed material from the hammer rotor, and an outlet from the passage covered by a classifying grate, the passage is divided by a perforated baffle into a pair of chambers arranged in series in the direction of rotation of the rotor. The first chamber is provided with the classifying grate outlet, and the second chamber leads back to the material inlet so that air is able to circulate around the rotor via the perforated baffle and the second chamber, thus reducing the throughput of air of the machine and correspondingly reducing the size of the dust extractor which is needed.

IPC 1-7

B02C 13/282; B02C 13/09

IPC 8 full level

B02C 13/04 (2006.01); **B02C 13/09** (2006.01); **B02C 13/282** (2006.01); **B02C 13/284** (2006.01); **B02C 13/286** (2006.01)

CPC (source: EP US)

B02C 13/09 (2013.01 - EP US); **B02C 13/282** (2013.01 - EP US); **B02C 13/284** (2013.01 - EP US)

Cited by

FR2713107A1; US6648253B1; WO0007730A1

Designated contracting state (EPC)

AT BE CH DE FR GB IT LI NL SE

DOCDB simple family (publication)

EP 0103240 A2 19840321; EP 0103240 A3 19851002; EP 0103240 B1 19871119; AT E30854 T1 19871215; AU 1898483 A 19840322; AU 567506 B2 19871126; DE 3233985 A1 19840315; DE 3374523 D1 19871223; ES 525561 A0 19840601; ES 8405292 A1 19840601; JP S5966359 A 19840414; US 4542856 A 19850924

DOCDB simple family (application)

EP 83108623 A 19830901; AT 83108623 T 19830901; AU 1898483 A 19830909; DE 3233985 A 19820914; DE 3374523 T 19830901; ES 525561 A 19830913; JP 16767783 A 19830913; US 53181283 A 19830913