

Title (en)

FILLING MACHINE FOR FOAMING LIQUIDS

Publication

EP 0103484 A3 19840502 (EN)

Application

EP 83305347 A 19830913

Priority

US 41750582 A 19820913

Abstract (en)

[origin: EP0103484A2] A filling nozzle assembly includes an elongated fill sleeve (94) for insertion into a container (14). A fill tip (92) is located at an end of the sleeve and is axially slidable between open and closed positions. A spring 122 biases the tip to its closed position. An apparatus (24, 32) is provided to lower the sleeve into the container during which time a shroud (96) contacts the container inhibiting further insertion of the sleeve, but permitting axial movement of the fill tip, thereby opening same. A latch (100) keeps the fill tip open as the sleeve is withdrawn from the container until the latch is tripped by a release mechanism (146).

IPC 1-7

B67C 3/26; B67C 3/04

IPC 8 full level

B67C 3/02 (2006.01); **B67C 3/04** (2006.01); **B67C 3/22** (2006.01); **B67C 3/26** (2006.01)

CPC (source: EP)

B67C 3/04 (2013.01); **B67C 3/26** (2013.01); **B67C 3/2608** (2013.01); **B67C 2003/2671** (2013.01)

Citation (search report)

[AD] US 3056436 A 19621002 - FECHHEIMER PAUL R, et al

Cited by

CN111453070A; US5001550A; EP0166803A1; EP2141115A1; EP0906888A1; US6056208A; CN109019487A; FR3101074A1; US8424575B2; WO2021053297A1; US7762430B2; US11745992B2

Designated contracting state (EPC)

DE FR GB IT

DOCDB simple family (publication)

EP 0103484 A2 19840321; EP 0103484 A3 19840502; JP S5984790 A 19840516

DOCDB simple family (application)

EP 83305347 A 19830913; JP 16911983 A 19830913