

Title (en)
HIGH SENSIVITY STRIKER

Publication
EP 0107167 B1 19870121 (FR)

Application
EP 83110368 A 19831018

Priority
FR 8217607 A 19821021

Abstract (en)
[origin: EP0107167A1] Striker characterized in that the flux of the magnet (8) which is used for the sticking of a movable core (9) associated to a striking rod (11) has a high magnitude owing to the selection of a flat cylindrically wound magnet (8), thereby providing a high sticking force. Application to the control of circuit breakers.

IPC 1-7
H01H 71/32; H01H 71/74

IPC 8 full level
H01F 7/16 (2006.01); **H01F 7/04** (2006.01); **H01H 71/32** (2006.01); **H01H 73/36** (2006.01)

CPC (source: EP)
H01H 71/32 (2013.01)

Cited by
DE102005044230A1; DE102005044230B4; FR2573570A1; EP0187055A1; US4660012A; EP0436448A1; FR2656953A1; US5126710A; US4876521A

Designated contracting state (EPC)
CH DE FR GB LI SE

DOCDB simple family (publication)
EP 0107167 A1 19840502; EP 0107167 B1 19870121; DE 3369422 D1 19870226; FR 2535107 A1 19840427; FR 2535107 B1 19850412;
JP H0329166 B2 19910423; JP S59501928 A 19841115; WO 8401662 A1 19840426

DOCDB simple family (application)
EP 83110368 A 19831018; DE 3369422 T 19831018; FR 8217607 A 19821021; FR 8300208 W 19831017; JP 50328383 A 19831017