

Title (en)
Device for holding a wing in position.

Title (de)
Gerät um eine Klappe in einer Stellung zu halten.

Title (fr)
Dispositif pour le maintien en position d'un abattant.

Publication
EP 0107529 A1 19840502 (FR)

Application
EP 83401782 A 19830913

Priority
FR 8215482 A 19820914

Abstract (en)
[origin: US4572401A] The holding device comprises a part provided at each of its ends with a lug, each lug being caught between the walls of a groove of elongated shape formed in a casing and capable of having a translational and rotational motion, each groove having adjacent at least one of its ends a zone of narrowed cross-section with elastic walls, and each casing being intended for securement to the corresponding element of the jointed assembly to which the device of the invention is applied.

Abstract (fr)
Ce dispositif comporte une pièce (6) munie à chacune de ses deux extrémités d'un téton (7-7a), chaque téton étant pris entre les parois d'une gorge (4-4a) de forme allongée pratiquée dans un boîtier (3-3a) et pouvant y effectuer un mouvement de translation ou de rotation, chaque gorge présentant au voisinage d'au moins l'une de ses extrémités une zone de section moindre et à parois (8-8a) douées d'une certaine élasticité, chaque boîtier étant destiné à être rendu solidaire de l'élément (1-2) correspondant de l'ensemble articulé auquel ce dispositif est appliqué.

IPC 1-7
E05C 17/04

IPC 8 full level
E05C 17/20 (2006.01); **A45C 13/34** (2006.01); **E05C 17/04** (2006.01); **E05C 17/22** (2006.01); **E05C 17/28** (2006.01)

CPC (source: EP KR US)
A45C 13/34 (2013.01 - EP US); **E05C 17/04** (2013.01 - EP US); **E05C 17/20** (2013.01 - KR); **E05C 17/22** (2013.01 - KR);
E05C 17/28 (2013.01 - EP US); **Y10T 292/299** (2015.04 - EP US); **Y10T 292/301** (2015.04 - EP US); **Y10T 292/65** (2015.04 - EP US)

Citation (search report)
• WO 8000987 A1 19800515 - CAMPER & NICHOLSON MARINE [GB], et al
• DE 1912949 A1 19701001 - PROGRESSWERK WOERNLEIN & ZELLHOFFER
• GB 348370 A 19310514 - CHARLES WILLIAM CHENEY

Cited by
US8765393B2

Designated contracting state (EPC)
AT BE CH DE FR GB IT LI LU NL SE

DOCDB simple family (publication)
US 4572401 A 19860225; AT E25274 T1 19870215; CA 1205785 A 19860610; DE 3369545 D1 19870305; DK 157460 B 19900108; DK 157460 C 19900528; DK 234184 A 19840511; DK 234184 D0 19840511; EP 0107529 A1 19840502; EP 0107529 B1 19870128; ES 283000 U 19850616; ES 283000 Y 19860401; FR 2532980 A1 19840316; FR 2532980 B1 19860912; HK 11788 A 19880216; JP H0139768 B2 19890823; JP S5971704 A 19840423; KR 840005853 A 19841119; KR 870002191 B1 19871228; MA 19898 A1 19840401; SG 48387 G 19880520; WO 8401182 A1 19840329

DOCDB simple family (application)
US 53190883 A 19830912; AT 83401782 T 19830913; CA 436683 A 19830914; DE 3369545 T 19830913; DK 234184 A 19840511; EP 83401782 A 19830913; ES 283000 U 19830913; FR 8215482 A 19820914; FR 8300180 W 19830914; HK 11788 A 19880210; JP 16908883 A 19830913; KR 830004293 A 19830913; MA 20121 A 19830913; SG 48387 A 19870602