

Title (en)
COIN SELECTOR

Publication
EP 0109057 A3 19850612 (FR)

Application
EP 83111234 A 19831110

Priority
FR 8219179 A 19821116

Abstract (en)
[origin: EP0109057A2] The selector of coins brought into a static position in the presence of at least one sensor identifying a characteristic of each coin is characterised in that, for the identification of at least one dimensional characteristic of at least one type of coin (P), it employs a capacitive sensor, in which the coin (P) in the static position forms one of the plates of at least one capacitor (P, P1, P2), the capacitance measurement of which represents the corresponding characteristic of each coin to be identified. <IMAGE>

IPC 1-7
G07D 5/02; **G07D 5/08**; **G07F 3/02**

IPC 8 full level
G07D 5/02 (2006.01); **G07D 5/08** (2006.01); **G07F 5/02** (2006.01)

IPC 8 main group level
G07D (2006.01)

CPC (source: EP)
G07D 5/02 (2013.01); **G07D 5/08** (2013.01)

Citation (search report)
• [X] US 4184366 A 19800122 - BUTLER FREDERICK R [GB]
• [A] GB 2062327 A 19810520 - GNT AUTOMATIC AS
• [A] US 3929213 A 19751230 - VERRILL RICHARD
• [A] GB 994736 A 19650610
• [A] FR 2353911 A1 19771230 - AFFRANCHISSEMENT TIMBRAGE AUTO [FR]
• [A] DE 1809738 A1 19700618 - JANUS HERMANN
• [A] FEINWERKTECHNIK + MICRONIC, vol. 76, no. 4, mai-juin 1972, pages 177-180; L. HORN et al.: "Elektrische M}nzpr}fer"

Cited by
GB2174227A; EP0818758A3; GB2292473A; GB2243238A; GB2243238B; US4805754A; EP0316308A4; EP0918306A2; WO9116690A1; WO9605575A1

Designated contracting state (EPC)
BE CH DE GB IT LI SE

DOCDB simple family (publication)
EP 0109057 A2 19840523; **EP 0109057 A3 19850612**; AU 2101483 A 19840524; DK 522283 A 19840517; DK 522283 D0 19831115; ES 275716 U 19850416; ES 275716 Y 19851101; FR 2536189 A1 19840518

DOCDB simple family (application)
EP 83111234 A 19831110; AU 2101483 A 19831107; DK 522283 A 19831115; ES 275716 U 19831115; FR 8219179 A 19821116