

Title (en)  
CABLE JACKET

Publication  
**EP 0109952 B1 19861001 (EN)**

Application  
**EP 83850303 A 19831110**

Priority  
SE 8206551 A 19821117

Abstract (en)  
[origin: EP0109952A2] The invention relates to a jacket (2) for an electrical welding cable. In order to provide the jacket with good torsional and bending flexibility as well as form strength at high internal pressures, a surrounding reinforcement layer (9) of warp-knit type which is known per se is vulcanized into the rubber jacket (2), and in the radial direction outside said reinforcement layer, one or more unidirectionally helically wound reinforcing cords (10) are vulcanized into the rubber jacket, the spacing between adjacent cord windings measuring in the longitudinal direction of the jacket about 2-8 mm, preferably about 4 mm.

IPC 1-7  
**H01B 9/00; H01B 7/18**

IPC 8 full level  
**H01B 7/22** (2006.01); **H01B 7/18** (2006.01); **H01B 9/00** (2006.01)

CPC (source: EP)  
**H01B 7/182** (2013.01); **H01B 9/001** (2013.01)

Cited by  
CN107622844A; EP2011517A1

Designated contracting state (EPC)  
BE DE FR GB IT NL

DOCDB simple family (publication)  
**EP 0109952 A2 19840530; EP 0109952 A3 19840704; EP 0109952 B1 19861001**; CA 1204182 A 19860506; DE 3366628 D1 19861106; ES 285013 U 19850616; ES 285013 Y 19860401; JP S59103208 A 19840614; SE 450674 B 19870713; SE 8206551 D0 19821117; SE 8206551 L 19840518

DOCDB simple family (application)  
**EP 83850303 A 19831110**; CA 440970 A 19831110; DE 3366628 T 19831110; ES 285013 U 19831116; JP 21705283 A 19831117; SE 8206551 A 19821117